

# **PROJECT ON ONLINE PORTAL FOR SURVEY & POLLING SYSTEM**

**REPORT OF MAJOR PROJECT SUBMITTED FOR  
FULFILLMENT OF THE DEGREE OF  
MASTER IN COMPUTER APPLICATION**

**SWARNENDU BASAK**

Registration no.: 151170510052 OF 2015-2016  
University Roll No.: 11701015051

**OLIVIA DASTIDAR**

Registration no.: 151170510029 OF 2015-2016  
University Roll No.: 11701015029

**ADITI PAL**

Registration no.: 151170510004 OF 2015-2016  
University Roll No.: 11701015004

**UNDER THE SUPERVISION OF**

Mr. Arup Kumar Bhattacharjee  
Assistant Professor (CA)



**AT**

**RCC INSTITUTE OF INFORMATION TECHNOLOGY**  
Affiliated to Maulana Abul Kalam Azad University of Technology  
CANAL SOUTH ROAD, BELIAGHATA, KOLKATA – 700015

May, 2018

**RCC INSTITUTE OF INFORMATION TECHNOLOGY  
KOLKATA-700015, INDIA**



**CERTIFICATE**

The report of the Project titled Online Portal for Survey and Polling System submitted by Swarnendu Basak (Roll no.: 11701015051 of MCA 6<sup>th</sup> Semester 2018) has been prepared under my supervision for the fulfillment of the requirements for MCA degree in Maulana Abul Kalam Azad University of Technology. The report is hereby forwarded.

---

Guide:

Mr. Arup Kumar Bhattacharjee  
Assistant Professor (CA)  
RCCIIT, Kolkata.

Countersigned by

---

A.K.Bhattacharjee  
Department of Computer Application  
RCC Institute of Information Technology,  
Kolkata-700015, India

## **ACKNOWLEDGEMENT**

I express my sincere gratitude to **Asst. Prof. and HOD (Dept. of MCA) Arup Kumar Bhattacharjee** sir of Department of Computer Application, RCCIIT, my project guide and for extending her valuable times for me to take up this problem as a project.

Date: \_\_\_\_\_  
2016

Reg. no.: 151170510052 of 2015-

Roll no.: 11701015051  
MCA 6<sup>th</sup> Semester, RCCIIT

**RCC INSTITUTE OF INFORMATION TECHNOLOGY**  
**KOLKATA-700015, INDIA**



**CERTIFICATE OF ACCEPTANCE**

The report of the Project titled Online Portal for Survey and Polling System submitted by Swarnendu Basak (Roll no.: 117010105051 of MCA 6<sup>th</sup> Semester of 2018) is hereby recommended to be accepted for the fulfilment of the requirements for MCA degree in Maulana Abul Kalam Azad University of Technology.

**Name of the Examiner(s)**

1.....

2.....

**Signature with Date**

.....

.....

## **CONTENTS**

<u>TOPICS</u>	<u>PAGE</u>
<u>NO.</u>	
1. Abstract	1
2. Introduction	2
3. Purpose	2
4. Modules	3
5. Aims and Objectives	3
6. Product Prospective	4
7. Feasibility Study	5
8. Database Tables	7
9. ERD Diagram	10
10. DFD Diagram	11
11. Use Case Diagram	12
12. Source Codes with Screenshots	13
13. Features of Project	62
14. Future Scope and Conclusion	62
15. Conclusion and Bibliography	63

## **Abstract**

Online Portal for Survey and Polling System is a project which aims in developing a computerized system to maintain all the decision making processes taken inside a college .This project has many features which are generally not available in normal systems like facility of admin login through which the admin can monitor the whole system . It has also a facility where admin after logging in the account can monitor the whole system and also the members can request the admin to create a new polling event if needed by filling event request section. The admin after logging into his account i.e. admin account can generate reports regarding the polling results such as winner declaration as well as percentages of candidates results. Overall this project of ours is being developed to help the college management as well as staff of college to take decisions easily and also reduce the human efforts.

## **Introduction**

The proposed project is a smart survey and polling system that provides the college management an easy way of maintaining the whole decision making and survey system in an easy manner. It overcomes the problems of unnecessary time consuming tasks. Hence this project offers a web based system where admin can view various instances and control them. If the event is available then the allowed members who can participate in that specific polling or survey can give their decision in that specific time given by the admin. The participants i.e. the candidates of the events can also add their images and their audio video files for the audience who will vote them, this will help the members to make decision and select candidates easily. Admin can update or delete events anytime. There are many other features also available.

## **Purpose**

The purpose of this document is to describe the functionality and specifications of the design of application on php language. The expected audiences of this document are the developers and users of the application. This will allow users to access the polling and survey system from anywhere in this world.

## **Modules**

### **Admin:**

Admin gets login by valid username and password. Admin can see the request send by the students or faculty. Admin can also create events manually. Admin can view all the details and can allow special user to create event. Admin verifies the details of the members and declares the result.

### **Student:**

The student portion will allow students to participate in the polling system for election of the common college election for the college welfare such as selecting class representative, college general secretary etc. they are also allowed to participate in the college survey and decision making system for the college.

### **Faculty:**

The faculties' portion will also work in the same process but will allow the faculty members only in the survey and college committee selection procedures.

## **Project Aims and Objectives**

- Automation polling and survey system
- Online polling
- A database table to check the authenticity of the participants
- Simple database table to keep record of surveys and polls
- Providing some extra smooth facilities in the system which are not available easily manually.
- Reducing paper works as well as human efforts.

## **Advantages**

- It saves management time in task of decision making.
- The system provides a graphical view and an interactive look.
- The whole system is controlled by the admin.
- It excludes the need of human efforts.
- The system generates online results of surveys and polling.
- Cost-effective.

## **Disadvantages**

- It requires an internet connection.
- It requires large database.

## **Product Perspective**

Online Portal for Polling and Survey System is an application which refers to polling or survey systems which are generally small or medium in size. It is used by colleges to manage the decision making procedures using a computerized system where the management can record various issue of polling and survey like candidate details, participant details etc.

Student and faculty maintenance modules are also included in this system which would keep track of the members using the system and also a detailed description about the event. With this computerized system there will be no illegal member will be able to participate which generally happens when a non-computerized system is used.

In addition, admin, the user is able to generate different kinds of reports like lists of members registered, list of events, issue of results, creating events etc.

All these modules are able to help admin to manage the polling or survey with more convenience and in a more efficient way as compared to systems which are not computerized.

## **FEASIBILITY STUDY**

After identifying the scope of the project, the feasibility study is needed to be carried out. It is basically keeping the following points in mind.

**Building the software for meeting the scope:** This software has met the scope. As there is no data involved in the system, processing on the file, and the behaviour of this project is already identified and bundled I quantitative manner.

The processing of this software is very simple as it has been designed in php and it has been well divided into several functions according to the need.

**Technically feasible:** This software is very much technically feasible. This software is very much concerned with specifying equipment and the software will successfully satisfy almost all the user requirements. The technical need for this system may vary considerably but might include:

- a. The facility to produce output in a given time.
- b. Response time under certain conditions.
- c. Ability to process a file at a particular speed.

Therefore, the basic input/output of all files is identified. So, the project can easily be build up and it will also be technically feasible.

**State of Art:** The project is very much within the state of art since the project is a WINDOWS based; it uses very modern and common technique.

Beside it is very much modern and user friendly. It also works as middleware i.e. only in between the user and the file. So, it is completely a state of art project.

**Financially Feasible:** The project is very much financially feasible. The implementation and development cost of this software under the reach of any college.

Moreover, it requires some training for the use. So, training cost can be neglected and the resources of this software are very much available. It also reduces the labour and extra cost to be paid for labour. So indeed, it is financially feasible.

**Resources:** As motioned earlier that the resources are easily available and the cost of training is almost negligible. Sometimes situations may arise when it may not be so much easy. For a person completely unaware of using a computer system could result in a training cost or for a very small organization the purchase of a computer, instalment of the system and other charges may lead to a difficult matter.

**Touching User's mind:** The basic features of this software are simplicity, easily understandable, easily applicable. If this type of software is a new experience for the user is certainly going to be like it.

## **Project Category: PHP Online Portal for Survey and Polling System**

Available Technologies:

Languages: HTML 5, PHP 3, Bootstrap

RDBMS: Online MySQL

Development Platform: Notepad ++

Tools Used:

Editor Used: Notepad ++

Operating System: Windows 2007

Hardware Used:

Processor: Intel core i3

RAM: 2GB

Hard Disk: 500GB

# DATABASE TABLES

## Admin:

#	Name	Type	Collation	Attributes	Null	Default	Comments	Extra	Action
1	ID	varchar(20)	latin1_swedish_ci		No	None			<a href="#">Change</a> <a href="#">Drop</a> <a href="#">Primary</a> <a href="#">Unique</a> <a href="#">Index</a> <a href="#">Spatial</a> <a href="#">More</a>
2	NAME	varchar(40)	latin1_swedish_ci		No	None			<a href="#">Change</a> <a href="#">Drop</a> <a href="#">Primary</a> <a href="#">Unique</a> <a href="#">Index</a> <a href="#">Spatial</a> <a href="#">More</a>
3	PASSWORD	varchar(10)	latin1_swedish_ci		No	None			<a href="#">Change</a> <a href="#">Drop</a> <a href="#">Primary</a> <a href="#">Unique</a> <a href="#">Index</a> <a href="#">Spatial</a> <a href="#">More</a>

## Candidates:

#	Name	Type	Collation	Attributes	Null	Default	Comments	Extra	Action
1	topic_name	varchar(50)	latin1_swedish_ci		No	None			<a href="#">Change</a> <a href="#">Drop</a> <a href="#">Primary</a> <a href="#">Unique</a> <a href="#">Index</a> <a href="#">Spatial</a> <a href="#">More</a>
2	user_choice	varchar(20)	latin1_swedish_ci		No	None			<a href="#">Change</a> <a href="#">Drop</a> <a href="#">Primary</a> <a href="#">Unique</a> <a href="#">Index</a> <a href="#">Spatial</a> <a href="#">More</a>
3	dept	varchar(10)	latin1_swedish_ci		No	None			<a href="#">Change</a> <a href="#">Drop</a> <a href="#">Primary</a> <a href="#">Unique</a> <a href="#">Index</a> <a href="#">Spatial</a> <a href="#">More</a>
4	userview	varchar(20)	latin1_swedish_ci		No	None			<a href="#">Change</a> <a href="#">Drop</a> <a href="#">Primary</a> <a href="#">Unique</a> <a href="#">Index</a> <a href="#">Spatial</a> <a href="#">More</a>
5	can1name	varchar(30)	latin1_swedish_ci		No	None			<a href="#">Change</a> <a href="#">Drop</a> <a href="#">Primary</a> <a href="#">Unique</a> <a href="#">Index</a> <a href="#">Spatial</a> <a href="#">More</a>
6	can1picture	varchar(50)	latin1_swedish_ci		No	None			<a href="#">Change</a> <a href="#">Drop</a> <a href="#">Primary</a> <a href="#">Unique</a> <a href="#">Index</a> <a href="#">Spatial</a> <a href="#">More</a>
7	can1details	varchar(50)	latin1_swedish_ci		No	None			<a href="#">Change</a> <a href="#">Drop</a> <a href="#">Primary</a> <a href="#">Unique</a> <a href="#">Index</a> <a href="#">Spatial</a> <a href="#">More</a>
8	can2	varchar(20)	latin1_swedish_ci		No	None			<a href="#">Change</a> <a href="#">Drop</a> <a href="#">Primary</a> <a href="#">Unique</a> <a href="#">Index</a> <a href="#">Spatial</a> <a href="#">More</a>
9	can2picture	varchar(50)	latin1_swedish_ci		No	None			<a href="#">Change</a> <a href="#">Drop</a> <a href="#">Primary</a> <a href="#">Unique</a> <a href="#">Index</a> <a href="#">Spatial</a> <a href="#">More</a>
10	can2details	varchar(50)	latin1_swedish_ci		No	None			<a href="#">Change</a> <a href="#">Drop</a> <a href="#">Primary</a> <a href="#">Unique</a> <a href="#">Index</a> <a href="#">Spatial</a> <a href="#">More</a>
11	voting_date	date			No	None			<a href="#">Change</a> <a href="#">Drop</a> <a href="#">Primary</a> <a href="#">Unique</a> <a href="#">Index</a> <a href="#">Spatial</a> <a href="#">More</a>

## Canvote:

#	Name	Type	Collation	Attributes	Null	Default	Comments	Extra	Action
1	topic_name	varchar(255)	latin1_swedish_ci		No	None			<a href="#">Change</a> <a href="#">Drop</a> <a href="#">Primary</a> <a href="#">Unique</a> <a href="#">Index</a> <a href="#">Spatial</a> <a href="#">More</a>
2	voting_date	date			No	None			<a href="#">Change</a> <a href="#">Drop</a> <a href="#">Primary</a> <a href="#">Unique</a> <a href="#">Index</a> <a href="#">Spatial</a> <a href="#">More</a>
3	can1	int(100)			No	None			<a href="#">Change</a> <a href="#">Drop</a> <a href="#">Primary</a> <a href="#">Unique</a> <a href="#">Index</a> <a href="#">Spatial</a> <a href="#">More</a>
4	can2	int(100)			No	None			<a href="#">Change</a> <a href="#">Drop</a> <a href="#">Primary</a> <a href="#">Unique</a> <a href="#">Index</a> <a href="#">Spatial</a> <a href="#">More</a>

## Decision making:

#	Name	Type	Collation	Attributes	Null	Default	Comments	Extra	Action
1	topic_id	int(10)			No	None	AUTO_INCREMENT		<a href="#">Change</a> <a href="#">Drop</a> <a href="#">Primary</a> <a href="#">Unique</a> <a href="#">Index</a> <a href="#">More</a>
2	topic_name	varchar(40)	latin1_swedish_ci		No	None			<a href="#">Change</a> <a href="#">Drop</a> <a href="#">Primary</a> <a href="#">Unique</a> <a href="#">Index</a> <a href="#">More</a>
3	topic_details	varchar(60)	latin1_swedish_ci		No	None			<a href="#">Change</a> <a href="#">Drop</a> <a href="#">Primary</a> <a href="#">Unique</a> <a href="#">Index</a> <a href="#">More</a>
4	voting_date	date			No	None			<a href="#">Change</a> <a href="#">Drop</a> <a href="#">Primary</a> <a href="#">Unique</a> <a href="#">Index</a> <a href="#">More</a>
5	ending_date	date			No	None			<a href="#">Change</a> <a href="#">Drop</a> <a href="#">Primary</a> <a href="#">Unique</a> <a href="#">Index</a> <a href="#">More</a>
6	con_cat	varchar(20)	latin1_swedish_ci		No	None			<a href="#">Change</a> <a href="#">Drop</a> <a href="#">Primary</a> <a href="#">Unique</a> <a href="#">Index</a> <a href="#">More</a>
7	con_dept	varchar(10)	latin1_swedish_ci		No	None			<a href="#">Change</a> <a href="#">Drop</a> <a href="#">Primary</a> <a href="#">Unique</a> <a href="#">Index</a> <a href="#">More</a>
8	category	varchar(10)	latin1_swedish_ci		No	None			<a href="#">Change</a> <a href="#">Drop</a> <a href="#">Primary</a> <a href="#">Unique</a> <a href="#">Index</a> <a href="#">More</a>

### Faculty master registration:

#	Name	Type	Collation	Attributes	Null	Default	Comments	Extra	Action
1	faculty_registration_no	varchar(10)	latin1_swedish_ci		No	None			Change  Drop  Primary  Unique  Index ▾ More
2	faculty_firstname	varchar(30)	latin1_swedish_ci		No	None			Change  Drop  Primary  Unique  Index ▾ More
3	faculty_lastname	varchar(30)	latin1_swedish_ci		No	None			Change  Drop  Primary  Unique  Index ▾ More
4	contact_no	int(11)			No	None			Change  Drop  Primary  Unique  Index ▾ More
5	email_id	varchar(30)	latin1_swedish_ci		No	None			Change  Drop  Primary  Unique  Index ▾ More
6	dept	varchar(10)	latin1_swedish_ci		No	None			Change  Drop  Primary  Unique  Index ▾ More
7	category	varchar(10)	latin1_swedish_ci		No	None			Change  Drop  Primary  Unique  Index ▾ More
8	s_category	varchar(10)	latin1_swedish_ci		No	None			Change  Drop  Primary  Unique  Index ▾ More
9	year	int(10)			No	None			Change  Drop  Primary  Unique  Index ▾ More

#	Name	Type	Collation	Attributes	Null	Default	Comments	Extra	Action
1	re_id	int(11)			No	None	AUTO_INCREMENT		Change  Drop  Primary  Unique  Index ▾ More
2	request	varchar(50)	latin1_swedish_ci		No	None			Change  Drop  Primary  Unique  Index ▾ More
3	dept	varchar(10)	latin1_swedish_ci		No	None			Change  Drop  Primary  Unique  Index ▾ More
4	category	varchar(10)	latin1_swedish_ci		No	None			Change  Drop  Primary  Unique  Index ▾ More
5	user_id	varchar(10)	latin1_swedish_ci		No	None			Change  Drop  Primary  Unique  Index ▾ More
6	option	varchar(20)	latin1_swedish_ci		No	None			Change  Drop  Primary  Unique  Index ▾ More
7	answer	varchar(10)	latin1_swedish_ci		No	None			Change  Drop  Primary  Unique  Index ▾ More

### Remark:

#### request:

#	Name	Type	Collation	Attributes	Null	Default	Comments	Extra	Action
1	r_id	int(10)			No	None	AUTO_INCREMENT		Change  Drop  Primary  Unique  Index ▾ More
2	user_request	varchar(50)	latin1_swedish_ci		No	None			Change  Drop  Primary  Unique  Index ▾ More
3	category	varchar(10)	latin1_swedish_ci		No	None			Change  Drop  Primary  Unique  Index ▾ More
4	department	varchar(10)	latin1_swedish_ci		No	None			Change  Drop  Primary  Unique  Index ▾ More
5	user_id	varchar(10)	latin1_swedish_ci		No	None			Change  Drop  Primary  Unique  Index ▾ More
6	option	varchar(20)	latin1_swedish_ci		No	None			Change  Drop  Primary  Unique  Index ▾ More

### Student master registration:

#	Name	Type	Collation	Attributes	Null	Default	Comments	Extra	Action
1	Student_Registration_No	varchar(11)	latin1_swedish_ci		No	None			Change  Drop  Primary  Unique  Index ▾ More
2	Student_Name	varchar(50)	latin1_swedish_ci		No	None			Change  Drop  Primary  Unique  Index ▾ More
3	student_lastname	varchar(30)	latin1_swedish_ci		No	None			Change  Drop  Primary  Unique  Index ▾ More
4	Mobile_No	int(20)			No	None			Change  Drop  Primary  Unique  Index ▾ More
5	Email_Id	varchar(20)	latin1_swedish_ci		No	None			Change  Drop  Primary  Unique  Index ▾ More
6	dept	varchar(10)	latin1_swedish_ci		No	None			Change  Drop  Primary  Unique  Index ▾ More
7	year	int(5)			No	None			Change  Drop  Primary  Unique  Index ▾ More
8	spcl_category	varchar(30)	latin1_swedish_ci		No	None			Change  Drop  Primary  Unique  Index ▾ More


**Winner:**

#	Name	Type	Collation	Attributes	Null	Default	Comments	Extra	Action
1	topic_nam	varchar(50)	latin1_swedish_ci		No	None			Change  Drop  Primary  Unique  Index  Spatial ▾ More
2	dept	varchar(30)	latin1_swedish_ci		No	None			Change  Drop  Primary  Unique  Index  Spatial ▾ More
3	category	varchar(30)	latin1_swedish_ci		No	None			Change  Drop  Primary  Unique  Index  Spatial ▾ More
4	canname	varchar(50)	latin1_swedish_ci		No	None			Change  Drop  Primary  Unique  Index  Spatial ▾ More
5	canpicture	varchar(50)	latin1_swedish_ci		No	None			Change  Drop  Primary  Unique  Index  Spatial ▾ More

**Video upload:**


#	Name	Type	Collation	Attributes	Null	Default	Comments	Extra	Action
1	v_id	int(10)			No	None	AUTO_INCREMENT		Change  Drop  Primary  Unique  Index ▾ More
2	topicname	varchar(50)	latin1_swedish_ci		No	None			Change  Drop  Primary  Unique  Index ▾ More
3	date	date			No	None			Change  Drop  Primary  Unique  Index ▾ More
4	can1_name	varchar(30)	latin1_swedish_ci		No	None			Change  Drop  Primary  Unique  Index ▾ More
5	can1_video	varchar(255)	latin1_swedish_ci		No	None			Change  Drop  Primary  Unique  Index ▾ More
6	can2_name	varchar(50)	latin1_swedish_ci		No	None			Change  Drop  Primary  Unique  Index ▾ More
7	can2_video	varchar(255)	latin1_swedish_ci		No	None			Change  Drop  Primary  Unique  Index ▾ More

# ERD




# **DFD**


Level 0:



Level 1:




# USE CASE DIAGRAM



# Source Codes

## INDEX.HTML




```
<!doctype html>
<html>
<head>
<meta charset="UTF-8">
<title>online portal</title>
<meta name="viewport" content="width=device-width, initial-scale=1, shrink-to-fit=no">
<link rel="stylesheet" href="css/bootstrap.min.css" />
<link rel="stylesheet" href="css/bootstrap.css" />
<link rel="stylesheet" href="css/bootstrap-grid.css" />
<link rel="stylesheet" href="css/bootstrap-grid.min.css" />
<link rel="stylesheet" href="css/bootstrap.min.css" />
<link rel="stylesheet" href="css/bootstrap-reboot.css" />
<link rel="stylesheet" href="css/bootstrap-reboot.min.css" />
<link rel="stylesheet" type="text/css" href="style.css" />
</head>
<body>
<div id="wrapper">
<div id="header">
<div id="main">
<nav class="navbar navbar-expand-lg navbar-light bg-light">
<a class="navbar-brand" href="#">

</a>
<button class="navbar-toggler" type="button" data-toggle="collapse" data-target="#navbarSupportedContent" aria-controls="navbarSupportedContent" aria-expanded="false" aria-label="Toggle navigation">
<span class="navbar-toggler-icon"></span>
</button>
<div class="collapse navbar-collapse" id="navbarSupportedContent">
<ul class="navbar-nav mr-auto">
<li class="nav-item active">
<a class="nav-link" href="#">Home <span class="sr-only" style="font-size: 0.8em;">(current)</span></a>
</li>
<li class="nav-item">
<a class="nav-link" href="status.php">status</a>
</li>
```

```
<li class="nav-item">
  <a class="nav-link" href="contactus.html">contact us</a>
</li>
</ul>
</div>
</nav>
<div class="container">
  <div class="row align-items-center">
    <div class="col-6 mx-auto col-md-6 order-md-2">
      
    </div>
    <div class="col-md-6 order-md-1 text-center text-md-left pr-md-5">
      <h2 class="mb-3 bd-text-purple-bright">Online Portal For Survey And Polling
System</h2>
      <hr class="half-rule">
      <center><a class="btn btn-outline-primary" href="user.html">click
here</a></center>
    </div>
    </div>
    </div>
    </div>
    </div>
  </div>
</div>
<script src="js/jquery.js"></script>
<script src="js/bootstrap.js"></script>
<script src="js/bootstrap.bundle.js"></script>
<script src="js/bootstrap.bundle.min.js"></script>
<script src="js/bootstrap.min.js"></script>
</body>
</html>
```

USER.HTML



```
<!doctype html>
<html>
<head>
<meta charset="UTF-8">
<title>online portal</title>
<meta name="viewport" content="width=device-width, initial-scale=1, shrink-to-fit=no">
<link rel="stylesheet" href="css/bootstrap.min.css" />
<link rel="stylesheet" href="css/bootstrap.css" />
```

```

<link rel="stylesheet" href="css/bootstrap-grid.css" />
<link rel="stylesheet" href="css/bootstrap-grid.min.css" />
    <link rel="stylesheet" href="css/bootstrap.min.css" />
<link rel="stylesheet" href="css/bootstrap-reboot.css" />
<link rel="stylesheet" href="css/bootstrap-reboot.min.css" />
<link rel="stylesheet" type="text/css" href="style.css" />
</head>
<body>
<div id="wrapper">
<div id="header">
<div id="main">
<nav class="navbar navbar-expand-lg navbar-light bg-light">
<a class="navbar-brand" href="index.html">
    
</a>

<button class="navbar-toggler" type="button" data-toggle="collapse" data-target="#navbarSupportedContent" aria-controls="navbarSupportedContent" aria-expanded="false" aria-label="Toggle navigation">
    <span class="navbar-toggler-icon"></span>
</button>
<div class="collapse navbar-collapse" id="navbarSupportedContent">
    <ul class="navbar-nav mr-auto">
        <li class="nav-item active">
            <a class="nav-link" href="#">Home <span class="sr-only">(current)</span></a>
        </li>
        <li class="nav-item">
            <a class="nav-link" href="status.php">status</a>
        </li>
        <li class="nav-item">
            <a class="nav-link" href="contactus.html">contact us</a>
        </li>
    </ul>
</div>
</nav>
<div id="menu"></div>
<div id="content">
    <div class="container">
        <DIV CLASS="ROW ALIGN-ITEMS-CENTER">
            <div class="col-md-8 col-md-pull-4">
                <h1 class="mb-3">student login<a href="studentlogin.php"></a></h1>
            </div>
            <div class="col-md-8 col-md-pull-4">
                <h1 class="mb-3">faculty login<a href="facultylogin.php"></a></h1>
            </div>
            <div class="col-md-8 col-md-pull-4">
                <h1 class="mb-3">admin login<a href="adminlogin.php"></a></h1>
            </div>
    </div>
</div>


```

```

</div>
</div>
<script src="js/jquery.js"></script>
<script src="js/bootstrap.js"></script>
<script src="js/bootstrap.bundle.js"></script>
<script src="js/bootstrap.bundle.min.js"></script>
<script src="js/bootstrap.min.js"></script>
<div id="comment"></div>
<div id="footer"></div>
</div>
</body>
</html>

```

## ADMIN.PHP



```

<!doctype html>

<html>
<head>
<meta charset="UTF-8">
<title>online portal</title>
<meta name="viewport" content="width=device-width, initial-scale=1, shrink-to-fit=no">
<link rel="stylesheet" href="css/bootstrap.min.css" />
<link rel="stylesheet" href="css/bootstrap.css" />
<link rel="stylesheet" href="css/bootstrap-grid.css" />
<link rel="stylesheet" href="css/bootstrap-grid.min.css" />
<link rel="stylesheet" href="css/bootstrap.min.css" />
<link rel="stylesheet" href="css/bootstrap-reboot.css" />
<link rel="stylesheet" href="css/bootstrap-reboot.min.css" />
<link rel="stylesheet" type="text/css" href="style.css" />
</head>
<body>
<form action="checkaduser.php" method="post">
<div id="wrapper">
<div id="header">
<div id="main">
<nav class="navbar navbar-expand-lg navbar-light bg-light">
<a class="navbar-brand" href="index.html">


</a>

```

```
<button class="navbar-toggler" type="button" data-toggle="collapse" data-target="#navbarSupportedContent" aria-controls="navbarSupportedContent" aria-expanded="false" aria-label="Toggle navigation">
    <span class="navbar-toggler-icon"></span>
</button>
<div class="collapse navbar-collapse" id="navbarSupportedContent">
    <ul class="navbar-nav mr-auto">
        <li class="nav-item active">
            <a class="nav-link" href="#">Home <span class="sr-only">(current)</span></a>
        </li>
        <li class="nav-item">
            <a class="nav-link" href="user.html">user</a>
        </li>
        <li class="nav-item">
            <a class="nav-link" href="status.php">status</a>
        </li>
        <li class="nav-item">
            <a class="nav-link" href="contactus.html">contact us</a>
        </li>
    </ul>
</div>
</nav>
<div id="menu"></div>
<div id="content">
    <div class="hero">
<div class="container">
<div class="banner-content col-lg-7 col-md-12">
    <div class="login-box">
        
        <h1>admin login</h1>
        <p>admin id :</p>
        <input type="text" name="UID" id="ud" placeholder="enter collegeid">
        <p>Password :</p>
        <input type="password" name="PWD" id="pd" placeholder="enter password">
        <input type="submit" value="LOGIN">
        <input type="reset" value="CANCEL">
    </form>
</div>
</div>
</div>
</div>
</div>
<script src="js/jquery.js"></script>
<script src="js/bootstrap.js"></script>
<script src="js/bootstrap.bundle.js"></script>
<script src="js/bootstrap.bundle.min.js"></script>
<script src="js/bootstrap.min.js"></script>
<div id="comment"></div>
<div id="footer"></div>
</div>
</form>
</body>
```

```
</html>
```

## ADHOME.PHP



```
<!doctype html>
<html>
<head>
<meta charset="UTF-8">
<title>online portal</title>
<meta name="viewport" content="width=device-width, initial-scale=1, shrink-to-fit=no">
<link rel="stylesheet" href="css/bootstrap.min.css" />
<link rel="stylesheet" href="css/bootstrap.css" />
<link rel="stylesheet" href="css/bootstrap-grid.css" />
<link rel="stylesheet" href="css/bootstrap-grid.min.css" />
<link rel="stylesheet" href="css/bootstrap.min.css" />
<link rel="stylesheet" type="text/css" href="style.css" />
<link rel="stylesheet" type="text/css" href="STYLE1.CSS" />
</head>
<body>
<div id="wrapper">
<div id="main">
<nav class="navbar navbar-expand-lg navbar-light bg-light navbar-left">
<a class="navbar-brand" href="#">

</a>
<button class="navbar-toggler" type="button" data-toggle="collapse" data-target="#navbarSupportedContent" aria-controls="navbarSupportedContent" aria-expanded="false" aria-label="Toggle navigation">
<span class="navbar-toggler-icon"></span>
</button>
<div class="collapse navbar-collapse" id="navbarSupportedContent">
<ul class="navbar-nav mr-auto">
<li class="nav-item active">
<a class="nav-link" href="#">Home <span class="sr-only">(current)</span></a>
</li>
<li class="nav-item">
<a class="nav-link" href="eventrequest.php">event request</a>
</li>
<li class="nav-item">
<a class="nav-link" href="CHOICECREATE.PHP">create events</a>
</li>
```

```

        <li class="nav-item">
            <a class="nav-link" href="adaudio.php">ADD AUDIO</a>
        </li>
        <li class="nav-item">
            <a class="nav-link" href="advideo.php">ADD VIDEO</a>
        </li>
    <li class="nav-item">
        <a class="nav-link" href="canpro.php">candidate profile</a>
    </li>
    <li class="nav-item">
        <a class="nav-link" href="updateevent.php">update events</a>
    </li>
    <li class="nav-item">
        <a class="nav-link" href="deleteevent.php">delete events</a>
    </li>
    <li class="nav-item">
        <a class="nav-link" href="adreq.php">admin request</a>
    </li>
    <li class="nav-item">
        <a class="nav-link" href="res.php">result</a>
    </li>
        <li class="nav-item">
            <a class="nav-link" href="logout.php">logout</a>
        </li>
    </ul>

</div>
</nav>
<!-<nav>
    <a href="index.html"></a>
    <ul><font color="black">

<li><a href="adhome.php">HOME</a></li>

<li><a href="eventmanage.php">manage events</a></li>
    <li><a href="adaudio.php">add audio</a></li>
    <li><a href="advideo.php">add video</a></li>
    <li><a href="canli.php">CANDIDATE LIST</a></li>
    <li><a href="canpro.php">CANDIDATE PROFILE</a></li>
        <li><a href="updateevent.php">update event</a></li>
    <li><a href="upchoice.php">DELETE USER</a></li>
<li><a href="adre.php">ADMIN REQUEST</a></li>
    <li><a href="res.php">RESULT</a></li>
        <li><a href="logout.php">LOG OUT</a></li>
    </li>
</ul>
</nav>-->
<div id="menu"></div>
<div id="content">
    <div class="hero">
        <div class="container">
            <div class="row profile">

```

```

<div class="col-md-3">
<div class="profile-slider">
<div class="profile-user-pic">
    
</div>
<div class="profile-user-title">
<div class="profile-user-name">
<?php
include('connection.php');
    SESSION_START();
    $user=$_SESSION["uid"];
$res=mysql_query("select * from admin WHERE ID='$user'");
while($row=mysql_fetch_array($res))
{
$fn=$row['NAME'];
echo $fn;
}
?>
</div>
<div class="profile-user-job">
developer
</div>
</div>
</div>
<div class="col-md-9">
<H2>NOTIFICATIONS</H2>
<center>
<?PHP
    $res=mysql_query("select count(*) as counts from request" );
while($row=mysql_fetch_array($res))
{
$c=$row['counts'];
if($c!=0)
{
?>
<a href="eventrequest.php"><?php echo "you have
request for events".<br>" ; ?> </a>
<?php }
else
{
}

}
}
$res1=mysql_query("select topic_name,count(*) as count from
votend");
while($row1=mysql_fetch_array($res1))
{
$c=$row1['count'];
$t=$row1['topic_name'];
if($c!=0)
{
}
}

```

```

                echo $t."event has ended"."<br>";
            }
            else
            {
}
}
$res2=mysql_query("select count(*) as count from
adminnotify");
while($row2=mysql_fetch_array($res2))
{
    $c=$row2['count'];
if($c!=0)
{
    echo "you have received a notification"."<br>";
}
else
{
}
}
?>
                </center>
            </div>
            </div>
            </div>
        </div>
        </div>
        </div>
        </div>
        </div>
        </div>
        </div>
        <script src="js/jquery.js"></script>
<script src="js/bootstrap.js"></script>
<script src="js/bootstrap.bundle.js"></script>
<script src="js/bootstrap.bundle.min.js"></script>
<script src="js/bootstrap.min.js"></script>
            </body>
        </html>

```

## EVENTREQ.PHP

The screenshot shows a web page titled "student request for event". At the top, there is a navigation bar with links: "interninfo", "Home", "event request", "create events", "ADD AUDIO", "ADD VIDEO", "candidate profile", "update events", "delete events", "admin request", "result", and "logout". Below the navigation bar, there is a form with the following fields:

- choose NONE • ACCEPT REJECT
- 

Below the form is a table with the following data:

R_ID	REQUEST	CATEGORY	DEPARTMENT	options
8	ljkjl	STUDENT	MCA	request
9	szd	STUDENT	MCA	event
10	v	FACULTY	MCA	
11	a	FACULTY	MCA	
12	a	FACULTY	MCA	
13	a	FACULTY	MCA	

---

```

<!doctype html>
<html>
<head>
<meta charset="UTF-8">

```

```

<title>online portal</title>
<meta name="viewport" content="width=device-width, initial-scale=1, shrink-to-fit=no">
<link rel="stylesheet" href="css/bootstrap.min.css" />
<link rel="stylesheet" href="css/bootstrap.css" />
<link rel="stylesheet" href="css/bootstrap-grid.css" />
<link rel="stylesheet" href="css/bootstrap-grid.min.css" />
<link rel="stylesheet" href="css/bootstrap.min.css" />
<link rel="stylesheet" type="text/css" href="style.css" />
<link rel="stylesheet" type="text/css" href="STYLE1.CSS" />
</head>
<body>
<FORM ACTION="decsub.php" method="post">
<div id="wrapper">
<div id="header">
<div id="main">
<nav class="navbar navbar-expand-lg navbar-light bg-light navbar-left">
<a class="navbar-brand" href="#">

</a>
<button class="navbar-toggler" type="button" data-toggle="collapse" data-target="#navbarSupportedContent" aria-controls="navbarSupportedContent" aria-expanded="false" aria-label="Toggle navigation">
<span class="navbar-toggler-icon"></span>
</button>
<div class="collapse navbar-collapse" id="navbarSupportedContent">
<ul class="navbar-nav mr-auto">
<li class="nav-item active">
<a class="nav-link" href="#">Home <span class="sr-only" style="font-size: small;">(current)</span></a>
</li>
<li class="nav-item">
<a class="nav-link" href="res.php">event request</a>
</li>
<li class="nav-item">
<a class="nav-link" href="CHOICECREATE.PHP">create events</a>
</li>
<li class="nav-item">
<a class="nav-link" href="adaudio.php">ADD AUDIO</a>
</li>
<li class="nav-item">
<a class="nav-link" href="advideo.php">ADD VIDEO</a>
</li>
<li class="nav-item">
<a class="nav-link" href="canpro.php">candidate profile</a>
</li>
<li class="nav-item">
<a class="nav-link" href="updateevent.php">update events</a>
</li>
<li class="nav-item">
<a class="nav-link" href="deleteevent.php">delete events</a>
</li>
<li class="nav-item">

```

```

        <a class="nav-link" href="adreq.php">admin request</a>
    </li>
    <li class="nav-item">
        <a class="nav-link" href="res.php">result</a>
    </li>
        <li class="nav-item">
            <a class="nav-link" href="logout.php">logout</a>
        </li>
    </ul>
</div>
</nav>
<div id="menu"></div>
<div id="content">
<div class="hero">
    <DIV CLASS="CONTAINER">
        <div class="row align-items-center">
            <div class="col-lg-12 col-md-12">
                <BR>
                <CENTER>
                    <h2>student request for event</h2>
                    <TABLE CLASS="TABLE TABLE-STRIPED">
<TH><h1> choose <select name="tn">
    <option value="NONE">NONE</OPTION>
    <?PHP
        include("connection.php");
        $res=mysql_query("select user_request from request");
        while($row=mysql_fetch_array($res))
        {
            $req=$row['user_request'];
            ?>
            <option value="<?php echo $req ?>"><?php echo $req ?></option>
        <?php }
    ?>      </select><input type="radio" NAME="r1" value="ACCEPT">ACCEPT<INPUT
    TYPE="RADIO" NAME="r1" value="REJECT">REJECT
    <input type="submit" value="submit">
    <table class="table table-striped">
<thead>
    <tr>
        <th scope="col">R_ID</th>
        <th scope="col">REQUEST</th>
        <th scope="col">CATEGORY</th>
        <th scope="col">DEPARTMENT</th>
        <th scope="col">options</th>
    </tr>
</thead>
<tbody>
    <?php
        $res=mysql_query("select * from request");
        while($row=mysql_fetch_array($res))
        {
            echo "<tr>
<td>          $row[r_id]</td>
<td>$row[user_request]</td>

```

```

<td>$row[category]</td>
<td>$row[department]</td>
<td>$row[option]</td>
</tr>";
}?
        </tbody>
</table>
</div>
</CENTER>
<table>
</div>
</div>
</div>
<div id="comment"></div>
<div id="footer"></div>
</div>
</body>
</html>

```

## CREATEEVENT.PHP

The screenshot shows a web form titled "CREATE EVENT". The form has several input fields: "Topic Name" (placeholder: "Topic"), "Topic Details" (placeholder: "Topic Details"), "starting Date" (placeholder: "mm / dd / yyyy"), "ending Date" (placeholder: "mm / dd / yyyy"), "Conducting category" (dropdown menu showing "NONE"), "Conducting Department" (dropdown menu showing "NONE"), "View Category" (dropdown menu showing "NONE"), and "no. of candidates" (dropdown menu showing "none"). At the bottom of the form are two buttons: "SUBMIT" and "CANCEL".

```

<!doctype html>
<html>
<head>
<meta charset="UTF-8">
<title>online portal</title>
<meta name="viewport" content="width=device-width, initial-scale=1, shrink-to-fit=no">
<link rel="stylesheet" href="css/bootstrap.min.css" />
<link rel="stylesheet" href="css/bootstrap.css" />
<link rel="stylesheet" href="css/bootstrap-grid.css" />
<link rel="stylesheet" href="css/bootstrap-grid.min.css" />
<link rel="stylesheet" href="css/bootstrap.min.css" />
<link rel="stylesheet" type="text/css" href="style.css" />
<link rel="stylesheet" type="text/css" href="STYLE1.CSS" />
</head>
<body>
<div id="wrapper">
<div id="main">
    <nav class="navbar navbar-expand-lg navbar-light bg-light navbar-left">
        <a class="navbar-brand" href="#">
            
        </a>
    </nav>

```

```

<button class="navbar-toggler" type="button" data-toggle="collapse" data-target="#navbarSupportedContent" aria-controls="navbarSupportedContent" aria-expanded="false" aria-label="Toggle navigation">
    <span class="navbar-toggler-icon"></span>
</button>
<div class="collapse navbar-collapse" id="navbarSupportedContent">
    <ul class="navbar-nav mr-auto">
        <li class="nav-item active">
            <a class="nav-link" href="#">Home <span class="sr-only">(current)</span></a>
        </li>
        <li class="nav-item">
            <a class="nav-link" href="res.php">event request</a>
        </li>
        <li class="nav-item">
            <a class="nav-link" href="CHOICECREATE.PHP">create events</a>
        </li>
        <li class="nav-item">
            <a class="nav-link" href="adaudio.php">ADD AUDIO</a>
        </li>
            <li class="nav-item">
                <a class="nav-link" href="advideo.php">ADD VIDEO</a>
            </li>
        <li class="nav-item">
            <a class="nav-link" href="canpro.php">candidate profile</a>
        </li>
        <li class="nav-item">
            <a class="nav-link" href="updatevent.php">update events</a>
        </li>
        <li class="nav-item">
            <a class="nav-link" href="deleteevent.php">delete events</a>
        </li>
        <li class="nav-item">
            <a class="nav-link" href="adreq.php">admin request</a>
        </li>
        <li class="nav-item">
            <a class="nav-link" href="res.php">result</a>
        </li>
            <li class="nav-item">
                <a class="nav-link" href="logout.php">logout</a>
            </li>
    </ul>
</div>
</nav>
</div>
<div class="hero">
    <div class="container">
        <div class="row align-items-center">
            <div class="banner-content col-lg-12 col-md-12 COL-XS-12">
<?php
    session_start();
    include("connection.php");
    $user=$_SESSION["uid"];
?>

```

```
<H2><CENTER>-:CHOOSE YOUR OPTIONS:-</CENTER></H2>
</div>
<div class="col-lg-6 ">
<H1><A HREF="createevent.php">FOR ELECTION</A></H1>
</div>
<div class="col-lg-6 ">
<H1><A HREF="createevent2.php">FOR DECISION MAKING</A></H1>
</DIV>
</DIV>
</DIV>
</DIV>
</FORM>
<script src="js/jquery.js"></script>
<script src="js/bootstrap.js"></script>
<script src="js/bootstrap.bundle.js"></script>
<script src="js/bootstrap.bundle.min.js"></script>
<script src="js/bootstrap.min.js"></script>
</body>
</html>
```

## ADDCANDIDATES.PHP

Home | event creation | candidate views | update | result | logout

```
<!doctype html>
<html>
  <head>
    <meta charset="UTF-8">
    <title>online portal</title>
    <meta name="viewport" content="width=device-width, initial-scale=1, shrink-to-fit=no">
    <link rel="stylesheet" href="css/bootstrap.min.css" />
      <link rel="stylesheet" href="css/bootstrap.css" />
      <link rel="stylesheet" href="css/bootstrap-grid.css" />
      <link rel="stylesheet" href="css/bootstrap-grid.min.css" />
      <link rel="stylesheet" href="css/bootstrap.min.css" />
      <link rel="stylesheet" type="text/css" href="style.css" />
      <link rel="stylesheet" type="text/css" href="STYLE1.CSS" />
  </head>
```

```
<body>
<FORM ACTION="insertcan5loop.php" enctype="multipart/form-data" method="post"
onsubmit="return validate()">
<div id="main">
<nav class="navbar navbar-expand-lg navbar-light bg-light navbar-left">
<a class="navbar-brand" href="#">

</a>
<button class="navbar-toggler" type="button" data-toggle="collapse" data-
target="#navbarSupportedContent" aria-controls="navbarSupportedContent" aria-
expanded="false" aria-label="Toggle navigation">
<span class="navbar-toggler-icon"></span>
</button>
<div class="collapse navbar-collapse" id="navbarSupportedContent">
<ul class="navbar-nav mr-auto">
<li class="nav-item active">
<a class="nav-link" href="#">Home <span class="sr-only">(current)</span></a>
</li>
<li class="nav-item">
<a class="nav-link" href="eventrequest.php">event request</a>
</li>
<li class="nav-item">
<a class="nav-link" href="CHOICECREATE.PHP">create events</a>
</li>
<li class="nav-item">
<a class="nav-link" href="adaudio.php">ADD AUDIO</a>
</li>
<li class="nav-item">
<a class="nav-link" href="advideo.php">ADD VIDEO</a>
</li>
<li class="nav-item">
<a class="nav-link" href="canpro.php">candidate profile</a>
</li>
<li class="nav-item">
<a class="nav-link" href="updateevent.php">update events</a>
</li>
<li class="nav-item">
<a class="nav-link" href="deleteevent.php">delete events</a>
</li>
<li class="nav-item">
<a class="nav-link" href="adreq.php">admin request</a>
</li>
<li class="nav-item">
<a class="nav-link" href="res.php">result</a>
</li>
<li class="nav-item">
<a class="nav-link" href="logout.php">logout</a>
</li>
</ul>
</div>
</nav>
```

```

<div class="hero">
<!-- ADDING DETAILS FROM ADMIN FOR VOTE -->
<div class="container">
    <div class="row align-items-center">
<div class="col-6 mx-auto col-md-6 order-md-2">
<BR><BR><BR><BR><BR><BR><BR><BR><BR><BR>
    <BR><BR><BR>
    <BR><BR><BR><BR><BR><BR><BR><BR><BR><BR>
    <BR><BR><BR><BR><BR><BR><BR><BR><BR><BR>
    <BR><BR><BR>
    <BR><BR><BR><BR><BR><BR><BR><BR><BR><BR>
    <BR><BR><BR>
<H1>ADD CANDIDATES</H1>
<TABLE class="table">
    <tbody>
        <TR>
            <TD><br>TOPIC NAME:</TD>
            <TD><br><SELECT NAME="NM">
<?php
    include("connection.php");
$sql="select topic_name from decission_making order by topic_id desc";
    $res=mysql_query($sql);
    while($row=mysql_fetch_array($res))
    {
        $lq=$row['topic_name'];
        ?
    }
    <option value=<?php echo $lq ?>><?php echo $lq ?></option>
<?php
    }
    ?
</select></TD>
        </TR>
<TR>
    <TD><br>Choice Of People Will Vote</TD>
    <TD><br><SELECT NAME="uu" ID="UV">
    <?php
        include("connection.php");
        $sql="select con_cat from decission_making order by topic_id desc";
        $res=mysql_query($sql);
        while($row=mysql_fetch_array($res))
        {
            $user=$row['con_cat'];
        ?
            <option value=<?php echo $user ?>><?php echo $user ?></option>
            <?php
        }
    ?
        </select></TD>
    </TR>

<TR>

```

```

<TD><br>SELECT DEPARTMENT</TD>
<TD><br><SELECT NAME="dd" ID="SD">
<?php
    include("connection.php");
    $sql="select con_dept from decission_making order by topic_id desc";
    $res=mysql_query($sql);
    while($row=mysql_fetch_array($res))
    {
        $dd=$row['con_dept'];
    ?>
        <option value=<?php echo $dd ?>><?php echo $dd ?></option>
        <?php
    }
?></select></TD>
</TR>
<TR>
    <TD><br>CHOICE OF PEOPLE WILL VIEW</TD>
    <TD><br><SELECT NAME="pp" ID="SP">
<?php
    include("connection.php");
    $sql="select category from decission_making order by topic_id desc";
    $res=mysql_query($sql);
    while($row=mysql_fetch_array($res))
    {
        $vuser=$row['category'];
    ?>
        <option value=<?php echo $vuser ?>><?php echo $vuser ?></option>
        <?php
    }
?>
</SELECT></TD>
</TR>
<TR>
    <TD><br> Voting Date:</TD>
    <TD><br><SELECT NAME="da" ID="DA">
    <?php
        include("connection.php");
        $sql="select voting_date from decission_making order by topic_id desc";
        $res=mysql_query($sql);
        while($row=mysql_fetch_array($res))
        {
            $da=$row['voting_date'];
        ?>
            <option value=<?php echo $da ?>><?php echo $da ?></option>
            <?php
        }
?>
</SELECT></TD>
</TR>
<TR>
    <TD><br>CANDIDATE1 NAME</TD>
    <TD><br><input type="text" name="cnn1" id="CNN1"></TD>
</TR>


```

```

<TR>
    <td><br>SELECT CANDIDATE1 IMAGE TO UPLOAD</td>
    <td><br><input type="file" name="file1" id="filee1"></td>
</TR>
<TR>
    <TD><br>CANDIDATE1 DETAILS</TD>
    <TD><br><TEXTAREA ROW="10" COLS="40" NAME="can1"
id="CAN1"></TEXTAREA></TD>
</TR>
<TR>
    <TD><br>CANDIDATE2 NAME:</TD>
    <TD><br><input type="text" name="cnn2" id="CNN2"></TD>
</TR>
<TR>
    <td><br>SELECT CANDIDATE IMAGE TO UPLOAD</td>
    <td><br><input type="file" name="file2" id="filee2"></td>
</TR>
<TR>
    <TD><br>CANDIDATE2 DETAILS:</TD>
    <TD><br><TEXTAREA ROW="10" COLS="40" NAME="can2"
id="CAN2"></TEXTAREA></TD>
</TR>
<TR>
    <TD><br>CANDIDATE3 NAME</TD>
    <TD><br><input type="text" name="cnn3" id="CNN1"></TD>
</TR>
<TR>
    <td><br>SELECT CANDIDATE3 IMAGE TO UPLOAD</td>
    <td><br><input type="file" name="file3" id="filee1"></td>
</TR>
<TR>
    <TD><br>CANDIDATE3 DETAILS</TD>
    <TD><br><TEXTAREA ROW="10" COLS="40" NAME="can3"
id="CAN1"></TEXTAREA></TD>
</TR>
<TR>
    <TD><br>CANDIDATE4 NAME</TD>
    <TD><br><input type="text" name="cnn4" id="CNN1"></TD>
</TR>
<TR>
    <td><br>SELECT CANDIDATE4 IMAGE TO UPLOAD</td>
    <td><br><input type="file" name="file4" id="filee1"></td>
</TR>
<TR>
    <TD><br>CANDIDATE4 DETAILS</TD>
    <TD><br><TEXTAREA ROW="10" COLS="40" NAME="can4"
id="CAN1"></TEXTAREA></TD>
</TR>
<TR>
    <TD><br>CANDIDATE5 NAME</TD>
    <TD><br><input type="text" name="cnn5" id="CNN1"></TD>
</TR><TR>
    <td><br>SELECT CANDIDATE5 IMAGE TO UPLOAD</td>

```

## AUDIO.PHP



```
<!doctype html>
<html>
<head>
<meta charset="UTF-8">
<title>online portal</title>
<meta name="viewport" content="width=device-width, initial-scale=1, shrink-to-fit=no">
<link rel="stylesheet" href="css/bootstrap.min.css" />
<link rel="stylesheet" href="css/bootstrap.css" />
<link rel="stylesheet" href="css/bootstrap-grid.css" />
<link rel="stylesheet" href="css/bootstrap-grid.min.css" />
```

```
        <link rel="stylesheet" href="css/bootstrap.min.css" />
<link rel="stylesheet" type="text/css" href="style.css" />
</head>
<body>
<div id="wrapper">
<div id="main">
    <nav class="navbar navbar-expand-lg navbar-light bg-light navbar-left">
        <a class="navbar-brand" href="#">
            
        </a>
        <button class="navbar-toggler" type="button" data-toggle="collapse" data-target="#navbarSupportedContent" aria-controls="navbarSupportedContent" aria-expanded="false" aria-label="Toggle navigation">
            <span class="navbar-toggler-icon"></span>
        </button>
        <div class="collapse navbar-collapse" id="navbarSupportedContent">
            <ul class="navbar-nav mr-auto">
                <li class="nav-item active">
                    <a class="nav-link" href="#">Home <span class="sr-only">(current)</span></a>
                </li>
                <li class="nav-item">
                    <a class="nav-link" href="eventrequest.php">event request</a>
                </li>
                <li class="nav-item">
                    <a class="nav-link" href="CHOICECREATE.PHP">create events</a>
                </li>
                <li class="nav-item">
                    <a class="nav-link" href="adaudio.php">ADD AUDIO</a>
                </li>
                    <li class="nav-item">
                    <a class="nav-link" href="advideo.php">ADD VIDEO</a>
                </li>
                <li class="nav-item">
                    <a class="nav-link" href="canpro.php">candidate profile</a>
                </li>
                <li class="nav-item">
                    <a class="nav-link" href="updateevent.php">update events</a>
                </li>
                <li class="nav-item">
                    <a class="nav-link" href="deleteevent.php">delete events</a>
                </li>
                <li class="nav-item">
                    <a class="nav-link" href="adreq.php">admin request</a>
                </li>
                <li class="nav-item">
                    <a class="nav-link" href="res.php">result</a>
                </li>
                    <li class="nav-item">
                    <a class="nav-link" href="logout.php">logout</a>
                </li>
            </ul>
        </div>
```

```

</nav>
    <FORM ACTION="chcanupau.php" method="post">
    <div class="hero">
        <div class="container">
            <div class="row align-items-center">
                <div class="col-md-4 col-md-push-8">



                </div>
            <div class="col-md-8 col-md-pull-4">
                <TABLE><TR><TD>
                    select topic
<select name="tn">
<?php
include("connection.php");
$res=mysql_query("select topic_name from decission_making");
while($row=mysql_fetch_array($res))
{
    $tonam=$row['topic_name'];
?
<option value=<?php echo $tonam ?>><?php echo $tonam ?></option>
<?php }
?
</select><input type="submit" value="submit"></TD>
</TR>
</TABLE>
                </div>
            </div>
            </div>
            </div>
            </div>
            </div>
            <script src="js/jquery.js"></script>
            <script src="js/bootstrap.js"></script>
            <script src="js/bootstrap.bundle.js"></script>
            <script src="js/bootstrap.bundle.min.js"></script>
            <script src="js/bootstrap.min.js"></script>
        </body>
    </html>

```

## CHCANPAU.PHP

```

<!doctype html>
<html>
    <head>
        <meta charset="UTF-8">
        <title>online portal</title>
        <meta name="viewport" content="width=device-width, initial-scale=1, shrink-to-fit=no">
        <link rel="stylesheet" href="css/bootstrap.min.css" />
        <link rel="stylesheet" href="css/bootstrap.css" />
        <link rel="stylesheet" href="css/bootstrap-grid.css" />
        <link rel="stylesheet" href="css/bootstrap-grid.min.css" />

```

```
        <link rel="stylesheet" href="css/bootstrap.min.css" />
<link rel="stylesheet" type="text/css" href="style.css" />
</head>
<body>
<div id="wrapper">
<div id="main">
    <nav class="navbar navbar-expand-lg navbar-light bg-light navbar-left">
        <a class="navbar-brand" href="#">
            
        </a>
        <button class="navbar-toggler" type="button" data-toggle="collapse" data-target="#navbarSupportedContent" aria-controls="navbarSupportedContent" aria-expanded="false" aria-label="Toggle navigation">
            <span class="navbar-toggler-icon"></span>
        </button>
        <div class="collapse navbar-collapse" id="navbarSupportedContent">
            <ul class="navbar-nav mr-auto">
                <li class="nav-item active">
                    <a class="nav-link" href="#">Home <span class="sr-only">(current)</span></a>
                </li>
                <li class="nav-item">
                    <a class="nav-link" href="eventrequest.php">event request</a>
                </li>
                <li class="nav-item">
                    <a class="nav-link" href="CHOICECREATE.PHP">create events</a>
                </li>
                <li class="nav-item">
                    <a class="nav-link" href="adaudio.php">ADD AUDIO</a>
                </li>
                    <li class="nav-item">
                    <a class="nav-link" href="advideo.php">ADD VIDEO</a>
                </li>

                <li class="nav-item">
                    <a class="nav-link" href="canpro.php">candidate profile</a>
                </li>
                <li class="nav-item">
                    <a class="nav-link" href="updateevent.php">update events</a>
                </li>
                <li class="nav-item">
                    <a class="nav-link" href="deleteevent.php">delete events</a>
                </li>
                <li class="nav-item">
                    <a class="nav-link" href="adreq.php">admin request</a>
                </li>
                <li class="nav-item">
                    <a class="nav-link" href="res.php">result</a>
                </li>
                    <li class="nav-item">
                    <a class="nav-link" href="logout.php">logout</a>
                </li>
            </ul>
```

```

</div>
</nav>
<form action="choicecheck.php" method="post" onsubmit="return validate()">
</DIV>
<div class="hero">
<div class="banner-content col-lg-7 col-md-12">
<h1>
    choose candidate
    </h1>
    <TABLE>
    <?php
        session_start();
        $tn=$_POST['tn'];
        $_SESSION['tn']=$tn;
        include("connection.php");
        $sql="select * from candidates where topic_name='$tn'";
        $res=mysql_query("select * from candidates5 where
topic_name='$tn'");
        $res=mysql_query($sql);
        while($row=mysql_fetch_array($res))
        {
            $tnam=$row['topic_name'];
            $vt=$row['voting_date'];
            $can1=$row['can1name'];
            $can2=$row['can2'];
        }
    ?>
    name:<input type="text" value="<?php echo $tnam ?>">
    date:<input type="text" value="<?php echo $vt ?>">
<input type="radio" name="c1" value="<?php echo $can1 ?>"><?php echo $can1 ?>
<input type="radio" name="c1" value="<?php echo $can2 ?>"><?php echo $can2 ?>
    <input type="submit" value="go">
    <?php }
if($res)
{
header('location:chan.php');
}
?>
</div>
</DIV>
<script src="js/jquery.js"></script>
<script src="js/bootstrap.js"></script>
<script src="js/bootstrap.bundle.js"></script>
<script src="js/bootstrap.bundle.min.js"></script>
<script src="js/bootstrap.min.js"></script>
</body>
</body>
</html>

```

## ADVIDEO.PHP

```
<!doctype html>
<html>
<head>
<meta charset="UTF-8">
<title>online portal</title>
<meta name="viewport" content="width=device-width, initial-scale=1, shrink-to-fit=no">
<link rel="stylesheet" href="css/bootstrap.min.css" />
<link rel="stylesheet" href="css/bootstrap.css" />
<link rel="stylesheet" href="css/bootstrap-grid.css" />
<link rel="stylesheet" href="css/bootstrap-grid.min.css" />
<link rel="stylesheet" href="css/bootstrap.min.css" />
<link rel="stylesheet" type="text/css" href="style.css" />
<body>
<FORM ACTION="insechk.php" method="post">
<div id="main">
<nav class="navbar navbar-expand-lg navbar-light bg-light navbar-left">
<a class="navbar-brand" href="#">

</a>
<button class="navbar-toggler" type="button" data-toggle="collapse" data-target="#navbarSupportedContent" aria-controls="navbarSupportedContent" aria-expanded="false" aria-label="Toggle navigation">
<span class="navbar-toggler-icon"></span>
</button>
<div class="collapse navbar-collapse" id="navbarSupportedContent">
<ul class="navbar-nav mr-auto">
<li class="nav-item active">
<a class="nav-link" href="#">Home <span class="sr-only" style="font-size: small;">(current)</span></a>
</li>
<li class="nav-item">
<a class="nav-link" href="CHOICECREATE.PHP">create events</a>
</li>
<li class="nav-item">
<a class="nav-link" href="adaudio.php">ADD AUDIO</a>
</li>
<li class="nav-item">
<a class="nav-link" href="advideo.php">ADD VIDEO</a>
</li>
<li class="nav-item">
<a class="nav-link" href="canpro.php">candidate profile</a>
</li>
<li class="nav-item">
<a class="nav-link" href="updateevent.php">update events</a>
</li>
<li class="nav-item">
<a class="nav-link" href="deleteevent.php">delete events</a>
</li>
<li class="nav-item">
```

```

        <a class="nav-link" href="adreq.php">admin request</a>
    </li>
<li class="nav-item">
    <a class="nav-link" href="res.php">result</a>
</li>
    <li class="nav-item">
        <a class="nav-link" href="logout.php">logout</a>
    </li>
</ul>
</div>
</nav>

<div class="hero">
<div class="container">
<div class="row align-items-center">
    <div class="col-md-4 col-md-push-8">

    </DIV>
        <div class="col-md-8 col-md-pull-4">
<TABLE COLSPACING="5" CLASS="TABLE">
<tbody>
<TR>
<TD>
Select Topic:</td>
<td>
<select name="tn">
<?php
include("connection.php");
$res=mysql_query("select topic_name from candidates");
while($row=mysql_fetch_array($res))
{
    $tonam=$row['topic_name'];
    ?
    <option value=<?php echo $tonam ?>><?php echo $tonam ?></option>
<?php }
    ?
</select><input type="submit" value="submit"></TD>
</TR>
</tbody>
</TABLE>
</div>
<script src="js/jquery.js"></script>
<script src="js/bootstrap.js"></script>
<script src="js/bootstrap.bundle.js"></script>
<script src="js/bootstrap.bundle.min.js"></script>
<script src="js/bootstrap.min.js"></script>
</body>
</html>

```

## INSERTCANDIDATEDETAILS.PHP

```
<!doctype html>
<html>
<head>
<meta charset="UTF-8">
<title>online portal</title>
<meta name="viewport" content="width=device-width, initial-scale=1, shrink-to-fit=no">
<link rel="stylesheet" href="css/bootstrap.min.css" />
<link rel="stylesheet" href="css/bootstrap.css" />
<link rel="stylesheet" href="css/bootstrap-grid.css" />
<link rel="stylesheet" href="css/bootstrap-grid.min.css" />
<link rel="stylesheet" href="css/bootstrap.min.css" />
<link rel="stylesheet" type="text/css" href="style.css" />
</head>
<body>
<form action="canuploadfile.php" method="post" enctype="multipart/form-data">
<div id="main">
<nav class="navbar navbar-expand-lg navbar-light bg-light navbar-left">
<a class="navbar-brand" href="#">

</a>
<button class="navbar-toggler" type="button" data-toggle="collapse" data-target="#navbarSupportedContent" aria-controls="navbarSupportedContent" aria-expanded="false" aria-label="Toggle navigation">
<span class="navbar-toggler-icon"></span>
</button>
<div class="collapse navbar-collapse" id="navbarSupportedContent">
<ul class="navbar-nav mr-auto">
<li class="nav-item active">
<a class="nav-link" href="#">Home <span class="sr-only" style="font-size: small;">(current)</span></a>
</li>
<li class="nav-item">
<a class="nav-link" href="eventrequest.php">event request</a>
</li>
<li class="nav-item">
<a class="nav-link" href="CHOICECREATE.PHP">create events</a>
</li>
<li class="nav-item">
<a class="nav-link" href="adaudio.php">ADD AUDIO</a>
</li>
<li class="nav-item">
<a class="nav-link" href="advideo.php">ADD VIDEO</a>
</li>
<li class="nav-item">
<a class="nav-link" href="canpro.php">candidate profile</a>
</li>
<li class="nav-item">
<a class="nav-link" href="updateevent.php">update events</a>
</li>
```

```

<li class="nav-item">
    <a class="nav-link" href="deleteevent.php">delete events</a>
</li>
<li class="nav-item">
    <a class="nav-link" href="adreq.php">admin request</a>
</li>
<li class="nav-item">
    <a class="nav-link" href="res.php">result</a>
</li>
    <li class="nav-item">
        <a class="nav-link" href="logout.php">logout</a>
    </li>
</ul>

</div>
</nav>
<div class="hero">
<div class="container">
    <div class="row align-items-center">
<div class="col-12 mx-auto col-md-12 order-md-2">
    <TABLE class="table" >
    <TR><TD><H1>UPLOAD CANDIDATES VIDEOS</H1></TD></TR>
<?php
    session_start();
$tn=$_SESSION['tn'];
include('connection.php');
$sql="select * from candidates where topic_name='$tn'";
$res=mysql_query($sql);
while($row=mysql_fetch_array($res))
{
    $tna=$row['topic_name'];
    $vt=$row['voting_date'];
    $can1=$row['can1name'];
    $can2=$row['can2'];
?
<tbody>
<tr>
<td>Topic Name:</TD>
<TD><input type="text" name="nam" value=<?php echo $tna ?>></td>
</tr>
<tr>
<td><BR>Voting Date:</TD>
<TD><input type="date" name="vt" value=<?php echo $vt ?>></td>
</tr>
<tr>
<td>
    Candidate1 Name:</TD><TD><input type="text" name="name1" value=<?php
echo $can1 ?>>
</td>
</tr>
<tr>
<td>
    Select Files To Upload:</TD><TD><input type="file" name="file" id="fil"><br>

```

```

        </td>
        </tr>
<tr>
    <td>
        Candidate2 Name</TD><TD><input type="text" name="name2" value="<?php
echo $can2 ?>">
    </td>
    </tr>
<tr>
    <td>
        Select Files To Upload:</TD><TD><input type="file" name="file1" id="fil"><br>
    </td>
    </tr>
<?php
}
?>
        <td colspan="4"><center><BR><input type="submit" value="GO">
        <input type="submit" value="cancel"></center></td>
        </tr>
</TABLE>
</div>
<script src="js/jquery.js"></script>
<script src="js/bootstrap.js"></script>
<script src="js/bootstrap.bundle.js"></script>
<script src="js/bootstrap.bundle.min.js"></script>
<script src="js/bootstrap.min.js"></script>
</body>
</html>

```

## CANPRO.PHP

```

<!doctype html>
<html>
<head>
<meta charset="UTF-8">
    <title>online portal</title>
    <meta name="viewport" content="width=device-width, initial-scale=1, shrink-to-fit=no">
    <link rel="stylesheet" href="css/bootstrap.min.css" />
        <link rel="stylesheet" href="css/bootstrap.css" />
        <link rel="stylesheet" href="css/bootstrap-grid.css" />
        <link rel="stylesheet" href="css/bootstrap-grid.min.css" />
        <link rel="stylesheet" href="css/bootstrap.min.css" />
        <link rel="stylesheet" type="text/css" href="style.css" />
        <link rel="stylesheet" type="text/css" href="STYLE1.CSS" />
</head>
<body>
<DIV CLASS="WRAPPER">
    <DIV CLASS="main">
        <FORM ACTION="canlif.php" enctype="multipart/form-data" method="post"
onsubmit="return validate()">
            <div id="main">

```

```

<nav class="navbar navbar-expand-lg navbar-light bg-light navbar-left">
    <a class="navbar-brand" href="#">
        
    </a>
    <button class="navbar-toggler" type="button" data-toggle="collapse" data-target="#navbarSupportedContent" aria-controls="navbarSupportedContent" aria-expanded="false" aria-label="Toggle navigation">
        <span class="navbar-toggler-icon"></span>
    </button>
    <div class="collapse navbar-collapse" id="navbarSupportedContent">
        <ul class="navbar-nav mr-auto">
            <li class="nav-item active">
                <a class="nav-link" href="#">Home <span class="sr-only">(current)</span></a> </li>
            <li class="nav-item">
                <a class="nav-link" href="reqeventf.php">event request</a>
            </li>
            <li class="nav-item">
                <a class="nav-link" href="reqadmin.php">ADMIN REQUEST</a>
            </li>
            <li class="nav-item">
                <a class="nav-link" href="canpro.php">CANDIDATE PROFILE</a>
            </li>
            <li class="nav-item">
                <a class="nav-link" href="update.php">PROFILE UPDATE</a>
            </li>
            <li class="nav-item">
                <a class="nav-link" href="logout.php">logout</a>
            </li>
        </ul>
    </div>
</nav>
</div>
<div class="hero">
    <div class="container">
        <div class="row align-items-center">
            <div class="col-md-4 col-md-push-8">
                
            </div>
            <div class="col-md-8 col-md-pull-4">
                <TABLE><TR><TH>
                    <h1>
                        SELECT YOUR TOPIC:
                    </h1>
                    <SELECT NAME="TN">
                    <?PHP
                    include("connection.php");
                    $RES=MYSQL_QUERY("SELECT topic_name FROM candidates");

                    WHILE($ROW=MYSQL_FETCH_ARRAY($RES))
                    {
                        $T=$ROW['topic_name'];
                    ?>

```

```

<OPTION value="<?php echo $T ?>"><?PHP ECHO $T ?></OPTION>
        <?php
    }
?
<input type="submit" name="submit" value="submit"/></H1></TH>
        </table>
<script src="js/jquery.js"></script>
<script src="js/bootstrap.js"></script>
<script src="js/bootstrap.bundle.js"></script>
<script src="js/bootstrap.bundle.min.js"></script>
<script src="js/bootstrap.min.js"></script>
        </body>
</html>

```

## CANLI.PHP

The screenshot shows a web page titled "CANLI.PHP". At the top, there is a navigation bar with links: "internetcog", "Home", "event request", "create events", "ADD AUDIO", "ADD VIDEO", "candidate profile", "update events", "delete events", "result", and "logout". Below the navigation bar, there is a search bar labeled "ENTER THE CANDIDATE NAME:" with a "SUBMIT" button. A table titled "CANDIDATE LIST" is displayed, showing two rows of data:

CANDIDATE NAME	DATE OF VOTE	DEPARTMENT	USER CHOICE	TOPIC NAME
FACULTY 1	2018-05-07	MCA	FACULTY	FACULTY PART TESTING
FACULTY 2	2018-05-07	MCA	FACULTY	FACULTY PART TESTING

```

<!doctype html>
<html>
<head>
<meta charset="UTF-8">
    <title>online portal</title>
    <meta name="viewport" content="width=device-width, initial-scale=1, shrink-to-fit=no">
        <link rel="stylesheet" href="css/bootstrap.min.css" />
            <link rel="stylesheet" href="css/bootstrap.css" />
                <link rel="stylesheet" href="css/bootstrap-grid.css" />
                    <link rel="stylesheet" href="css/bootstrap-grid.min.css" />
                        <link rel="stylesheet" href="css/bootstrap.min.css" />
<link rel="stylesheet" type="text/css" href="style.css" />
</head>
<body>
<FORM ACTION="sercan.php" enctype="multipart/form-data" method="post"
onsubmit="return validate()">
<div id="wrapper">
<div id="main">
    <nav class="navbar navbar-expand-lg navbar-light bg-light navbar-left">
        <a class="navbar-brand" href="#">
            
        </a>

```

```

<button class="navbar-toggler" type="button" data-toggle="collapse" data-target="#navbarSupportedContent" aria-controls="navbarSupportedContent" aria-expanded="false" aria-label="Toggle navigation">
    <span class="navbar-toggler-icon"></span>
</button>
<div class="collapse navbar-collapse" id="navbarSupportedContent">
    <ul class="navbar-nav mr-auto">
        <li class="nav-item active">
            <a class="nav-link" href="#">Home <span class="sr-only">(current)</span></a>
        </li>
        <li class="nav-item">
            <a class="nav-link" href="eventrequest.php">event request</a>
        </li>
        <li class="nav-item">
            <a class="nav-link" href="CHOICECREATE.PHP">create events</a>
        </li>
        <li class="nav-item">
            <a class="nav-link" href="adaudio.php">ADD AUDIO</a>
        </li>
            <li class="nav-item">
                <a class="nav-link" href="advideo.php">ADD VIDEO</a>
            </li>
        <li class="nav-item">
            <a class="nav-link" href="canpro.php">candidate profile</a>
        </li>
        <li class="nav-item">
            <a class="nav-link" href="updateevent.php">update events</a>
        </li>
        <li class="nav-item">
            <a class="nav-link" href="deleteevent.php">delete events</a>
        </li>
        <li class="nav-item">
            <a class="nav-link" href="res.php">result</a>
        </li>
            <li class="nav-item">
                <a class="nav-link" href="logout.php">logout</a>
            </li>
        </ul>
    </div>
</nav>
<div class="hero">
    <div class="container">
        <div class="row align-items-center">
            <div class="col-lg-12 col-md-12">
<TABLE CLASS="TABLE TABLE-STRIPED">
    <TH><h1> ENTER THE CANDIDATE NAME:<INPUT TYPE="TEXT" NAME="can"><INPUT TYPE="SUBMIT" VALUE="SUBMIT"></h1></TH>
        <H1>CANDIDATE LIST</H1>
<table class="table table-striped">
    <thead>
        <tr>
            <th scope="col">CANDIDATE NAME</th>
            <th scope="col">DATE OF VOTE</th>

```

```

<th scope="col">DEPARTMENT</th>
<th scope="col">USER CHOICE</th>
<th scope="col">TOPIC NAME</th>
</thead>
<tbody>
<?php
include('connection.php');
SESSION_START();
$t=$_POST['TN'];
$sql="select * from candidates WHERE topic_name='$t'";
$res=mysql_query($sql);
while($row=mysql_fetch_array($res))
{
    $to=$row['topic_name'];
    echo $to;
    echo "<tr>
        <td>$row[can1name]</td>
        <TD>$row[voting_date]</TD>
        <TD>$row[dept]</TD>
        <TD>$row[user_choice]</TD>
        <td>$row[topic_name]</TD>
    </TR>";
    ECHO " <TR>
        <td>$row[can2]</td>
        <td>$row[voting_date]</td>
        <td>$row[dept]</td>
        <td>$row[user_choice]</td>
        <td>$row[topic_name]</td>
    </tr>";
}
$sql1="select * from candidates5 where topic_name='$t'";
$res1=mysql_query($sql1);
while($row1=mysql_fetch_array($res1))
{
    echo " <tr>
        <td>$row1[can1]</td>
        <td>$row1[voting_date]</td>
        <td>$row1[dept]</td>
        <td>$row1[user_choice]</td>
        <td>$row1[topic_name]</td>
    </tr>";
    echo " <tr>
        <td>$row1[can2]</td>
        <td>$row1[voting_date]</td>
        <td>$row1[dept]</td>
        <td>$row1[user_choice]</td>
        <td>$row1[topic_name]</td>
    </tr>";
    echo " <tr>
        <td>$row1[can3]</td>
        <td>$row1[voting_date]</td>
        <td>$row1[dept]</td>
        <td>$row1[user_choice]</td>
    </tr>";
}

```

```

<td>$row1[topic_name]</td>
</tr>";
echo " <tr>
<td>$row1[can4]</td>
<td>$row1[voting_date]</td>
<td>$row1[dept]</td>
<td>$row1[user_choice]</td>
<td>$row1[topic_name]</td>
</tr>";
echo " <tr>
<td>$row1[can5]</td>
<td>$row1[voting_date]</td>
<td>$row1[dept]</td>
<td>$row1[user_choice]</td>
<td>$row1[topic_name]</td>
</tr>";
}
?>
</tbody>
</table>
</div>
<script src="js/jquery.js"></script>
<script src="js/bootstrap.js"></script>
<script src="js/bootstrap.bundle.js"></script>
<script src="js/bootstrap.bundle.min.js"></script>
<script src="js/bootstrap.min.js"></script>
</body>
</html>

```

## UPDATEEVENT.PHP

The screenshot shows a web page titled 'UPDATEEVENT.PHP'. At the top, there is a navigation bar with links: Home, event request, create events, ADD AUDIO, ADD VIDEO, candidate, update events, delete events, result, and logout. Below the navigation bar is a table with the following columns: TOPIC NAME, DATE OF VOTE, DEPARTMENT, and USER CHOICE. The table contains several rows of data, each with a radio button labeled 'EVENT TOPIC' next to the topic name. The data is as follows:

TOPIC NAME	DATE OF VOTE	DEPARTMENT	USER CHOICE
FACULTY PART TESTING	2018-05-07	MCA	FACULTY
FACULTY PART	2018-05-07	MCA	FACULTY
FACULTY DECISION	2018-05-07	MCA	FACULTY
	0000-00-00	NONE	NONE
TESTING	2018-05-08	MCA	STUDENT
a	2018-05-08	MCA	STUDENT
a	2018-05-08	MCA	STUDENT

```

<!doctype html>
<html>
<head>
<meta charset="UTF-8">
<title>online portal</title>
<meta name="viewport" content="width=device-width, initial-scale=1, shrink-to-fit=no">
<link rel="stylesheet" href="css/bootstrap.min.css" />
<link rel="stylesheet" href="css/bootstrap.css" />
<link rel="stylesheet" href="css/bootstrap-grid.css" />
<link rel="stylesheet" href="css/bootstrap-grid.min.css" />

```

```

        <link rel="stylesheet" href="css/bootstrap.min.css" />
<link rel="stylesheet" type="text/css" href="style.css" />
</head>
<body>
<DIV CLASS="WRAPPER">
<DIV CLASS="main">
<FORM ACTION="sercan.php" enctype="multipart/form-data" method="post"
onsubmit="return validate()">
    <nav class="navbar navbar-expand-lg navbar-light bg-light navbar-left">
        <a class="navbar-brand" href="#">
            
        </a>
        <button class="navbar-toggler" type="button" data-toggle="collapse" data-
target="#navbarSupportedContent" aria-controls="navbarSupportedContent" aria-
expanded="false" aria-label="Toggle navigation">
            <span class="navbar-toggler-icon"></span>
        </button>
        <div class="collapse navbar-collapse" id="navbarSupportedContent">
            <ul class="navbar-nav mr-auto">
                <li class="nav-item active">
                    <a class="nav-link" href="#">Home <span class="sr-only">(current)</span></a>
                </li>
                <li class="nav-item">
                    <a class="nav-link" href="eventrequest.php">event request</a>
                </li>
                <li class="nav-item">
                    <a class="nav-link" href="CHOICECREATE.PHP">create events</a>
                </li>
                <li class="nav-item">
                    <a class="nav-link" href="adaudio.php">ADD AUDIO</a>
                </li>
                    <li class="nav-item">
                    <a class="nav-link" href="advideo.php">ADD VIDEO</a>
                    </li>
                <li class="nav-item">
                    <a class="nav-link" href="canpro.php">candidate profile</a>
                </li>
                <li class="nav-item">
                    <a class="nav-link" href="updateevent.php">update events</a>
                </li>
                <li class="nav-item">
                    <a class="nav-link" href="deleteevent.php">delete events</a>
                </li>
                <li class="nav-item">
                    <a class="nav-link" href="res.php">result</a>
                </li>
                    <li class="nav-item">
                    <a class="nav-link" href="logout.php">logout</a>
                    </li>
                </ul>
            </div>
        </nav>

```

```

        </div>
<div class="hero">
    <div class="container">
        <div class="row align-items-center">
            <div class="col-md-4 col-md-push-8">
                
            </div>
            <div class="col-md-8 col-md-pull-4">
<TABLE><TR><TD>
                <h1>
                    SELECT YOUR CHOICE
                </h1>
                <tr>
                    <th><A HREF="update.php">UPDATE EVENT</TH>
                    <TH><a href="update1.php">UPDATE CANDIDATES</TH>
                </tr>
</table>
<script src="js/jquery.js"></script>
<script src="js/bootstrap.js"></script>
<script src="js/bootstrap.bundle.js"></script>
<script src="js/bootstrap.bundle.min.js"></script>
<script src="js/bootstrap.min.js"></script>
            </body>
        </html>

```

## UPDATE1.PHP

```

<!doctype html>
<html>
<head>
<meta charset="UTF-8">
    <title>online portal</title>
<meta name="viewport" content="width=device-width, initial-scale=1, shrink-to-fit=no">
    <link rel="stylesheet" href="css/bootstrap.min.css" />
        <link rel="stylesheet" href="css/bootstrap.css" />
        <link rel="stylesheet" href="css/bootstrap-grid.css" />
        <link rel="stylesheet" href="css/bootstrap-grid.min.css" />
        <link rel="stylesheet" href="css/bootstrap.min.css" />
<link rel="stylesheet" type="text/css" href="style.css" />
</head>
<body>
<FORM ACTION="updatework.php" enctype="multipart/form-data" method="post" onsubmit="return validate()">
    <div id="wrapper">
        <div id="main">
            <nav class="navbar navbar-expand-lg navbar-light bg-light">
                <a class="navbar-brand" href="#">
                    
                </a>

```

```

<button class="navbar-toggler" type="button" data-toggle="collapse" data-target="#navbarSupportedContent" aria-controls="navbarSupportedContent" aria-expanded="false" aria-label="Toggle navigation">
    <span class="navbar-toggler-icon"></span>
</button>
<div class="collapse navbar-collapse" id="navbarSupportedContent">
    <ul class="navbar-nav mr-auto">
        <li class="nav-item active">
            <a class="nav-link" href="#">Home <span class="sr-only">(current)</span></a>
        </li>
        <li class="nav-item">
            <a class="nav-link" href="#"></a>
        </li>
        <li class="nav-item dropdown">
            <a class="nav-link dropdown-toggle" href="#" id="navbarDropdown" role="button" data-toggle="dropdown" aria-haspopup="true" aria-expanded="false">
                event creation
            </a>
            <div class="dropdown-menu" aria-labelledby="navbarDropdown">
                <a class="dropdown-item" href="eventmanage.php">manage events</a>
                <a class="dropdown-item" href="adaudio.php">add audio</a>
                <a class="dropdown-item" href="advideo.php">add video</a>
                <div class="dropdown-divider"></div>
            </div>
        </li>
        <li class="nav-item dropdown">
            <a class="nav-link dropdown-toggle" href="#" id="navbarDropdown" role="button" data-toggle="dropdown" aria-haspopup="true" aria-expanded="false">
                candidate views
            </a>
            <div class="dropdown-menu" aria-labelledby="navbarDropdown">
                <a class="dropdown-item" href="canli.php">candidate list</a>
                <a class="dropdown-item" href="canpro.php">candidate profile</a>
                <div class="dropdown-divider"></div>
            </div>
        </li>
        <li class="nav-item dropdown">
            <a class="nav-link dropdown-toggle" href="#" id="navbarDropdown" role="button" data-toggle="dropdown" aria-haspopup="true" aria-expanded="false">
                update
            </a>
            <div class="dropdown-menu" aria-labelledby="navbarDropdown">
                <a class="dropdown-item" href="updateevent.php">update events</a>
                <a class="dropdown-item" href="upchoice.php">delete events</a>
                <a class="dropdown-item" href="adreq.php">admin request</a>
                <div class="dropdown-divider"></div>
            </div>
        </li>
        <li class="nav-item">
            <a class="nav-link" href="res.php">result</a>
        </li>
        <li class="nav-item">
            <a class="nav-link" href="logout.php">logout</a>
        </li>
    </ul>
</div>

```



```

        <td>$row1[topic_name]</td>
        </tr>";
echo " <tr>
<td>$row1[can2]</td>
<td>$row1[can2det]</td>
<td>$row1[voting_date]</td>
<td>$row1[dept]</td>
<td>$row1[user_choice]</td>
<td>$row1[topic_name]</td>
</tr>";
echo " <tr>
<td>$row1[can3]</td>
<td>$row1[can3det]</td>
<td>$row1[voting_date]</td>
<td>$row1[dept]</td>
<td>$row1[user_choice]</td>
<td>$row1[topic_name]</td>
</tr>";
echo " <tr>
<td>$row1[can4]</td>
<td>$row1[can4det]</td>
<td>$row1[voting_date]</td>
<td>$row1[dept]</td>
<td>$row1[user_choice]</td>
<td>$row1[topic_name]</td>
</tr>";
echo " <tr>
<td>$row1[can5]</td>
<td>$row1[can5det]</td>
<td>$row1[voting_date]</td>
<td>$row1[dept]</td>
<td>$row1[user_choice]</td>
<td>$row1[topic_name]</td>
</tr>";
}
?>
</tbody>
<TR>
        <th>ENTER CANDIDATE NAME TO UPDATE</th>
        <th><INPUT TYPE="TEXT" NAME="UCAN"></TH>
<th><INPUT type="Radio" name="r" value="cname">candidate name</th>
<th><INPUT type="Radio" name="r" value="cdetails">candidate details</th>
        <TH>ENTER NEW DATA</TH>
        <TH><INPUT TYPE="TEXT" NAME="NUCAN"></TH>
        <TH><INPUT TYPE="SUBMIT" VALUE="SUBMIT"></TH>
        </TR>
</table>
</div>
<script src="js/jquery.js"></script>
<script src="js/bootstrap.js"></script>
<script src="js/bootstrap.bundle.js"></script>
<script src="js/bootstrap.bundle.min.js"></script>
<script src="js/bootstrap.min.js"></script>

```

```
</body>
</html>
```

## DELETE.PHP

```
<!doctype html>
<html>
<head>
<meta charset="UTF-8">
<title>online portal</title>
<meta name="viewport" content="width=device-width, initial-scale=1, shrink-to-fit=no">
<link rel="stylesheet" href="css/bootstrap.min.css" />
<link rel="stylesheet" href="css/bootstrap.css" />
<link rel="stylesheet" href="css/bootstrap-grid.css" />
<link rel="stylesheet" href="css/bootstrap-grid.min.css" />
<link rel="stylesheet" href="css/bootstrap.min.css" />
<link rel="stylesheet" type="text/css" href="style.css" />
</head>
<body>
<DIV CLASS="WRAPPER">
<DIV CLASS="main">
<FORM ACTION="DELETE.PHP" enctype="multipart/form-data" method="post"
onsubmit="return validate()">
<nav class="navbar navbar-expand-lg navbar-light bg-light navbar-left">
<a class="navbar-brand" href="#">

</a>
<button class="navbar-toggler" type="button" data-toggle="collapse" data-target="#navbarSupportedContent" aria-controls="navbarSupportedContent" aria-expanded="false" aria-label="Toggle navigation">
<span class="navbar-toggler-icon"></span>
</button>

<div class="collapse navbar-collapse" id="navbarSupportedContent">
<ul class="navbar-nav mr-auto">
<li class="nav-item active">
<a class="nav-link" href="#">Home <span class="sr-only">(current)</span></a>
</li>
<li class="nav-item">
<a class="nav-link" href="eventrequest.php">event request</a>
</li>
<li class="nav-item">
<a class="nav-link" href="CHOICECREATE.PHP">create events</a>
</li>
<li class="nav-item">
<a class="nav-link" href="adaudio.php">ADD AUDIO</a>
</li>
<li class="nav-item">
<a class="nav-link" href="advideo.php">ADD VIDEO</a>
</li>

```

```

        </li>
    <li class="nav-item">
        <a class="nav-link" href="canpro.php">candidate profile</a>
    </li>
    <li class="nav-item">
        <a class="nav-link" href="updateevent.php">update events</a>
    </li>
    <li class="nav-item">
        <a class="nav-link" href="deleteevent.php">delete events</a>
    </li>
    <li class="nav-item">
        <a class="nav-link" href="res.php">result</a>
    </li>
    <li class="nav-item">
        <a class="nav-link" href="logout.php">logout</a>
    </li>
</ul>
</div>
</nav>
<div class="hero">
    <div class="container">
        <div class="row align-items-center">
            <div class="col-md-4 col-md-push-8">
                
            </div>
            <div class="col-md-8 col-md-pull-4">
                <TABLE><TR><TD>
                    <h1>EVENT LIST</H1>
                    <table class="table table-striped">
                        <thead>
                            <tr>
                                <th scope="col">TOPIC NAME</th>
                                <th scope="col">DATE OF VOTE</th>
                                <th scope="col">DEPARTMENT</th>
                                <th scope="col">USER CHOICE</th>
                            </tr>
                        </thead>
                        <tbody>
                            <?php
                                include('connection.php');
                                $sql="select * from decission_making";
                                $res=mysql_query($sql);
                                while($row=mysql_fetch_array($res))
                                {
                                    echo " <tr>
                                            <td>$row[topic_name]</TD>
                                            <TD>$row[voting_date]</TD>
                                            <TD>$row[con_dept]</TD>
                                            <TD>$row[con_cat]</TD>
                                        </TR>";
                                }
                            </tbody>
                    </table>
                </TD></TR>
            </div>
        </div>
    </div>
</div>


```

```

?>
        </tbody>
        <TR>
            <th>ENTER THE EVENT TOPIC TO DELETE</th>
            <th><INPUT TYPE="TEXT" NAME="DEL"></TH>
        <TH><input type="submit" class="btn btn-info" value="DELETE"></TH>
<TH><a href="DELETEALL.PHP" class="btn btn-info" role="button">DELETE ALL</a></a>
        </TR>
    </table>
    </table>
    <script src="js/jquery.js"></script>
    <script src="js/bootstrap.js"></script>
    <script src="js/bootstrap.bundle.js"></script>
    <script src="js/bootstrap.bundle.min.js"></script>
    <script src="js/bootstrap.min.js"></script>
</body>
</html>
</html>

```

## CALCULATION.PHP



The screenshot shows a table titled "FACULTY DECISION" with four columns: "voting date", "topic name", "user choice", and "no. of votes". There are two rows of data:

voting date	topic name	user choice	no. of votes
2018-05-07	FACULTY DECISION	cmi	3
2018-05-07	FACULTY DECISION	cmi	3

```

<!doctype html>
<html>
<head>
<meta charset="UTF-8">
    <title>online portal</title>
    <meta name="viewport" content="width=device-width, initial-scale=1, shrink-to-fit=no">
    <link rel="stylesheet" href="css/bootstrap.min.css" />
    <link rel="stylesheet" href="css/bootstrap.css" />
    <link rel="stylesheet" href="css/bootstrap-grid.css" />
    <link rel="stylesheet" href="css/bootstrap-grid.min.css" />
    <link rel="stylesheet" href="css/bootstrap.min.css" />
    <link rel="stylesheet" type="text/css" href="style.css" />
    <link rel="stylesheet" type="text/css" href="STYLE1.CSS" />
</head>
<body>
<div id="main">
    <nav class="navbar navbar-expand-lg navbar-light bg-light navbar-left">
        <a class="navbar-brand" href="#">
            

```

```

        </a>
<button class="navbar-toggler" type="button" data-toggle="collapse" data-
target="#navbarSupportedContent" aria-controls="navbarSupportedContent" aria-
expanded="false" aria-label="Toggle navigation">
    <span class="navbar-toggler-icon"></span>
</button>
<div class="collapse navbar-collapse" id="navbarSupportedContent">
    <ul class="navbar-nav mr-auto">
        <li class="nav-item active">
            <a class="nav-link" href="#">Home <span class="sr-only">(current)</span></a>
        </li>
        <li class="nav-item">
            <a class="nav-link" href="CHOICECREATE.PHP">create events</a>
        </li>
        <li class="nav-item">
            <a class="nav-link" href="adaudio.php">ADD AUDIO</a>
        </li>
            <li class="nav-item">
                <a class="nav-link" href="advideo.php">ADD VIDEO</a>
            <li class="nav-item">
                <a class="nav-link" href="canpro.php">candidate profile</a>
            </li>
            <li class="nav-item">
                <a class="nav-link" href="updateevent.php">update events</a>
            </li>
            <li class="nav-item">
                <a class="nav-link" href="deleteevent.php">delete events</a>
            </li>
            <li class="nav-item">
                <a class="nav-link" href="res.php">result</a>
            </li>
                <li class="nav-item">
                    <a class="nav-link" href="logout.php">logout</a>
                </li>
            </ul>
        </div>
    </nav>
</div>
</div>
<div class="hero">
<?php
session_start();

```

## CONNECTION.PHP

```

$tnm=$_POST['tn'];
$_SESSION['tn']=$tnm;
$sql="select can1 from canvote where can1=1 and topic_name='$tnm'";
$ctr=0;

```

```

$res=mysql_query($sql);
while($row=mysql_fetch_array($res))
{
    $ctr++;
}
$sql1="select can2 from canvote where can2=1 and topic_name='$tnm'";
$ctr1=0;
$res1=mysql_query($sql1);
while($row1=mysql_fetch_array($res1))
{
    $ctr1++;
}
if($ctr>$ctr1)
{
?>
    <h2>Winner</h2>
    <?php
        include('connection.php');
$sql="select can1name,can1picture,voting_date from candidates where
topic_name='$tnm'";
$res=mysql_query($sql);
while($row=mysql_fetch_array($res))
{
    $cn=$row['can1name'];
    $cp=$row['can1picture'];
    $d=$row['voting_date'];
    mysql_query("insert into
winner(topic_name,candidate_name,candidate_picture) values('$tnm','$cn','$cp')");
?>
<center><br>
candidate name:
    <?php
        echo $cn;
    }
}
else if($ctr<$ctr1)
{
include('connection.php');
$sql="select can2,can2picture from candidates where
topic_name='$tnm'";
$res=mysql_query($sql);
while($row=mysql_fetch_array($res))
{
    $cn=$row['can2'];
    $cp=$row['can2picture'];
    $d=$row['voting_date'];
    mysql_query("insert into
winner(topic_name,candidate_name,candidate_picture) values('$tnm','$cn','$cp')");
?>
    <center><br>
candidate name:
    <?php
        echo $cn;
}
}

```

```

        }
    }
    else if($ctr==$ctr1)
    {
        include('connection.php');
        $sql="select * from candidates where topic_name='$tnm'";
        $res=mysql_query($sql);
        while($row=mysql_fetch_array($res))
        {
            $cn1=$row['can1name'];
            $cp1=$row['can1picture'];
            $cn=$row['can2'];
            $cp=$row['can2picture'];
            $d=$row['voting_date'];
            echo "its a tie";
        }
        <center><br><img src=<?php echo $cp1 ?>" height="90" width="90"><br>
        candidate name:
        <?php
        echo $cn1;
        ?>
        <br><img src=<?php echo $cp ?>" height="90" width="90">
        candidate name:
        <?php
        echo $cn;
        }
        }
    else
    {
        echo "invalid request";
    }
?>
<br><?php echo $tnm ?></center>
<table class="table table-striped">
<thead>
<tr>
<th scope="col">voting date</th>
<th scope="col">topic name</th>
<th scope="col">user choice</th>
<th scope="col">no. of votes</th>
</tr>
</thead>
<?PHP
$res1=mysql_query("select topic_name,candidate_name,count(*) as counts from winner
where topic_name='$tnm' group by candidate_name");
while($row1=mysql_fetch_array($res1))
{
    echo
    "<tr><td>$d</td><td>$row1[topic_name]</td><td>$row1[candidate_name]</td><td>$row1[count
s]</td></tr>";
}
$res=mysql_query("select voting_date,topic_name,user_choice,count(*) as counts from
canvote1 where topic_name='$tnm' group by user_choice" );

```

```

while($row=mysql_fetch_array($res))
{
    $c=$row['counts'];
    $uc=$row['user_choice'];
    $v=$row['voting_date'];
    echo "<tr>
<td>$row[voting_date]</td>
<td>$row[topic_name]</td>
<td>$row[user_choice]</td>
<td>$row[counts]</td>
</tr>";
}
$res=mysql_query("select voting_date,topic_name,user_choice,count(*) as counts from
canvote1 where topic_name='$tnm' group by user_choice" );
while($row=mysql_fetch_array($res))
{
    $c=$row['counts'];
    $uc=$row['user_choice'];
    $v=$row['voting_date'];
    echo "<tr>
<td>$row[voting_date]</td>
<td>$row[topic_name]</td>
<td>$row[user_choice]</td>
<td>$row[counts]</td>
</tr>";
}
mysql_query("insert into winner1(voting_date,topic_name,user_choice,total_votes)
values('$v','$tnm','$uc','$c')");
?>
</table>
</div>
</body>
</html>

```


### LOGOUT.PHP

```

<?php
session_start();
echo "Successfully Logged Out";
session_destroy();
header("location:user.html")
?>

```

## REQEVEVT.PHP



```
<!doctype html>
<html>
<head>
<meta charset="UTF-8">
<title>online portal</title>
<meta name="viewport" content="width=device-width, initial-scale=1, shrink-to-fit=no">
<link rel="stylesheet" href="css/bootstrap.min.css" />
<link rel="stylesheet" href="css/bootstrap.css" />
<link rel="stylesheet" href="css/bootstrap-grid.css" />
<link rel="stylesheet" href="css/bootstrap-grid.min.css" />
<link rel="stylesheet" href="css/bootstrap.min.css" />
<link rel="stylesheet" type="text/css" href="style.css" />
<link rel="stylesheet" type="text/css" href="STYLE1.CSS" />
</head>
<body>
<form action="checkusr.php" method="post" onsubmit="return validate()">
<div id="wrapper">
<div id="header">
<div id="main">
<nav class="navbar navbar-expand-lg navbar-light bg-light navbar-left">
<a class="navbar-brand" href="#">

</a>
<button class="navbar-toggler" type="button" data-toggle="collapse" data-target="#navbarSupportedContent" aria-controls="navbarSupportedContent" aria-expanded="false" aria-label="Toggle navigation">
<span class="navbar-toggler-icon"></span>
</button>
<div class="collapse navbar-collapse" id="navbarSupportedContent">
<ul class="navbar-nav mr-auto">
<li class="nav-item active">
<a class="nav-link" href="#">Home <span class="sr-only">(current)</span></a>
</li>
<li class="nav-item">
<a class="nav-link" href="reqevent.php">event request</a>
</li>
<li class="nav-item">
<a class="nav-link" href="canpro.php">CANDIDATE PROFILE</a>
</li>
```

```

<li class="nav-item">
    <a class="nav-link" href="logout.php">logout</a>
</li>
</ul>
</div>
</nav>
<div id="menu"></div>
<div id="content">
    <div class="hero">
        <div class="container">
            <div class="row profile">
                <div class="col-md-3">
                    <div class="profile-slider">
                        <div class="profile-user-pic">
                            
                        </div>
                    <div class="profile-user-title">
                        <div class="profile-user-name">
                            <?php
                                include('connection.php');
                                SESSION_START();
                                $user=$_SESSION["uid"];
                                $res=mysql_query("select * from student_registration where student_registration_no='$user'");
                                while($row=mysql_fetch_array($res))
                                {
                                    $fn=$row['Student_Name'];
                                    $ln=$row['student_lastname'];
                                    $mn=$row['Mobile_No'];
                                    $d=$row['Dept'];
                                    $c=$row['category'];
                                    $yr=$row['year'];
                                    $sc=$row['s_category'];
                                }
                            echo $fn; echo $ln."<br>";
                            ?>
                        </div>
                        <div class="profile-user-job">
                            <?php
                                echo "Mobile No:".$mn."<br>";
                                echo "Dept:".$d."<br>";
                                echo "year of joining:".$yr."<br>";
                                echo "category".$c."<br>";
                            }
                            ?>
                        </div>
                    </div>
                </div>
            </div>
        <div class="col-md-9">
            <H2>REQUEST PAGE</H2>
            <center>

```

```

<center> <H1> request for event:</H1><input type="radio" name="r"
value="event">request for event<br>
<TEXTAREA ROW="10" COLS="40" NAME="REQ" id="CAN1"></TEXTAREA>
<TD COLSPAN="2"><br><CENTER><INPUT TYPE ="submit" VALUE="SUBMIT">
    <INPUT TYPE ="reset" VALUE="CANCEL"></CENTER></TD>
</div>
</body>
</html>

```

## STUDENTLOGIN.PHP

```

<!doctype html>
<html>
<head>
<meta charset="UTF-8">
    <title>online portal</title>
    <meta name="viewport" content="width=device-width, initial-scale=1, shrink-to-fit=no">
    <link rel="stylesheet" href="css/bootstrap.min.css" />
        <link rel="stylesheet" href="css/bootstrap.css" />
        <link rel="stylesheet" href="css/bootstrap-grid.css" />
        <link rel="stylesheet" href="css/bootstrap-grid.min.css" />
            <link rel="stylesheet" href="css/bootstrap.min.css" />
            <link rel="stylesheet" href="css/bootstrap-reboot.css" />
            <link rel="stylesheet" href="css/bootstrap-reboot.min.css" />
        <link rel="stylesheet" type="text/css" href="style.css" />
</head>
<body>
<FORM ACTION="checkstuser.php" method="post">
<div id="wrapper">
<div id="header">
    <div id="main">
        <nav class="navbar navbar-expand-lg navbar-light bg-light">
            <a class="navbar-brand" href="index.html">
                
            </a>
            <button class="navbar-toggler" type="button" data-toggle="collapse" data-target="#navbarSupportedContent" aria-controls="navbarSupportedContent" aria-expanded="false" aria-label="Toggle navigation">
                <span class="navbar-toggler-icon"></span>
            </button>
            <div class="collapse navbar-collapse" id="navbarSupportedContent">
                <ul class="navbar-nav mr-auto">
                    <li class="nav-item active">
                        <a class="nav-link" href="#">Home <span class="sr-only">(current)</span></a>
                    </li>
                    <li class="nav-item">
                        <a class="nav-link" href="user.html">user</a>
                    </li>
                    <li class="nav-item">

```

```
<a class="nav-link" href="status.php">status</a>
</li>
<li class="nav-item">
<a class="nav-link" href="contactus.html">contact us</a>
</li>
</ul>
</div>
</nav>
<div id="menu"></div>
<div id="content">
<div class="hero">
<div class="banner-content col-lg-7 col-md-12">
<div class="login-box">

<h1>student login</h1>
<form action="checkstuser.php" method="post" onsubmit="return validate()">
<p>college id :</p>
<INPUT TYPE="TEXT" NAME="UID" ID="ud" placeholder="enter collegeid">
<p>Password :</p>
<INPUT TYPE ="PASSWORD" NAME="PWD" ID="pd" placeholder="enter password">
<INPUT TYPE ="submit" VALUE="LOGIN">
<INPUT TYPE ="reset" VALUE="CANCEL">
<p><center>registered not yet<A HREF="registration.php">CLICK
HERE</A></center></p>
</form>
</div>
</div>
</div>
</div>
<div id="comment"></div>
<div id="footer"></div>
</div>
</body>
</html>
```

## **Working principle:**

This project has been developed for the survey and polling systems. Admin gets login by valid username and password. Admin can see the request send by the students or faculty. Admin can also create events manually. Admin can view all the details and can allow special user to create event. Admin verifies the details of the members and declares the result.

The student portion will allow students to participate in the polling system for election of the common college election for the college welfare such as selecting class representative, college general secretary etc. they are also allowed to participate in the college survey and decision making system for the college.

The faculties' portion will also work in the same process but will allow the faculty members only in the survey and college committee selection procedures.

## **Features of this management system:**

- Easy to read, understand and navigate.
- It is completely secure
- It can be completely controlled by a single person, i.e. admin.
- This system is easily compatible with most of the browsers such as Google Chrome, Mozilla Firefox, and Microsoft Internet Explorer etc.
- It is very interactive and saves time.
- Reduces paper works.

## **Future scope of the work:**

- The development process of this system can be easily followed by adding new features to the site as and when the end user requires. This might also lead to a possible enhancement of flexibility between the modules.
- In future we may add a member portal where members can give feedback about an event.
- Some visualized features may be added which can be more interactive to the members of the system.
- The system can be developed in such a way that its existing features will also be provided after.

## **Conclusion:**

Now a days a good Online Portal for Survey and Polling System is a gateway to the college management and its works. People get influenced by look and easy to access features. So it is imperative that a college, be it a small scale, medium scale or a large scale will always look for a good computerised survey taking system. With technologies on the go touching people's lives anywhere and everywhere, a good Online Portal for Survey and Polling system acts as a bonus to these modern world institutions.

## **Bibliography:**

### Books:

- PHP: The Complete Reference  
Author: Steven Holzner  
Publisher: McGraw Hill Education
- Head First PHP and MySQL  
Author: Michael Morrison, Lynn Beighley  
Publisher: Shroff-O'Reilly

### Websites:

- [www.w3schools.com](http://www.w3schools.com)
- [www.getbootstrap.com](http://www.getbootstrap.com)
- [www.youtube.com](http://www.youtube.com)