

Project on: ***Personal Information System***

REPORT OF MAJOR PROJECT SUBMITED FOR PARTIAL FUFILLMENT OF THE REQUIRMENT
FOR THE DEGREE OF
MASTER OF COMPUTER APPLICATION

SUCHANDRA ROY

REGISTRATION NO. - 151170510048 of 2015-2016

UNIVERSITY ROLL NO. – 11701015047

BINAYAK SUSHIL SHARMA

REGISTRATION NO. - 151170510013 of 2015-2016

UNIVERSITY ROLL NO. – 11701015013

UNDER THE SUPERVISION OF

Biswanath Chakraborty

Asst. Professor

DEPARTMENT OF COMPUTER APPLICATION

RCCIIT



AT

RCC INSTITUTE OF INFORMATION TECHNOLOGY

Affiliated to Maulana Abul Kalam Azad University of Technology (WBUT)

Canal South Road, Beliaghata, Kolkata - 700 015

May, 2018

Personal Information System

RCC INSTITUTE OF INFORMATION TECHNOLOGY
KOLKATA - 700015, INDIA



CERTIFICATE

The report of the project Using PHP & MySql, titled Personal Information System submitted by **Suchandra Roy** (University Roll no. 11701015047, of MCA 6th semester of 2018) and Binayak Sushil Sharma (11701015013) has been prepared under our supervision for partial fulfilment of the requirement for MCA degree in Maulana Abul Kalam Azad University of Technology.

Countersigned by:

Head of The Department
RCC INSTITUTE
OF INFORMATION TECHNOLOGY
KOLKATA - 700015, INDIA

The project is hereby forwarded by:

[Project Guide]
Department of Computer Application

RCCIIT,(Internal Supervisor)

ACKNOWLEDGEMENT

I express my sincere gratitude to our project guide, Asst. Prof. **Biswanath Chakraborty**, department of Computer Application, RCCIIT for extending his valuable time for us to guide and set up this project.

I am also indebted to **Arup Kumar Bhattacharjee** Head of the Department, MCA, and RCCIIT for his unconditional help and inspiration.

I would like to thank my **parents** for being supportive all the time, and I am very much obliged to them.

Date._____

Reg. No.: 151170510048 of 2015-2016

Roll no.:11701015047

MCA - 6th semester, RCCIIT

Maulana Abul Kalam Azad University of Technology
KOLKATA - 700015, INDIA



CERTIFICATE OF ACCEPTANCE

The report of the project titled Employee's Records Keeping Portal submitted by, Suchandra Roy (11701015044, 6th semester of 2018) and Binayak Sushil Sharma (11701015013) is hereby recommended to be accepted for the partial fulfilment of the requirements for MCA degree in Maulana Abul Kalam Azad University of Technology.

Name of Examiners:-

Signature with date:-

➤ **CONTENTS :**

1. ACKNOWLEDGEMENT-----
2. PROJECT OVERVIEW-----
3. PURPOSE OF THE SYSTEM-----
4. EXSISTING SYSTEM-----
5. FEATURE OF THE SYSTEM-----
6. SOFT WARE REQUIREMENT SPECIFICATION (SRS) -----
7. PURPOSE-----
8. FUNCTIONAL REQUIREMENT-----
9. TECHNOLOGIES USED-----
10. DESIGN -----
11. RELIABILITY-----
12. PORTABILITY-----
13. MINIMUM HARDWARE AND SOFTWARE REQUIREMENTS -----
14. ENTITY RILATIONSHIP DIAGRAMME (ERD) -----
15. COLLABORATION DIAGRAM-----
16. DATA FLOW DIAGRAM (DFD) -----
17. SAMPLE CODE-----
18. FEED BACK PAGE ACTIVITY-----
19. PROJECT SCREENSHOT-----
20. LIMATIONS-----
21. FUTURE SCOPE-----
22. CONCLUSION-----

➤ **PROJECT OVERVIEW**

To store records of each employee, who is recruited as a new employee as well as existing employee of the college.

The project “Teacher's Records Keeping Portal”, we use; HTML, CSS & Java Script as front end, PHP as back end support and MySQL for Database support.

Initially, Administration will enter very basic details of new/existing faculty, and then a unique Id and Password will generate for each employee.

During first time login by employee, our system will ask to change their password.

After that, user can upload required details like personal qualification, experience, publication details etc

➤ **PURPOSE OF THE SYSTEM**

Employee can update their profile on regular basis, As an when required administration can view/generate faculty profile, Each faculty can print/export to PDF of their profile, Service book may be maintained through this software.

➤ **EXISTING SYSTEM**

The existing system keeps record of the employees; newly recruited or already existing. At first user makes his/her account on the system administered by the admin with the user-id and temporary password and general information like name, department, designation, date of joining.

The user, once after logging in with temporary password is prompted with a window requesting to change the password, after which he/she gets into a serialized process of uploading their personal details, academic information, and file uploads etc.

➤ **FEATURE OF THE PROPOSED SYSTEM**

- Every user has an account.
- User can store their personal, academic details, passport size photo.
- Upload PDF/image of mark-sheets/certificate, research/journal publications.
- User can also update their provided information and uploaded files.

Personal Information System

- **SOFT WARE REQUIREMENT SPECIFICATION (SRS)**

- **SEGMENTS OF PROJECT**

The project includes three sections or events:

- Administration will enter very basic details of new/existing faculty, and unique Id and Password will be generated for each employee.
 - Each employee store records, who gets recruited as new employee as well as existing employee of our college.
 - Employee can update their profile on regular basis.

- **TECHNOLOGIES USED**

For the project “Teacher's Records Keeping Portal”, we use;

HTML, CSS & Java Script as front end,

PHP as back end support,

MySQL for Database support.

- **RELIABILITY**

Every user has an account; user can store their personal, academic details to the database. A ‘Forget Password’ mechanism has been added to the system, which is directly handled by the admin.

- **MINIMUM HARDWARE AND SOFTWARE REQUIREMENTS**


- ❖ **Minimum hardware requirements**

- ✓ 800 MHz Processor
 - ✓ 2 GB RAM
 - ✓ 250 MB Hard Disk Drive


- Minimum Software requirements**

- ✓ Windows Operating System
 - ✓ PHP version 5.x
 - ✓ XAMP server

ENTITY RELATIONSHIP DIAGRAM (ERD)




COLLABORATION DIAGRAM




DATA FLOW DIAGRAM (DFD)

DFD Level-0




DFD Level-1


DFD 1.1 Admin and 1.2 New user login:



DFD 1.3 New user Personal Information/Upload Files/Academic Information:



DFD 1.4 Existing User login:



SAMPLE CODE

A few pages from the source code comprising of different sections from the project has been shared below:

Admin Page:

a) Admin HTML Page:-

```
<html>
<form name = "f1" action = "addadmin.php" method = "post">
<center>
<head><h1> Admin </h1></head>
<table>
<tr>
<td> <font color = "red" size = "5"> UserId: </font></td>
<td><input type = "email" name = "uid" id = "id"></td>
</tr>
<tr>
<td> <font color = "red" size = "5"> User Name: </font></td>
<td><input type = "text" name = "name" id = "unm"></td>
</tr>
<tr>
<td> <font color = "red" size = "5"> Department: </font></td>
<td><input type = "text" name = "dept" id = "dpt"></td>
</tr>
<tr>
<td> <font color = "red" size = "5"> Designation: </font> </td>
<td>
<select style = "width: 173px" name = "digs">
<option value="0"> Select </option>
<option value="prof">Professor</option>
<option value="astprof">Assistant Professor</option>
<option value="prince">Principle</option>
<option value="Vicprince">Vice Principle</option>
<option value="accnt">Accountant</option>
<option value="pon">Peon</option>
<option value="libr">Librarian</option>
<option value="tpo">Placement Cell</option>
</select>
```

Personal Information System

```
</td>
</tr>
<tr>
<td><font color = "red" size = "5"> Date Of Joining: </font> </td>
<td>
<input type = "date" name = "calender1" id = "dob1" style = "width: 173px">
</td>
</tr>
</center>
</table>
<table>
<center>
<tr>
<td>
<br> <a href = "addadmin.php" style="text-decoration: none"> <input type = "submit" value = "SUBMIT"> </a>
&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;
<a href = "admin.php" style="text-decoration: none"> <input type = "button" value="Cancel"> </a>
</td>
</tr>
<tr><td>
<a href = "admin_verify_userid.php" style="text-decoration: none">
<input type = "button" value="New Request for Forget Password"> </a>
</td></tr>
</center>
</table>
</html>
```

b) Admin PHP database page:-

```
<?php
$unid = $_POST["uid"];
$uname = $_POST["name"];
$dpt = $_POST["dept"];
$desig = $_POST["digs"];
$doj = $_POST["calender1"];
$con = mysql_connect("localhost", "root", ""); //("user server name", "user name/root user", "password")
$db = mysql_select_db("rcciit", $con); //("DB name", resource link identifier)
$sql = "insert into admin(userid, name, department, designation, dateofjoining) values ('$unid', '$uname', '$dpt', '$desig', '$doj')"; //value insertion SQL command
$result = mysql_query ($sql);
header('location:admin.php'); ?>
```

New User Login:

This section provides source code for the new user part of the project.

HTML page :-

```
<html>
<head>

<style type = "text/css">
body {
    background-image: url(data5.jpg);
    background-repeat: no-repeat;
    background-attachment: fixed;
    background-position: 50% 60%;
    background-height: 150px;
    background-size: 1000px 500px;
    padding-right: 360px;
    padding-top: -40px;
}
/* divition content part */

#div1
{
    width: 500px;
    height: 300px;
    background-color: rgba(254,251,27,0.2);
    margin: 0 auto;
    margin-bottom: 130px;
    margin-left: 260px;
    padding-top: 10px;
    padding-left: 150px;
    padding-right: 150px;
    border-radius: 20px;
    color: #e41b1b;
    font-size: bolder;
    box-shadow: inset -2px -2px rgba(0,0,0,0.5);
    font-size: 18px;
}
```

Personal Information System

```
}

#div2
{
    width: 500px;
    height: 50px;
    background-color: rgba(254,251,27,0.2);
    margin:0 auto;
    margin-top: 180px;
    margin-left: 680px;
    padding-top: 10px;
    padding-left: -50px;
    padding-right: -50px;
    border-radius: 20px;
    color: #e41b1b;
    font-size: bolder;
    box-shadow: inset -5px -5px rgba(0,0,0,0.5);
    font-size: 21px;
}

div input[type="email"]{
    width: 250px;
    height: 35px;
    border-radius: 5px;
    padding-left:5px;
    box-shadow:inset -2px -2px rgba(0,0,0,0.5);
}

div input[type = "password"]
{
    width: 250px;
    height: 35px;
    border-radius: 5px;
    padding-left:5px;
    box-shadow:inset -2px -2px rgba(0,0,0,0.5);
}

div input[type = "submit"]{
    width: 100px;
    height: 30px;
```

Personal Information System

```
border-radius: 5px;  
background-color: #0073e6;  
font-weight:bolder;  
color:white;  
cursor:pointer;  
}  
  
div input[type = "button"]{  
    width: 100px;  
    height: 30px;  
    border-radius: 5px;  
    background-color: #0073e6;  
    font-weight:bolder;  
    color:white;  
    cursor:pointer;  
}  
  
a{  
    color:yellow;  
  
}  
.blink  
{  
    animation: blink-animation 5s steps(5, start) infinite;  
}  
  
@keyframes blink-animation {  
    to {  
        visibility: hidden;  
    }  
}  
  
</style>  
<script type = "text/Javascript">  
function validate()  
{  
    var u_id = document.getElementById("usd").value;  
    if(u_id=="")  
    {  
        document.getElementById('usd').style.borderColor = "red";  
        alert("User Name cannot be Blank");  
    }  
}</script>
```

Personal Information System

```
return false;
}
else {document.getElementById('usid').style.borderColor = "green";}

var p_swd = document.getElementById("uspid").value;
if(p_swd=="")
{
    document.getElementById('uspid').style.borderColor = "red";
    alert("Password Field cannot be Blank");
return false;
}
else {document.getElementById('uspid').style.borderColor = "green";}
}
</script>
</head>
<body>
<form action = "checkhome.php" method = "Post" onsubmit = "return validate()">
<div id = "div1">
<center><U> <h1>New User Login</h1> </U>
<table>
<tr>
<td> <font size = "5" color = "red"><B> &nbsp;&nbsp;&nbsp; User id: </font>
    <input type = "email" name = "usid" id = "usid" placeholder = "Enter UserId">
    </td>
</tr>

<tr>
<td> <br> <font size = "5" color = "red"><B> Password: </font>
    <input type = "password" name = "uspsw" id = "uspid" placeholder = "Enter Password">
    </td>
</tr>

<tr>
<td> <br> <a href = "checkhome.php" style="text-decoration: none"> <input type = "submit" value = "Login">
</a>
&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;
    <a href = "home.php" style="text-decoration: none"> <input type = "button" value = "Cancel"> </a>
    </td>

```

Personal Information System

```
</tr>
</table>
</div>
<div id = "div2">
<span class = "blink"><a href = "registeruser.php" style="text-decoration: none">
<font color = "red" size = "5"><B> <center> *** Login For Register User *** </center></B></font> </a>
</span>
</div>
</center>
</body>
</html>
```

PHP database:

```
<?php
session_start();
$id = $_POST["usid"];
$ps = $_POST["uspsw"];

$_SESSION["nid"] = $id;

$con = mysql_connect("localhost","root","");
$db = mysql_select_db("rcciiit", $con);

$sql = "select password from login where password = '$ps'";
$result = mysql_query($sql);
$n = mysql_num_rows($result);

$row = mysql_fetch_array($result);
$pw = $row['password'];

if($ps == $pw)
{
    if(isset($id))
    {
```

Personal Information System

```
$getuser1 = mysql_query ("select * from login where userid = '$id'");
$getrows1 = mysql_affected_rows($con);

if($getrows1 >= 1)
{
    include("home.php");
    echo "<script type = 'text/Javascript'> alert ('user already exist');</script>";
    echo "<script type = 'text/Javascript'> document.getElementById('usd').style.borderColor = 'red'</script>";
    die();
}

else
{
    $getuser = mysql_query ("select * from admin where userid = '$id'");
    $getrows = mysql_affected_rows($con);

    if($getrows >= 1)
    {
        $sql1 = "insert into login(userid, password) values ('$id','$ps')";
        $result1 = mysql_query($sql1);
        header('location:usersignup.php');
    }
    else
    {
        include("home.php");
        echo "<script type = 'text/Javascript'> alert ('user not exist');</script>";
        echo "<script type = 'text/Javascript'> document.getElementById('usd').style.borderColor = 'red'</script>";
        die();
    }
}

else
{
    include("home.php");
    echo '<html><font color = "red" size = "5"> <B>Enter valid Password <br> Given by Administration
*</html>';
    echo "<script type = 'text/Javascript'>
```

Personal Information System

```
document.getElementById('uspid').style.borderColor = 'red'  
    </script>";  
}  
}  
?>
```

User change Password HTML page:

```
<?php  
session_start();  
$id1 = $_SESSION["nid"];  
?>  
  
<style type = "text/css">  
input[type=text]  
{  
    width: 90%;  
    padding: 8px 20px;  
    margin: 5px;  
    box-sizing: border-box;  
    border: 3px white;  
    border-radius: 9px;  
    font-size: 18px;  
}  
  
input[type=password]  
{  
    width: 100%;  
    padding: 8px 20px;  
    margin: 5px;  
    border: 3px solid black;  
    border-radius: 30px;  
}  
  
input[type = "submit"]  
{  
    width: 80px;  
    height: 30px;  
    border-radius: 20px;  
    background-color:#0073e6;  
    font-weight:bolder;  
    color:white;  
    cursor:pointer;  
}  
input[type = "submit"]:hover  
{  
    border:3px solid #ff3333;
```

Personal Information System

```
background-color:#ff3333;
color:white;
transform:scale(1.3,1.3);
}

input[type = "button"]
{
width: 80px;
height: 30px;
border-radius:20px;
background-color:#0073e6;
font-weight:bolder;
color:white;
cursor:pointer;
}
input[type = "button"]:hover
{
border:3px solid #ff3333;
background-color:#ff3333;
color:white;
transform:scale(1.3,1.3);
}

table
{
border: 2px solid white;
border-radius: 9px;
font-size: 15pt;
}
</style>

<html>
<head>
<script type = "text/Javascript">
function validate()
{
var u_id = document.getElementById("ud").value;
if(u_id=="")
{
alert("User Name cannot be Blank");
return false;
}

var p_swd = document.getElementById("pid").value;
if(p_swd=="")
{
alert("Password Field cannot be Blank");
return false;
}
```

Personal Information System

```
var cp_swd = document.getElementById("cpid").value;
if(cp_swd=="")
{
    alert("Password Field cannot be Blank & should be same as Previous");
    return false;
}
if(cp_swd != p_swd)
{
    alert("Enter Same Password as entered previous");
    return false;
}
}
</script>

</head>

<body>

<form action = "acceptsignup.php" method = "post" onsubmit = "return validate()">

<center> <h1><U> <B>Change Password</B></U></h1>
<table style="width:54%" bgcolor = "#ff5c33">
<tr>
<td> <font size = "5" color = "white"> <B> User id:</B> </font> </td>
<td> <input type = "text" size = "15" name = "id" id = "ud" value = "<?php echo $id1; ?>" readonly>
</tr>
</table>

<table>
<tr>
<td> <font size = "5"> New Password: </font> </td>
<td> <input type = "password" name = "psw" id = "pid" placeholder = "Enter Password">
</tr>
<tr>
<td> <font size = "5"> Confirm Password: </font> </td>
<td> <input type = "password" name = "cpsw" id = "cpid" placeholder = "Retype the same Password">
</tr>
</table>

<tr>
<td>
<br>
<center>
<a href = "acceptsignup.php" style="text-decoration: none"> <input type = "submit" name = "btndsubmit" id = "btndsub" value = "SUBMIT"> </a>
&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;
<a href = "usersignup.php" style="text-decoration: none"> <input type = "button" value = "Cancel"> </a>

```

Personal Information System

```
</center> </td>
</tr>
</table>
</center>
</body>
</html>
```

User change Password PHP database page:

```
<?php
session_start();
$usrid = $_POST["id"];
$pswd = md5($_POST["psw"]);
$cpswd = md5($_POST["cpsw"]);
$con = mysql_connect("localhost", "root", ""); //("user server name", "user name/root user", "password")
$db = mysql_select_db("rccit", $con); //("DB name", resource link identifier)
$sql = "insert into dbsignup(userid, password, confirmppassword) values ('$usrid','$pswd','$cpswd')";
$result = mysql_query ($sql);
header('location:regpersonal.php');
?>
```

User Personal Details HTML page:

```
<?php
session_start();
$id2 = $_SESSION["nid"];

$con = mysql_connect("localhost", "root", ""); //("user server name", "user name/root user", "password")
$db = mysql_select_db("rccit", $con); //("DB name", resource link identifier)

$sql = "select name, department, designation, dateofjoining from admin where userid = '$id2'";

$result = mysql_query ($sql);

$row = mysql_fetch_array($result);
$usname = $row['name'];
$udpt = $row['department'];
$udis = $row['designation'];
$doj = $row['dateofjoining'];
?>

<html>
<head>
<script type = "text/Javascript">
    function validate()
    {
        var u_nm = document.getElementById("unm").value;
```

Personal Information System

```
if(u_nm=="")
{
    alert("Name area must be feild");
return false;
}

var e_mail = document.getElementById("eml").value;
if(e_mail=="")
{
    alert("Enter Valid MailId");
return false;
}

var aleml = document.getElementById("aeml").value;
if(aleml == mail)
{
    alert("Your Alternate MailId Must not same as Declared MailId");
}

var father_name=document.getElementById("fathername").value;
if(father_name=="")
{
    alert("Enter Father's Name");
return false;
}

var mother_name=document.getElementById("mothername").value;
if(mother_name=="")
{
    alert("Enter Mother's Name");
return false;
}

var dateob = document.getElementById("dob").value;
if(dateob=="")
{
    alert("Enter a Date for DOB");
    return false;
}

var radioselected = false;
for(i=0;i<f1.gender.length;i++)
{
    if(f1.gender[i].checked)
        radioselected =true;
    if(!radioselected)
    {
        alert("Please Select one gender");
        return false;
    }
}
```

Personal Information System

```
}

}

if(f1.matst.value==0)
{
    alert("Please Tell Whether: Married or Unmarried");
    return false;
}
else
{
    return true;
}

var contact = document.getElementById("mphn").value;
if(contact=="")
{
    alert("Enter Mobile Number");
    return false;
}

/*Permanent ADDRESS*/
var loct = document.getElementById("caddr").value;
if(loct=="")
{
    alert("Enter Your Address");
return false;
}

if(f1.state.value<=0)
{
    alert("Please Select a State");
return false;
}

var ct = document.getElementById("cty").value;
if(ct=="")
{
    alert("Please Enter a City Name");
return false;
}

var dst = document.getElementById("dist").value;
if(dst=="")
{
    alert("Please Enter Your Dstrict");
```

Personal Information System

```
return false;
}

var pin = document.getElementById("pincd").value;
if(pin=="")
{
    alert("Enter a PIN code address");
    return false;
}

/*Present ADDRESS*/
var ploct = document.getElementById("paddr").value;
if(ploct=="")
{
    alert("Enter Your Permanent Address");
return false;
}

var pc = document.gc_collect_cycles("pcty").value;
if(pc=="")
{
    alert("Please Enter Your City Name");
return false;
}

var pd = document.getElementById("pdist");
if(pd=="")
{
    alert("Please Enter Your Dstrict");
return false;
}

var ppin = document.getElementById("ppincd").value;
if(ppin=="")
{
    alert("Enter a PIN code address");
    return false;
}

if(f1.cast.value<=0)
{
    alert("Please Select Your Caste");
return false;
}
else
{
    return true;
}
```

Personal Information System

```
        }
    </script>
</head>

<style type = "text/css">
input[type=text1]
{
    width: 60%;
    padding: 12px 20px;
    margin: 8px 0;
    box-sizing: border-box;
    border: 2px white;
    border-radius: 4px;
    font-size: 18px;
}

input[type=text]
{
    width: 50%;
    border: 1px solid black;
    border-radius: 5px;
    font-size: 15px;
}

input[type=email]
{
    width: 50%;
    border-radius: 5px;
    border: 1px solid black;
    font-size: 15px;
}

input[type=date]
{
    width: 30%;
    border: 1px solid black;
    border-radius: 5px;
    font-size: 15px;
}

textarea
{
    width: 50%;
    border: 1px solid black;
    border-radius: 5px;
    font-size: 15px;
}

input[type=number]
```

Personal Information System

```
{  
    width: 30%;  
    border: 1px solid black;  
    border-radius: 5px;  
    font-size: 15px;  
}  
  
select  
{  
    font-size: 15px;  
    border-radius: 5px;  
    border: 1px solid black;  
}  
  
div input[type = "submit"]  
{  
    width: 80px;  
    height: 30px;  
    border-radius: 20px;  
    background-color: #0073e6;  
    font-weight: bolder;  
    color: white;  
    cursor: pointer;  
}  
div input[type = "submit"]:hover  
{  
    border: 3px solid #ff3333;  
    background-color: #ff3333;  
    color: white;  
    transform: scale(1.3, 1.3);  
}  
  
div input[type = "button"]  
{  
    width: 80px;  
    height: 30px;  
    border-radius: 20px;  
    background-color: #0073e6;  
    font-weight: bolder;  
    color: white;  
    cursor: pointer;  
}  
div input[type = "button"]:hover  
{  
    border: 3px solid #ff3333;  
    background-color: #ff3333;  
    color: white;  
    transform: scale(1.3, 1.3);  
}
```

Personal Information System

```
table
{
    border: 2px solid white;
    border-radius: 9px;
    font-size: 15pt;
}
</style>

<title> personal information rccit portal </title>
<body>
<link rel = "stylesheet" type = "text/css" href ="style.css">

<form name = "f1" action = "acceptpersonal.php" method = "post" onsubmit = "return validate()">

<div id = "wrapper">
<div id = "h1"></div>

<font size = "6" color = "#ffd966"><center><B><U>RCC IIT Records Keeping Portal </U></B></center></font>

    <ul>
        <li> <a href = "regpersonal.php" class = "back"> Personal Information </a>
            <ul><li><font size = "5" color = "white">&nbsp This Page is about to store Your PERSONAL
INFORMATION</font></ul></li>
        </li>

        <li> <a href = "image_upload.php"> Image Upload </a>
            <ul><li><font size = "5" color = "white">&nbsp This Page is about to store Your IMPORTANT FILES,
                Like; Your Passport Size Image and Scan Copy of Your Identity Cards (Voter card, PAN card, Aadhar
card)
            </font>
            </ul></li>
        </li>

        <li> <a href = "academia.php"> Academic Information </a>
            <ul><li><font size = "5" color = "white">&nbsp This Page is about to store Your ACADEMIC
INFORMATION</font></ul></li>
        </li>

    </ul>
</div>

<table style="width:12%" bgcolor = "white">
<td>
<marquee>
    <font color = "white"> RCC IIT [Canal South Road, Beliaghata, Kolkata, West Bengal 700015].</font>
```

Personal Information System

```
</marquee>
</td>
</table>

<div id = "h2"><a href = "home.php" style = "text-decoration: none">
    <font color = "red" size = "5"><center> Logout </center> </font> </a> </div>

<div id = "content">

    <center> <h1> <font color = "#2db300"><U> PERSONAL DETAILS </U></font></h1>
        <h5> <font color = "red" size = "3"> Asterisk fields are required(*) </font> </h5> </center>

    <center>
        <table style="width:80%" bgcolor = "#ff5c33">
            <tr>
                <td><B><font color = "white" size = "5"> UserID: </font></td>
                <td>
                    <input type = "text1" size = "35" name = "urid" id = "uid" value = "<?php echo $id2 ?>" readonly></td>
                </tr>
            </table>

            <table style="width:80%" bgcolor = "#ff5c33">
                <tr>
                    <td><B><font color = "white" size = "5"> Name: </font></td>
                    <td> <input type = "text" name = "name" id = "unm" value = "<?php echo $usname ?>" readonly></td>
                </tr>

                <tr>
                    <td><B><font color = "white" size = "5"> Department: </font></td>
                    <td> <input type = "text" name = "dept_name" id = "u_dept" value = "<?php echo $udpt ?>" readonly></td>
                </tr>

                <tr>
                    <td><B><font color = "white" size = "5"> Designation: </font></td>
                    <td> <input type = "text" name = "des_name" id = "u_des" value = "<?php echo $udis ?>" readonly></td>
                </tr>

                <tr>
                    <td><B><font color = "white" size = "5"> Date Of Joining: </font></td>
                    <td> <input type = "date" name = "dateoj" id = "doj" value = "<?php echo $doj ?>" readonly></td>
                </tr>

                <tr>
                    <td><B><font color = "white" size = "5"> Email: </font></td>
                    <td>
                        <input type = "email" name = "email" id = "eml" value = "<?php echo $id2 ?>" readonly></td>

```

Personal Information System

```
</tr>
</table>

<table style="width:80%">
<tr>
<td><B>Alternate Email:</td>
<td>
<input type = "email" name = "aemail" id = "aeml"></td>
</tr>

<tr>
<td><B>Mobile No.:<font color = "red"> * </font> </td>
<td>
<input type = "number" maxlength = "10" name = "phone" id = "mphn" maxlength="10"></td>
</tr>

<tr>
<td><B>Date Of Birth:<font color = "red"> * </font> </td>
<td>
<input type = "date" name = "calender" id = "dob">
</td>
</tr>

<tr>
<td><B>Gender:<font color = "red"> * </font> </td>
<td>
<input type = "radio" name = "gender" value = "male"> Male
<input type = "radio" name = "gender" value = "female"> Female
</td>
</tr>

<tr>
<td><B>Father's Name:<font color = "red"> * </font> </td>
<td><input type = "text" name = "father" id = "fathername"></td>
</tr>

<tr>
<td><B>Mother's Name:<font color = "red"> * </font> </td>
<td>
<input type = "text" name = "mother" id = "mothername"></td>
</tr>

<tr>
<td><B>Marital Status:<font color = "red"> * </font> </td>
<td>
<select name = "maritalstatus" id = "matst" style = "width: 150px">
<option value="0"> Select </option>
<option value="married">Married</option>
<option value="unmarried">Unmarried</option>
```

Personal Information System

```
</select>
</td>
</tr>

<tr>
<td><br><B>Caste:<font color = "red"> * </font> </td>
<td>
<br><select name = "cast" id="cst" style = "width: 150px">
<option value="0"> Select </option>
<option value="gen">Genarel</option>
<option value="sc">Schedule Caste</option>
<option value="st">Schedule Tribe</option>
<option value="obca">OBC(A)</option>
<option value="obcb">OBC(B)</option>
<option value="minor">Minority</option>
</select>
</td>
</tr>

</table>

<table style="width:80%" border= "1px solid white">
<tr bgcolor = "dodgerblue" width = "100px">
<td><font size = "5" color = "white"><center>Permanent Address:</center></td> </tr>
</table>

<table style="width:80%">
<tr>
<td><B>Nationality:<font color = "red"> * </font> </td>
<td> <input type = "text" name = "country" id="cnt" value="Indian" readonly="readonly"> </td>
</tr>

<tr>
<td><B>Address:<font color = "red"> * </font> </td>
<td>
<textarea rows = "04" cols = "30" name = "address" id = "caddr"></textarea></td>
</tr>

<tr>
<td><B>State:<font color = "red"> * </font> </td>
<td>
<select name = "state" id="st" onchange="addnation()">
<option value="0"> Select </option>
<option value="pnb">Panjab</option>
<option value="guj">Gujrat</option>
<option value="mha">Maharastra</option>
<option value="goa">Goa</option>
<option value="kar">Karnataka</option>
<option value="ord">Orisha</option>
```

Personal Information System

```
<option value="wb">West Bengal</option>
<option value="jhr">Jharkhand</option>
<option value="bhr">Bihar</option>
<option value="upr">Utter Pradesh</option>
<option value="arn">Arunachal Pradesh</option>
<option value="hmc">Himachal Pradesh</option>
<option value="mpr">Madhya Pradesh</option>
<option value="tml">Tamilnaru</option>
</select>
</td>
</tr>

<tr>
<td><B>City/Town/Village:<font color = "red"> * </font> </td>
<td>
<input type = "text" maxlength = "20" name = "city" id = "cty"> </td>

<tr>
<td><B>District:<font color = "red"> * </font> </td>
<td> <input type = "text" name = "district" id="dist"></td>
</tr>

<tr>
<td><B>PIN Code:<font color = "red"> * </font> </td>
<td>
<input type="number" name="pincode" id="pincd" maxlength="6" />
</td>
</tr>
</table>

<table style="width:80%" border = "1px solid red">
<tr bgcolor = "#ff3333"> <td><input type="checkbox" value="" name="filltoo" id="filltoo" onclick="filladd()" /></td>
<td> <font color = "white" size = "5">Permanent Address same as Present Address </font> <br></td> </tr>
</table>

<script type = "text/Javascript">
/* function addnatan()
 {
 var sel = document.getElementById('st');
 var val = sel.options[sel.selectedIndex].text;
 if(val=='WestBengal')
 {
 document.getElementById("st").setAttribute("disabled", true);
 document.getElementById("cty").setAttribute("disabled", true);
 document.getElementById("dist").setAttribute("disabled", true);
 document.getElementById("filltoo").setAttribute("disabled", true);
 }
 }
```

Personal Information System

```
        else
        {
            document.getElementById("st").disabled= false;
            document.getElementById("cty").disabled= false;
            document.getElementById("dist").disabled= false;
            document.getElementById("filltoo").setAttribute("disabled", false);
        }
    }*/



document.getElementById('st').addEventListener('change', function() {
if (this.value == 'wb') {
    document.getElementById('filltoo').disabled = false;
} else {
    document.getElementById('filltoo').disabled = true;
}
});
```

```
<script type = "text/Javascript">
function filladd()
{
    if(filltoo.checked == true)
    {
        var caddr1 =document.getElementById("caddr").value;
        var cty1 =document.getElementById("cty").value;
        var dist1 =document.getElementById("dist").value;
        var pincd1 =document.getElementById("pincd").value;

        var copycaddr =caddr1;
        var copycty =cty1;
        var copydist =dist1;
        var copypincd =pincd1;

        document.getElementById("paddr").value = copycaddr;
        document.getElementById("paddr").setAttribute("readonly", true);
        document.getElementById("pcty").value = copycty;
        document.getElementById("pcty").setAttribute("readonly", true);
        document.getElementById("pdist").value = copydist;
        document.getElementById("pdist").setAttribute("readonly", true);
        document.getElementById("ppincd").value = copypincd;
        document.getElementById("ppincd").setAttribute("readonly", true);
    }
    else if(filltoo.checked == false)
    {
        document.getElementById("paddr").value="";
    }
}</script>
```

Personal Information System

```
document.getElementById("pcty").value="";
document.getElementById("pdist").value="";
document.getElementById("ppincd").value="";
}
}
</script>

<table style="width:80%">
<tr bgcolor = "dodgerblue" width = "100px">
<td><font size = "5" color = "white"><center>Present Address:</center></td> </tr>
</table>

<table style="width:80%">
<tr>
<td><B>Country:<font color = "red"> * </font> </td>
<td>
<input type="text" name="pcountry" id = "pcnt" value="Indian" readonly="readonly" /></td>
</tr>
</tr>

<tr>
<td><B>Address:<font color = "red"> * </font> </td>
<td>
<textarea rows = "04" cols = "30" name = "paddress" id = "paddr"></textarea>
</td>
</tr>

<tr>
<td><B>State:<font color = "red"> * </font> </td>
<td><input type="text" name="pstate" id = "pst" value="West Bengal" readonly="readonly" /></td>
</tr>

<tr>
<td><B>City/Town/Village:<font color = "red"> * </font> </td>
<td> <input type = "text" name = "pcity" id = "pcty"> </td>
</tr>

<tr>
<td><B>District:<font color = "red"> * </font> </td>
<td> <input type = "text" name = "pdistrict" id="pdist"> </td>
</tr>

<tr>
<td><B>PIN Code:<font color = "red"> * </font> </td>
<td>
<input type="number" name="ppincode" id = "ppincd" maxlength="6" />
</td>
</tr>
</table>
```

Personal Information System

```
<table style="width:80%">
<tr>
<td> <br>
<center>
<a href = "acceptpersonal.php" style="text-decoration: none"> <input type = "submit" value = "SUBMIT"> </a>
&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;
<a href = "regpersonal.php" style="text-decoration: none"> <input type = "button" value="Cancel"> </a>
</center>
</td>
</tr>
</table>

</center>

</div>

</form>
</body>
</html>
```

Personal details Store Database PHP page:

```
<?php
session_start();
$unid = $_POST["urid"];

$uname = $_POST["name"];
$udpt = $_POST["dept_name"];
$uds = $_POST["des_name"];
$dofj = $_POST["dateoj"];
$eml = $_POST["email"];

$ceml = $_POST["aemail"];
$dady = $_POST["father"];
$mom = $_POST["mother"];
$dateob = $_POST["calender"];
$sx = $_POST["gender"];
$mrst = $_POST["maritalstatus"];
$phn = $_POST["phone"];

$cnty = $_POST["country"];//permanent address
$addr = $_POST["address"];
$st = $_POST["state"];
$cit = $_POST["city"];
$dist = $_POST["district"];
$pcd = $_POST["pincode"];
```

Personal Information System

```
$pcnty = $_POST["pcountry"];// present address  
$paddr = $_POST["paddress"];  
$pst1 = $_POST["pstate"];  
$pct = $_POST["pcity"];  
$pdist = $_POST["pdistrict"];  
$ppcd = $_POST["ppincode"];  
  
$cs = $_POST["cast"];  
  
$con = mysql_connect("localhost", "root", ""); //("user server name", "user name/root user", "password")  
  
$db = mysql_select_db("rcciiit", $con); //("DB name", resource link identifier)  
  
$sql = "insert into dbpersonal  
(userid, name, department, designation, dateofjoining, email, alternateemail, contact, dob, gender, father, mother,  
marital, cast, nationality, address, state, city, district, pincode, pre_nationality, pre_address, pre_state, pre_city,  
pre_district, pre_pincode)  
values  
('$unid', '$uname', '$udpt', '$uds', '$dofj', '$eml', '$ceml', '$phn', '$dateob', '$sx', '$dady', '$mom', '$mtrst', '$cs',  
'$cnty', '$addr', '$st', '$ct', '$dist', '$pcd', '$pcnty', '$paddr', '$pst1', '$pct', '$pdist', '$ppcd')"; //value insertion SQL  
command  
$result = mysql_query ($sql);  
header('location:image_upload.php');  
?>
```

Image Upload HTML page:

```
<?php  
session_start();  
$id3 = $_SESSION["nid"];  
?>  
<html>  
<head>  
  
<script language="javascript">  
function voterid()  
{  
    id=prompt("Enter VoterID","ID NO");  
    document.getElementById("vcard").value=id;  
  
}  
  
function pancard()  
{  
    id=prompt("Enter PanCard_ID","ID NO");  
    document.getElementById("pcard").value=id;  
}
```

Personal Information System

```
function aadharcard()
{
    id=prompt("Enter AadharCard_ID","ID NO");
    document.getElementById("aadcard").value=id;

}
</script>

<style type = "text/css">
input[type=text1]
{
    width: 60%;
    padding: 12px 20px;
    margin: 8px 0;
    box-sizing: border-box;
    border: 2px white;
    border-radius: 4px;
    font-size: 18px;
}

input[type=text]
{
    width: 50%;
    border: 1px solid black;
    border-radius: 5px;
    font-size: 15px;
}

input[type=email]
{
    width: 50%;
    border-radius: 5px;
    border: 1px solid black;
    font-size: 15px;
}

input[type=date]
{
    width: 30%;
    border: 1px solid black;
    border-radius: 5px;
    font-size: 15px;
}

textarea
{
    width: 50%;
    border: 1px solid black;
```

Personal Information System

```
border-radius: 5px;
font-size: 15px;
}

input[type=number]
{
width: 30%;
border: 1px solid black;
border-radius: 5px;
font-size: 15px;
}

select
{
font-size: 15px;
border-radius: 5px;
border: 1px solid black;
}

div input[type = "submit"]
{
width: 80px;
height: 30px;
border-radius:20px;
background-color:#0073e6;
font-weight:bolder;
color:white;
cursor:pointer;
}
div input[type = "submit"]:hover
{
border:3px solid #ff3333;
background-color:#ff3333;
color:white;
transform:scale(1.3,1.3);
}

div input[type = "button"]
{
width: 80px;
height: 30px;
border-radius:20px;
background-color:#0073e6;
font-weight:bolder;
color:white;
cursor:pointer;
}
div input[type = "button"]:hover
{
```

Personal Information System

```
border:3px solid #ff3333;
background-color:#ff3333;
color:white;
transform:scale(1.3,1.3);
}

table
{
    border: 2px solid white;
    border-radius: 9px;
    font-size: 15pt;
}
</style>

</head>

<link rel = "stylesheet" type = "text/css" href ="style.css">

<body>
<center>
<form action="upload.php" method="post" enctype="multipart/form-data">

<title> personal information rccit portal </title>

<form name = "f1" action = "upload.php" method = "post" onsubmit = "return validate()">

<div id = "wrapper">
<div id = "h1"></div>

<font size = "6" color = "#ffd966"><center><B><U>RCC IIT Records Keeping Portal </U></B></center></font>

<ul>
<li> <a href = "regpersonal.php"> Personal Information </a>
    <ul><li><font size = "5" color = "white">&nbsp This Page is about to store Your PERSONAL
INFORMATION</font></ul></li>
</li>

<li> <a href = "image_upload.php" class = "back"> Image Upload </a>
    <ul><li><font size = "5" color = "white">&nbsp This Page is about to store Your IMPORTANT FILES,
        Like; Your Passport Size Image and Scan Copy of Your Identity Cards (Voter card, PAN card, Aadhar
card)
    </font>
    </ul></li>
</li>

<li> <a href = "academia.php"> Academic Information </a>
```

Personal Information System

```
<ul><li><font size = "5" color = "white">&nbsp This Page is about to store Your ACADEMIC  
INFORMATION</font></ul></li>  
</li>  
  
</ul>  
</div>  
</center>  
  
<table style="width:12%" bgcolor = "white">  
<td>  
<marquee>  
<font color = "white"> RCC IIT [Canal South Road, Beliaghata, Kolkata, West Bengal 700015].</font>  
</marquee>  
</td>  
</table>  
  
<div id = "h2"><a href = "home.php" style = "text-decoration: none">  
<font color = "red" size = "5"><center> Logout </center> </font> </a> </div>  
  
<div id = "content">  
  
<center> <h1> <font color = "#2db300"><U> Image & Id Card Upload </U></font></h1> </center>  
  
<center>  
<table style="width:80%" bgcolor = "#ff5c33">  
<tr>  
<td><B><font color = "white" size = "5"> UserID: </font></td>  
<td>  
<input type = "text1" size = "35" name = "urid" id = "uid" value = "<?php echo $id3 ?>" readonly></td>  
</tr>  
</table>  
  
<table width="60%" border="0">  
<tr>  
<td><br><B>Passport Size Photo: <font color = "red"> * </font>  
  
<td><br>  
<input type="file" name="image"/>  
</td><br>  
</tr>  
</table>  
  
<br>  
<table width="60%" border="0">  
<tr>
```

Personal Information System

```
<td>
<B><center> Identity Card<font color = "red"> * </font> </center>
</td>
<tr>
</table>

<br>
<table width="60%" border="0">
<tr>
<td> <input type="checkbox" name="option1" value="voter_card" onclick="voterid()"> Voter Card &nbspp&nbspp
</td>
<td> <input type="text" id = "vcards" name="v_card" readonly> </td>
<td><input type="file" name="voterimage"/></td>
</tr>
</table>

<br>
<table width="60%" border="0">
<tr>
<td> <input type="checkbox" name="option2" value="pan_card" onclick="pancard()"> Pan Card
&nbspp&nbspp&nbspp&nbspp </td>
<td> <input type="text" id = "pcards" name="p_card" readonly> </td>
<td> <td><input type="file" name="pancardimage"/></td> </td>
</tr>
</table>

<br>
<table width="60%" border="0">
<tr>
<td> <input type="checkbox" name="option3" value="aadhar_card" onclick="aadharcard()"> Aadhar Card </td>
<td> <input type="text" id = "aadcards" name="aad_card" readonly> </td>
<td> <input type="file" name="aadharimage"> </td>
</tr>
</table>

<br> <br>
<table>
<tr>
<td>
<a href = "upload.php" style="text-decoration: none"><input type = "submit" value = "UPLOAD"> </a>
&nbspp&nbspp&nbspp&nbspp&nbspp
<a href = "index.php" style="text-decoration: none"><input type = "button" value="Cancel"> </a>
</td>
</tr>
</table>

</form>
```

```
</center>
</div>
</body>
</html>
```

Store Image Database PHP page:

```
<?php
$conn = mysqli_connect("localhost","root","");
mysqli_select_db($conn,"rcciiit");
if(isset($_GET['id']) && isset($_GET['v']) && $_GET['v']== 1) {
    $sql = "SELECT * FROM user_academic_info WHERE id=". $_GET['id'];
    $result = mysqli_query($conn,$sql") or die("<b>Error:</b> Problem on Retrieving Image BLOB<br/>" .
mysql_error($conn));
    $row = mysqli_fetch_array($result);
    //echo $row["marksheet_doc_type"];

    if ($row["marksheet_doc_type"] == 'pdf')
    {
        echo '<object data="data:application/pdf;base64,'.base64_encode($row["qual_marksheet"])."''
width="100%" height="100%""> </object>';
    }
    else
    {
        echo '<center></center>';
    }

    //echo base64_encode($row["qual_marksheet"]);
}

if(isset($_GET['id']) && isset($_GET['v']) && $_GET['v']== 2) {
    $sql = "SELECT * FROM user_academic_info WHERE id=". $_GET['id'];
    $result = mysqli_query($conn,$sql") or die("<b>Error:</b> Problem on Retrieving Image BLOB<br/>" .
mysql_error($conn));
    $row = mysqli_fetch_array($result);
    //echo $row["marksheet_doc_type"];

    if ($row["certificate_doc_type"] == 'pdf')
    {
        echo '<object data="data:application/pdf;base64,'.base64_encode($row["qual_certificate"])."''
width="100%" height="100%""> </object>';
    }
    else
```

Personal Information System

```
{  
    echo '<center></center>';  
}  
  
//echo base64_encode($row["qual_marksheet"]);  
}  
mysqli_close($conn);  
?>
```

Academic Information Upload:

```
<?php  
session_start();  
$id4 = $_SESSION["nid"];  
?>
```

```
<html>  
<head>  
<style type = "text/css">  
input[type=text1]  
{  
    width: 60%;  
    padding: 12px 20px;  
    margin: 8px 0;  
    box-sizing: border-box;  
    border: 2px white;  
    border-radius: 4px;  
    font-size: 18px;  
}
```

```
    table, th, td {  
        border: 1px solid white;  
    }
```

```
.table1  
{  
    border: 2px solid white;  
    border-radius: 9px;
```

Personal Information System

```
font-size: 15pt;
}

.label {
    color: white;
    padding: 8px;
}
.success
{
    background-color: #4CAF50;
}

.fsSubmitButton
{
padding: 10px 15px 11px !important;
font-size: 18px !important;
background-color: #3D9970;
font-weight: bold;
text-shadow: 1px 1px #57D6C7;
color: #ffffff;
border-radius: 5px;
-moz-border-radius: 5px;
-webkit-border-radius: 5px;
border: 1px solid #57D6C7;
cursor: pointer;
box-shadow: 0 1px 0 rgba(255, 255, 255, 0.5) inset;
-moz-box-shadow: 0 1px 0 rgba(255, 255, 255, 0.5) inset;
-webkit-box-shadow: 0 1px 0 rgba(255, 255, 255, 0.5) inset;
}
#wrapper1
{
    height: 1000px;
    width: 1000px;
    float:center;
    margin:auto;
}

#first_content
{
    height: 350px;
    width: 1000px;
    background-color:MediumTurquoise;
    float:left;
}

#second_content
{
    height: 650px;
    width: 1000px;
```

Personal Information System

```
background-color:Gainsboro;
float:left;
}

#header
{
height: 100px;
width: 1400px;
background-color:pink;
float:left;
}

#content
{
height: 1090px;
width: 1400px;
background-color:white;
float:left;
}

#wrapper
{
height: 131px;
width: 1330px;
padding-top: 15px;
margin-top: -8px;
background-color:#1aa9b5;
float:left;
font-size: 30px;
display:inline-block;
border-radius: 9px;
}

#h1{
height:130px;
width: 150px;
margin-top: -8px;
background-image:url(image/rccit2.jpg);
background-size: 150px 130px;
float:left;
border: 1px solid #ddd;
border-radius: 5px;
}

#h2{
height:30px;
width: 100px;
float:right;
border: 5px solid red;
```

Personal Information System

```
border-radius: 30px;  
}  
  
#h1:hover  
{  
box-shadow: 0 0 35px 30px rgba(0, 140, 186, 0.5);  
}  
  
ul  
{  
list-style-type:none;  
margin:10;  
padding:5;  
overflow:hidden;  
}  
  
ul li { display: inline-block; }  
  
.back  
{  
background-color: white;  
padding: 21;  
font-size: 140%;  
border-radius:5px;  
color: #096677;  
}  
  
ul li:hover ul {display: block;}  
  
ul li ul  
{  
position: absolute;  
width: 300px;  
display: none;  
}  
  
ul li ul li  
{  
background: #096677;  
border-radius: 9px;  
border: 5px solid white;  
display: block;  
}  
  
li  
{  
float:left;  
}
```

Personal Information System

```
li a
{
display:block;
color:white;
text-align:center;
padding:14px 16px;
text-decoration:none;
}

li a:hover
{
background-color: white;
color: #096677;
padding: 21;
border-radius: 15px;
display: block;
font-family: monospace;
text-decoration: underline;
}

#content
{
height: 1090px;
width: 1400px;
background-color:white;
float:left;
}
</style>

<script src="jquery-3.3.1.js">
$(document).ready(function(){

$quallevel = $("select[name='qlevel']");
$qualname = $("select[name='qname']");

$quallevel.change(function(){
    if(($this).val() == "12th")
    {
        $("select[name='qname'] option").remove();
        $("<option>Higher Secondary</option>").appendTo($qualname);
    }
});
});

</script>
</head>

<div id = "wrapper">
<div id = "h1"></div>
```

Personal Information System

```
<font size = "6" color = "#ffd966"><center><B><U>RCC IIT Records Keeping Portal </U></B></center></font>

<ul>
<li> <a href = "regpersonal.php"> Personal Information </a>
    <ul><li><font size = "5" color = "white">&nbsp This Page is about to store Your PERSONAL
INFORMATION</font></ul></li>
</li>

<li> <a href = "image_upload.php"> Image Upload </a>
    <ul><li><font size = "5" color = "white">&nbsp This Page is about to store Your IMPORTANT FILES,
        Like; Your Passport Size Image and Scan Copy of Your Identity Cards (Voter card, PAN card, Aadhar
card)
    </font>
    </ul></li>
</li>

<li> <a href = "academia.php" class = "back"> Academic Information </a>
    <ul><li><font size = "5" color = "white">&nbsp This Page is about to store Your ACADEMIC
INFORMATION</font></ul></li>
</li>

</ul>
</div>
```

```
<body>
```

```
<table style="width:12%" bgcolor = "white">
<td>
<marquee>
<font color = "white" class = "table1"> RCC IIT [Canal South Road, Beliaghata, Kolkata, West Bengal
700015].</font>
</marquee>
</td>
</table>
```

```
<br> <div id = "h2"><a href = "home.php" style = "text-decoration: none">
<font color = "red" size = "5"><center> Logout </center> </font> </a> </div>
```

```
<div id = "content">
```

```
<center> <h1> <font color = "#2db300"><U> Academic Information & Related File Upload </U></font></h1>
</center>
```

```
<form name = "acaForm" action = "upload_academia.php" method = "Post" onsubmit = "return validate()"
enctype="multipart/form-data">
```

```
<center>
```

Personal Information System

```
<table style="width:80%" bgcolor = "#ff5c33">
<tr>
<td><b><font color = "white" size = "5"> UserID: </font></b></td>
<td>
<input type = "text1" size = "35" name = "urid" id = "uid" value = "<?php echo $id4 ?>" readonly></td>
</tr>
</table>
</center>

<div id = "wrapper1">
<div id = "first_content">
<center>
<table cellspacing = "10" style="width:100%">
<tr>
<td>
<?php
$con = mysqli_connect("localhost","root","");
mysqli_select_db($con,"rccit");

$sql = "SELECT DISTINCT qlevel from qualification_master";
$result = mysqli_query($con,$sql);
?>

<div class='lable success' align = "center">
<font color = "white"> <label for="SelectLevel"><font color = "white">Qualification Level</font></label>
</div>
<br>

<select id="SelectLevel" name="qlevel">
<?php
while ($row = mysqli_fetch_array($result)) {
    echo "<option value=\"" . $row['qlevel'] . "\">" . $row['qlevel'] . "</option>";
}
?>
</select>
</td>

<td>
<?php
$con = mysqli_connect("localhost","root","");
mysqli_select_db($con,"rccit");
$sql = "SELECT DISTINCT qname from qualification_master";
$result = mysqli_query($con,$sql);
?>
<div class='lable success' align = "center">
    <label for="SelectName"><font color = "white">Qualification Name</font></label>
</div> <br>
```

Personal Information System

```
<select id="SelectName" name='qname'>
<?php
while ($row = mysqli_fetch_array($result)) {
    echo "<option value=\"" . $row['qname'] . "\">" . $row['qname'] . "</option>";
}
?>
</select>
</td>

<td>
<?php
$con = mysqli_connect("localhost", "root", "");
mysqli_select_db($con, "rccit");
$sql = "SELECT DISTINCT qspl from qualification_master";
$result = mysqli_query($con, $sql);
?>
<div class='lable success' align = "center">
    <label for="SelectSpcl"><font color = "white">Specialization</font></label>
</div> <br>

<select id="SelectSpcl" name='qspl'>
<?php
while ($row = mysqli_fetch_array($result)) {
    echo "<option value=\"" . $row['qspl'] . "\">" . $row['qspl'] . "</option>";
}
?>
</select>
</td>

<td>
<div class='lable success' align = "center">
    <label for="yearofpass"><font color = "white">Year of passing</font></label>
</div> <br>
<input type="text" name="yearofpass" id = "YearofPass"></td>

<td>
<div class='lable success' align = "center">
    <label for="marks"><font color = "white">Marks</font></label>
</div> <br>
<input type="text" name="marks" id = "marks" placeholder = "%age" ></td>

</tr>

</table>
```

Personal Information System

```
<br><br>
<table cellspacing = "10" style="width:100%">
<tr>
<td>
<div class='lable success' align = "center">
    <label for="mrkFile"><font color = "white">Upload Marksheets</font></label>
</div> <br>
<input name="mrkFile" type="file" /></td>

<td>
<div class='lable success' align = "center">
    <label for="cerFile"><font color = "white">Upload Certificate</font></label>
</div> <br><input name="cerFile" type="file" /></td>
</tr>
</table>
<br><br>
<!--<a href="upload_academia.php"> <input class = 'fsSubmitButton' type="submit" name = "submit" value="Submit data"> </a> -->
<input class = 'fsSubmitButton' type="submit" name = "submit" value="Submit data">
</center>
</form>
</div>

<div id = "second_content" align="center">

<div class='lable success' align = "center">
    <label><font color = "white">Uploaded data / files</font></label>
</div> <br>

<?php
$con = mysqli_connect("localhost","root","");
if (!$con)
{
    die('Could not connect: ' . mysqli_error());
}

mysqli_select_db($con,"rccit");
$result = mysqli_query($con,"SELECT * from user_academic_info where userid = '$id4'");

echo "<table border='1'>

<tr>

<th>Level</th>

<th>Qualification name</th>

<th>Specialization</th>
```

Personal Information System

```
<th>YOP / Expected year</th>

<th>Marks</th>

<th>Marksheet</th>

<th>Certificate</th>

</tr>";

while($row = mysqli_fetch_array($result))

{

echo "<tr>";

echo "<td>" . $row['qual_level'] . "</td>";

echo "<td>" . $row['qual_name'] . "</td>";

echo "<td>" . $row['qual_spcl'] . "</td>";

echo "<td>" . $row['qual_year'] . "</td>";

echo "<td>" . $row['qual_marks'] . "</td>";

echo "<td>" . "<a href='imageView.php?id=".$row['id']."'><input type='Submit' name='sub' value='View file'></a>" . "</td>";

echo "<td>" . "<a href='imageView.php?id=".$row['id']."'&&v=2><input type='Submit' name='sub' value='View file'></a>" . "</td>";

echo "</tr>";

}

echo "</table>";

?>

</div>

</div>

</div>

</body>

</html>
```

Store Academic Database PHP page:

```
<?php

if (isset($_POST["submit"]))

{

    $unid = $_POST["urid"];
```

Personal Information System

```
$qualevel = $_POST["qlevel"];
$qualname = $_POST["qname"];
$qualspl = $_POST["qspl"];
$qualyear = $_POST["yearofpass"];
$qualmarks = $_POST["marks"];
//$qualmarksheet = $_POST["mrkFile"];
//$qualcert = $_POST["cerFile"];
if(is_uploaded_file($_FILES['mrkFile']['tmp_name'])) {
    $qualmarksheet = addslashes(file_get_contents($_FILES['mrkFile']['tmp_name']));
    $imageProperties = getimageSize($_FILES['mrkFile']['tmp_name']);
    $qualmarksheet_name = $_FILES['mrkFile']['name'];
    $ext_qualmarksheet = pathinfo($qualmarksheet_name, PATHINFO_EXTENSION);
}
else
{
    $qualmarksheet="";
}
if(is_uploaded_file($_FILES['cerFile']['tmp_name'])) {
    $qualcert = addslashes(file_get_contents($_FILES['cerFile']['tmp_name']));
    $imageProperties = getimageSize($_FILES['cerFile']['tmp_name']);
    $qualcert_name = $_FILES['cerFile']['name'];
    $ext_qualcert = pathinfo($qualcert_name, PATHINFO_EXTENSION);
}
else
{
    $qualcert="";
}
$con = mysqli_connect("localhost","root","");
mysqli_select_db($con,"rccit");
$sql = "INSERT into user_academic_info(userid,
qual_level, qual_name, qual_spcl, qual_year, qual_marks, qual_marksheet, marksheet_doc_type, qual_certificate, certificate_doc_type)
values ('$unid',
'$qualevel', '$qualname', '$qualspl', '$qualyear', '$qualmarks', '$qualmarksheet', '$ext_qualmarksheet', '$qualcert', '$ext_qualcert')";
$result = mysqli_query($con,$sql);
if($result)
    header("location:academia.php");
else
    echo die(mysqli_error($con))."<br>";
}
?>
```

Journal details HTML page:

```
<html>
<head>
<style type = "text/css">
```

Personal Information System

```
table, th, td {  
    border: 1px solid black;  
}  
  
.label {  
    color: white;  
    padding: 8px;  
}  
.success {background-color: #4CAF50;}  
  
.fsSubmitButton  
{  
padding: 10px 15px 11px !important;  
font-size: 18px !important;  
background-color: #3D9970;  
font-weight: bold;  
text-shadow: 1px 1px #57D6C7;  
color: #ffffff;  
border-radius: 5px;  
-moz-border-radius: 5px;  
-webkit-border-radius: 5px;  
border: 1px solid #57D6C7;  
cursor: pointer;  
box-shadow: 0 1px 0 rgba(255, 255, 255, 0.5) inset;  
-moz-box-shadow: 0 1px 0 rgba(255, 255, 255, 0.5) inset;  
-webkit-box-shadow: 0 1px 0 rgba(255, 255, 255, 0.5) inset;  
}  
  
#wrapper  
{  
height: 1000px;  
width: 1000px;  
background-color:green;  

```

Personal Information System

```
background-color:Gainsboro;
float:left;
}
</style>
<script type = "text/Javascript">
function validate()
{
    var det=document.getElementById("jocndetails").value;
    if (det=="") {
        alert("Journal/Conference details cannot be left blank");
        return false;
    };

    var date=document.getElementById("datepicker").value;
    if (date=="") {
        alert("Please provide Publish date/Conference date");
        return false;
    };

    var doc=document.getElementById("jcnupload").value;
    if (doc=="") {
        alert("Upload .pdf file");
        return false;
    };
}
</script>
</head>
<body>
    <div id = "wrapper">
        <div id = "first_content" align = "center">
            <form name = "jcnForm" action = "upload_journalconf.php" method = "Post" onsubmit = "return validate()" enctype="multipart/form-data">
                <center>
                    <table cellspacing = "10" style="width:100%">

<tr>
                <div class='lable success' align = "center">
                    <font color = "white">
                        <label for="SelectType"><font color = "white">Select type</font></label>
                    </div> <br>
                    <input type = 'radio' Name ='type' value= 'journal'>Journal
                    <input type = 'radio' Name ='type' value= 'conference'>Conference
                </tr>
<tr>
```

Personal Information System

```
<div class='lable success' align = "center">
<font color = "white">
<label for="SelectDetail"><font color = "white">Details</font></label>
</div> <br>
<textarea name = "jcndetails" id = "jocndetails" font-family="Lucida Console", Monaco, monospace
placeholder ="Enter details of journal/conference" rows = "8" cols="75"></textarea>
</tr>

<tr>
    <td>
        <div class='lable success' align = "center">
        <font color = "white">
            <label for="SelectYear"><font color = "white">Year of Journal published/Conference attended</font></label>
        </div> <br>
        <center><input type = "text" name = "year" id = "yopub"></center>
    </td>
    <td>
        <div class='lable success' align = "center">
        <font color = "white">
            <label for="SelectDate"><font color = "white">Date of journal published/Conference attended</font></label>
        </div> <br>
        <center>Date: <input type="date" name = "datepickers" id="datepicker"></center>
    </td>
    <td>
        <div class='lable success' align = "center">
        <font color = "white">
            <label for="SelectUpload"><font color = "white">Upload .pdf file</font></label>
        </div> <br>
        <input name = "jocnupload" id = "jcnupload" type = "file"/></td>
    </tr>

</table><br>
<input float="center" class = 'fsSubmitButton' type="submit" name = "submit" value="Submit data">
</center>
</form>
</div>

<div id = "second_content" align="center">

<div class='lable success' align = "center">
    <label><font color = "white">Uploaded data / files</font></label>
</div> <br>

<?php
$con = mysqli_connect("localhost","root","");
if (!$con)

{

```

Personal Information System

```
die('Could not connect: ' . mysqli_error());

}

mysqli_select_db($con,"rccit");
$result = mysqli_query($con,"SELECT * from journals");

echo "<table border='1'>

<tr>

<th>Year</th>

<th>Date of Journal published / Conference attended</th>

<th>Details</th>

<th>Journal / Conference document</th>

</tr>";

while($row = mysqli_fetch_array($result))

{

echo "<tr>";

echo "<td>" . $row['year'] . "</td>";

echo "<td>" . $row['pub_date'] . "</td>";

echo "<td>" . $row['journ_det'] . "</td>";

echo "<td>" . "<a href='journalconf_view.php?id=".$row['jn_id']."'><input type='submit' name='sub' value='View file'></a>" . "</td>";

echo "</tr>";

}

echo "</table>";

?>

</div>
</div>

</body>

</html>
```

1. Accept Journal details PHP page:

```
<?php
$conn = mysqli_connect("localhost","root","");
mysqli_select_db($conn,"rcciiit");

$journal_status = 'unchecked';
$conference_status = 'unchecked';

if(isset($_GET['jn_id']) && isset($_GET['v']) && $_GET['v']== 1)
{
    $selected_radio = $_POST['type'];

    if($selected_radio == 'journal')
    {
        $journal_status = 'checked';

        $sql = "SELECT * FROM journals WHERE id=". $_GET['jn_id'];
        $result = mysqli_query($conn,$sql) or die("<b>Error:</b> Problem on Retrieving Document
BLOB<br/>" . mysql_error($conn));
        $row = mysqli_fetch_array($result);

        if ($row["journ_doc_type"] == 'pdf')
        {
            echo '<object data="data:application/pdf;base64,'.base64_encode($row["journ_doc"])."
width="100%" height="100%""> </object>';
        }
        else
        {
            echo "<b>'Failure : Only .pdf files are allowed'</b>";
        }
    }
}

mysqli_close($conn);

?>
```

2. Accept Journal details PHP page:

```
<?php
if(isset($_POST["submit"]))
{
    $dtp = $_POST["datepickers"];
    $jcndt = $_POST["jcndetails"];
    $yopb = $_POST["year"];
```

```
if(is_uploaded_file($_FILES['jocnupload']['tmp_name'])) {  
  
    $jcndoc = addslashes(file_get_contents($_FILES['jocnupload']['tmp_name']));  
    $imageProperties = getimageSize($_FILES['jocnupload']['tmp_name']);  
    $jcndoc_name = $_FILES['jocnupload']['name'];  
    $ext_jcndoc = pathinfo($jcndoc_name, PATHINFO_EXTENSION);  
    //exit();  
  
}  
else  
{  
    $jcndoc="";  
}  
  
$con = mysqli_connect("localhost","root","");
mysqli_select_db($con,"rccit");  
  
$sql = "INSERT into journals(pub_date,journ_det,journ_doc,journ_doc_type,year)
values('$dtp','$jcndt','$jcndoc','$ext_jcndoc','$yopb')";  
  
$result = mysqli_query($con,$sql);
if($result)
    //echo "DATA Inserted"."<br>";
    header("location:journalconf.php");
else
    echo die(mysqli_error($con))."<br>";
}  
?>
```

Check Existing user PHP page:

```
<?php
session_start();
$rsid = $_POST["rsusid"];
$rsp = md5($_POST["rsuspsw"]);

$_SESSION["urid"] = $rsid;

$con = mysql_connect("localhost","root","");
$db = mysql_select_db("rccit", $con);

$sql = "select * from dbsignup where userid = '$rsid' and password = '$rsp'";
$result2 = mysql_query($sql);
$n = mysql_num_rows($result2);
```

```
$row = mysql_fetch_array($result2);
$ud = $row['userid'];
$pw = $row['password'];

if(($rsid == $ud)&&($rsps == $pw))
{
$_SESSION["rsnid"] = $ud;
header('location:updatepersonal.php');
}
else
{
    include("registeruser.php");
echo '<html><br><br><br><br><center><font size = "5" color = "red">
<B>"Invalid User Id/Password [Not Exists]"
</font></center></html>';
}
?>
```

Update User Personal details HTML page:

```
<?php
session_start();

$con = mysql_connect("localhost","root","");
$db = mysql_select_db("rcciiit", $con);

$uid = $_SESSION["urid"];

$sql = "select * from dbpersonal where userid = '$uid'";
$result = mysql_query($sql);

while ($row = mysql_fetch_array($result))
{
    $name = $row['name'];
    $deptr = $row['department'];
    $desc = $row['designation'];
    $dofj = $row['dateofjoining'];

    $aleml= $row['alternateemail'];
    $phn = $row['contact'];
    $do = $row['dob'];
    $sx = $row['gender'];
}

?>

<html>
```

Personal Information System

```
<style type = "text/css">
input[type=text1]
{
    width: 60%;
    padding: 12px 20px;
    margin: 8px 0;
    box-sizing: border-box;
    border: 2px white;
    border-radius: 4px;
        font-size: 18px;
}

input[type=text]
{
    width: 50%;
    border: 1px solid black;
    border-radius: 5px;
    font-size: 15px;
}

input[type=email]
{
    width: 50%;
    border-radius: 5px;
    border: 1px solid black;
    font-size: 15px;
}

input[type=date]
{
    width: 30%;
    border: 1px solid black;
    border-radius: 5px;
    font-size: 15px;
}

textarea
{
    width: 50%;
    border: 1px solid black;
    border-radius: 5px;
    font-size: 15px;
}

input[type=number]
{
    width: 30%;
    border: 1px solid black;
    border-radius: 5px;
```

Personal Information System

```
        font-size: 15px;  
    }  
  
    select  
{  
    font-size: 15px;  
    border-radius: 5px;  
    border: 1px solid black;  
}  
  
div input[type = "submit"]  
{  
    width: 80px;  
    height: 30px;  
    border-radius: 20px;  
    background-color: #0073e6;  
    font-weight: bolder;  
    color: white;  
    cursor: pointer;  
}  
div input[type = "submit"]:hover  
{  
    border: 3px solid #00e600;  
    background-color: #00e600;  
    color: white;  
    transform: scale(1.3, 1.3);  
}  
  
div input[type = "button"]  
{  
    width: 150px;  
    height: 30px;  
    border-radius: 20px;  
    background-color: #0073e6;  
    font-weight: bolder;  
    color: white;  
    cursor: pointer;  
}  
div input[type = "button"]:hover  
{  
    border: 3px solid #00e600;  
    background-color: #00e600;  
    color: white;  
    transform: scale(1.3, 1.3);  
}  
  
table  
{  
    border: 2px solid white;
```

Personal Information System

```
border-radius: 9px;  
font-size: 15pt;  
}  
</style>
```

```
<title> Update personal information rccit portal </title>  
<body>  
    <link rel = "stylesheet" type = "text/css" href ="styleupdate.css">  
  
    <form name = "f1" action = "addupdatepersonal.php" method = "post" onsubmit = "return validate()">  
  
        <div id = "wrapper">  
            <div id = "h1"></div>  
  
            <font size = "6" color = "#ffd966"><center><B><U>RCC IIT Records Keeping Portal </U></B></center></font>  
  
            <ul>  
                <li> <a href = "updatepersonal.php" class = "back">Personal Information </a>  
                    <ul><li><font size = "5" color = "white">&nbsp This Page is about to UPDATE PERSONAL  
INFORMATION</font></ul></li>  
                </li>  
  
                <li> <a href = "updatefileup.php">File Upload </a>  
                    <ul><li><font size = "5" color = "white">&nbsp This Page is about to UPDATE IMPORTANT FILES,  
Like; Passport Size Image and Scan Copy of Identity Cards (Voter card, PAN card, Aadhar card)  
Which is uploaded by Employee.  
                </font>  
                    </ul></li>  
                </li>  
  
                <li> <a href = "updateacademic.php">Academic Information </a>  
                    <ul><li><font size = "5" color = "white">&nbsp This Page is about to UPDATE ACADEMIC  
INFORMATION</font></ul></li>  
                </li>  
            </ul>  
        </div>  
  
        <table style="width:12%" bgcolor = "white">  
            <td>  
                <marquee>  
                    <font color = "white"> RCC IIT [Canal South Road, Beliaghata, Kolkata, West Bengal 700015].</font>  
                </marquee>  
            </td>  
        </table>
```

Personal Information System

```
<div id = "h2"><a href = "registeruser.php" style = "text-decoration: none">
<font color = "red" size = "5"><center> Logout </center> </font> </a> </div>

<div id = "content">

<center> <h1> <font color = "#096677">UPDATE PERSONAL DETAILS </font></h1>

<center>

<table style="width:80%" bgcolor = "#ff5c33">
<tr>
<td><B><font color = "white" size = "5"> UserID: </font></td>
<td>
<input type = "text1" size = "35" name = "urid" id = "uid" value = "<?php echo $uid ?>" readonly></td>
</tr>
</table>

<table style="width:80%" bgcolor = "#ff5c33">
<tr>
<td><B><font color = "white"> Name: </font></td>
<td>
<input type = "text" name = "name" id = "unm" value = "<?php echo $name ?>" readonly></td>
</tr>

<tr>
<td><B><font color = "white"> Department: </font></td>
<td> <input type = "text" name = "dept_name" id = "u_dept" value = "<?php echo $deptr ?>" readonly></td>
</tr>

<tr>
<td><B><font color = "white"> Designation: </font></td>
<td> <input type = "text" name = "des_name" id = "u_des" value = "<?php echo $desc ?>" readonly></td>
</tr>

<tr>
<td><B><font color = "white"> Date Of Joining: </font></td>
<td> <input type = "date" name = "dateoj" id = "doj" value = "<?php echo $dofj ?>" readonly></td>
</tr>

<tr>
<td><B><font color = "white"> Email: </font></td>
<td>
<input type = "email" name = "email" id = "eml" value = "<?php echo $uid?>" readonly></td>
</tr>
</table>

<table style = "width:80%">
```

Personal Information System

```
<tr>
<td><B>Alternate Email:</td>
<td>
<input type = "email" name = "aemail" id = "aeml" value = "<?php echo $aleml?>"></td>
</tr>

<tr>
<td><B>Mobile No.: </td>
<td>
<input type = "number" maxlength = "10" name = "phone" id = "mphn" maxlength="10" value = "<?php echo
$phn?>"></td>
</tr>

<tr>
<td><B>Date Of Birth: </td>
<td>
<input type = "date" name = "calender" id = "dob" value = "<?php echo $do?>">
</td>
</tr>

<tr>
<td><B>Gender: </td>
<td>
<input <?php if($sx == "male"){ ?> checked = "checked" <?php } ?> type = "radio" name = "gender" value = "male">
Male
<input <?php if($sx == "female"){ ?> checked = "checked" <?php } ?> type = "radio" name = "gender" value =
"female"> Female
</td>
</tr>

<tr>
<td><B>Father's Name: </td>
<td><input type = "text" name = "father" id = "fathername" value = "<?php echo $fatr?>"></td>
</tr>

<tr>
<td><B>Mother's Name: </td>
<td>
<input type = "text" name = "mother" id = "mothername" value = "<?php echo $motr?>"></td>
</tr>

<tr>
<td><B>Marital Status: </td>
<td>
<select name = "maritalstatus" id = "matst" style = "width: 150px">
<option value="0"> Select </option>
<option value="married" <?php if($mart == "married") {?> selected = "selected" <?php } ?>>Married</option>
<option value="unmarried" <?php if($mart == "unmarried") {?> selected = "selected" <?php } ?>
>Unmarried</option>
```

Personal Information System

```
</select>
</td>
</tr>

<tr>
<td><br><B>Caste: </td>
<td>
<br><select name = "cast" id="cst" style = "width: 150px">
<option value="0"> Select </option>
<option value="gen" <?php if($cst1 == "gen") {?> selected = "selected" <?php } ?>>Genarel</option>
<option value="sc" <?php if($cst1 == "sc") {?> selected = "selected" <?php } ?>>Schedule Caste</option>
<option value="st" <?php if($cst1 == "st") {?> selected = "selected" <?php } ?>>Schedule Tribe</option>
<option value="obca" <?php if($cst1 == "obca") {?> selected = "selected" <?php } ?>>OBC(A)</option>
<option value="obcb" <?php if($cst1 == "obcb") {?> selected = "selected" <?php } ?>>OBC(B)</option>
<option value="minor" <?php if($cst1 == "minor") {?> selected = "selected" <?php } ?>>Minority</option>
</select>
</td>
</tr>

</table>

<table style="width:80%" border= "1px solid white">
<tr bgcolor = "dodgerblue" width = "100px">
<td><font size = "5" color = "white"><center>Permanent Address:</center></td> </tr>
</table>

<table style="width:80%">
<tr>
<td><B>Nationality: </td>
<td> <input type = "text" name = "country" id="cnt" value = "<?php echo $nat?>" readonly> </td>
</tr>

<tr>
<td><B>Address: </td>
<td>
<textarea rows = "04" cols = "30" name = "address" id = "caddr"> <?php echo $addr?> </textarea></td>
</tr>

<tr>
<td><B>State: </td>
<td>
<select name = "state" id="st" onchange="addnation()">
<option value="0"> Select </option>
<option value="pnb" <?php if($ste == "pnb") {?> selected = "selected" <?php } ?>>Panjab</option>
<option value="guj" <?php if($ste == "guj") {?> selected = "selected" <?php } ?>>Gujrat</option>
<option value="mha" <?php if($ste == "mha") {?> selected = "selected" <?php } ?>>Maharastra</option>
<option value="goa" <?php if($ste == "goa") {?> selected = "selected" <?php } ?>>Goa</option>
<option value="kar" <?php if($ste == "kar") {?> selected = "selected" <?php } ?>>Karnataka</option>
<option value="ord" <?php if($ste == "ord") {?> selected = "selected" <?php } ?>>Orisha</option>
```

Personal Information System

```
<option value="wb" <?php if($ste == "wb") {?> selected = "selected" <?php } ?>>West Bengal</option>
<option value="jhr" <?php if($ste == "jhr") {?> selected = "selected" <?php } ?>>Jharkhand</option>
<option value="bhr" <?php if($ste == "bhr") {?> selected = "selected" <?php } ?>>Bihar</option>
<option value="upr" <?php if($ste == "upr") {?> selected = "selected" <?php } ?>>Utter Pradesh</option>
<option value="arn" <?php if($ste == "arn") {?> selected = "selected" <?php } ?>>Arunachal Pradesh</option>
<option value="hmc" <?php if($ste == "hmc") {?> selected = "selected" <?php } ?>>Himachal Pradesh</option>
<option value="mpr" <?php if($ste == "mpr") {?> selected = "selected" <?php } ?>>Madhya Pradesh</option>
<option value="tml" <?php if($ste == "tml") {?> selected = "selected" <?php } ?>>Tamilnaru</option>
</select>
</td>
</tr>

<tr>
<td><B>City/Town/Village: </td>
<td>
<input type = "text" maxlength = "20" name = "city" id = "cty" value = "<?php echo $cty?>"> </td>

<tr>
<td><B>District: </td>
<td> <input type = "text" name = "district" id="dist" value = "<?php echo $dis?>"></td>
</tr>

<tr>
<td><B>PIN Code: </td>
<td>
<input type="number" name="pincode" id="pincd" maxlength="6" value = "<?php echo $pcd?>">
</td>
</tr>
</table>

<table style="width:80%" border = "1px solid red">
<tr bgcolor = "#ff3333"> <td><input type="checkbox" value="" name="filltoo" id="filltoo" onclick="filladd()" /></td>
<td> <font color = "white" size = "5">Permanent Address same as Present Address </font> <br></td> </tr>
</table>

<script type = "text/Javascript">
/* function addnatan()
{
    var sel = document.getElementById('st');
    var val = sel.options[sel.selectedIndex].text;
    if(val=='WestBengal')
    {
        document.getElementById("st").setAttribute("disabled", true);
        document.getElementById("cty").setAttribute("disabled", true);
        document.getElementById("dist").setAttribute("disabled", true);
        document.getElementById("filltoo").setAttribute("disabled", true);
    }
}
```

Personal Information System

```
        else
        {
            document.getElementById("st").disabled= false;
            document.getElementById("cty").disabled= false;
            document.getElementById("dist").disabled= false;
            document.getElementById("filltoo").setAttribute("disabled", false);
        }
    }*/



document.getElementById('st').addEventListener('change', function() {
if (this.value == 'wb') {
    document.getElementById('filltoo').disabled = false;
} else {
    document.getElementById('filltoo').disabled = true;
}
});
```

```
<script type = "text/Javascript">
function filladd()
{
    if(filltoo.checked == true)
    {
        var caddr1 =document.getElementById("caddr").value;
        var cty1 =document.getElementById("cty").value;
        var dist1 =document.getElementById("dist").value;
        var pincd1 =document.getElementById("pincd").value;

        var copycaddr =caddr1;
        var copycty =cty1;
        var copydist =dist1;
        var copypincd =pincd1;

        document.getElementById("paddr").value = copycaddr;
        document.getElementById("paddr").setAttribute("readonly", true);
        document.getElementById("pcty").value = copycty;
        document.getElementById("pcty").setAttribute("readonly", true);
        document.getElementById("pdist").value = copydist;
        document.getElementById("pdist").setAttribute("readonly", true);
        document.getElementById("ppincd").value = copypincd;
        document.getElementById("ppincd").setAttribute("readonly", true);
    }
    else if(filltoo.checked == false)
    {
        document.getElementById("paddr").value="";
    }
}</script>
```

Personal Information System

```
document.getElementById("pcty").value="";
document.getElementById("pdist").value="";
document.getElementById("ppincd").value="";
}
}
</script>

<table style="width:80%">
<tr bgcolor = "dodgerblue" width = "100px">
<td><font size = "5" color = "white"><center>Present Address:</center></td> </tr>
</table>

<table style="width:80%">
<tr>
<td><B>Country: </td>
<td>
<input type="text" name="pcountry" id = "pcnt" value = "<?php echo $p_nat?>" readonly></td>
</tr>
</tr>

<tr>
<td><B>Address: </td>
<td>
<textarea rows = "04" cols = "30" name = "paddress" id = "paddr"><?php echo $p_addr?> </textarea>
</td>
</tr>

<tr>
<td><B>State: </td>
<td><input type="text" name="pstate" id = "pst" value = "<?php echo $p_ste?>" readonly="readonly" /></td>
</tr>

<tr>
<td><B>City/Town/Village: </td>
<td> <input type = "text" name = "pcity" id = "pcty" value = "<?php echo $p_cty?>"> </td>
</tr>

<tr>
<td><B>District: </td>
<td> <input type = "text" name = "pdistrict" id="pdist" value = "<?php echo $p_dis?>"> </td>
</tr>

<tr>
<td><B>PIN Code: </td>
<td>
<input type="number" name="ppincode" id = "ppincd" maxlength="6" value = "<?php echo $p_pcd?>">
</td>
</tr>
</table>
```

```
<table style="width:80%">
<tr>
<td> <br>
<center>
<a href = "addupdatepersonal.php" style="text-decoration: none"> <input type = "submit" value = "UPDATE"> </a>
&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;
<a href = "updateacademic.php" style="text-decoration: none"> <input type = "button" value="GOTO Next
Details"> </a>
</center>
</td>
</tr>
</table>
</center>
</div>
</form>
</body>
</html>
```

Accept Update User Personal details PHP

page:

```
<?php
session_start();
$uid3 = $_SESSION["urid"];
$aemail = $_POST["aemail"];
$phone = $_POST["phone"];
$dateob = $_POST["calender"];
$sx = $_POST["gender"];
$papa = $_POST["father"];
$mom = $_POST["mother"];
$martst = $_POST["maritalstatus"];
$cst = $_POST["cast"];

$cnty = $_POST["country"];
$addr = $_POST["address"];
$st = $_POST["state"];
$cct = $_POST["city"];
$dist = $_POST["district"];
$pincd = $_POST["pincode"];

$pcnty = $_POST["pcountry"];
$paddr = $_POST["paddress"];
$pst = $_POST["pstate"];
$pct = $_POST["pcity"];
$pdist = $_POST["pdistrict"];
```

Personal Information System

```
$ppincd = $_POST["ppincode"];  
  
$con = mysql_connect("localhost","root","");
  
  
$db = mysql_select_db("rcciit", $con);  
  
$sql = "update dbpersonal set alternateemail = '$alemail', contact = '$phone', dob = '$dateob',
    gender = '$sx', father = '$papa', mother = '$mom', marital = '$martst', cast = '$cst',
    nationality = '$cnty', address = '$addr', state = '$st', city = '$ct', district = '$dist', pincode = '$pincd',
    pre_nationality = '$pcnty', pre_address = '$paddr', pre_state = '$pst', pre_city = '$pct', pre_district = '$pdist',
    pre_pincode = '$ppincd'
    where userid = '$uid3'";  
  
$result = mysql_query($sql);  
  
header ('location: updatefile.php');
?>
```

Update uploaded files/image HTML page:

Accept Update uploaded files/image details

PHP page:

Update Academic details HTML page:

Personal Information System

```
<html>
<head>
<style type = "text/css">
    table, th, td {
        border: 1px solid black;
    }

    label {
        color: white;
        padding: 8px;
    }

    .success {background-color: #4CAF50;}

.fsSubmitButton
{
    padding: 10px 15px 11px !important;
    font-size: 18px !important;
    background-color: #3D9970;
    font-weight: bold;
    text-shadow: 1px 1px #57D6C7;
    color: #ffffff;
    border-radius: 5px;
    -moz-border-radius: 5px;
    -webkit-border-radius: 5px;
    border: 1px solid #57D6C7;
    cursor: pointer;
    box-shadow: 0 1px 0 rgba(255, 255, 255, 0.5) inset;
    -moz-box-shadow: 0 1px 0 rgba(255, 255, 255, 0.5) inset;
    -webkit-box-shadow: 0 1px 0 rgba(255, 255, 255, 0.5) inset;
}
#wrapper
{
    height: 1000px;
    width: 1000px;
    background-color:green;
    float:center;
    margin:auto;
}
#first_content
{
    height: 350px;
    width: 1000px;
    background-color:MediumTurquoise;
    float:left;
}
#second_content
```

Personal Information System

```
{  
    height: 650px;  
    width: 1000px;  
    background-color: Gainsboro;  
    float: left;  
}  
</style>  
</head>  
  
<body>  
<?php  
$con = mysqli_connect("localhost", "root", "");  
mysqli_select_db($con, "rccit");  
$id = $_REQUEST['id'];  
  
$sql = "SELECT * from user_academic_info where id = $id ";  
  
$result = mysqli_query($con, $sql);  
  
while($row = mysqli_fetch_array($result))  
{  
    $qullevel = $row['qual_level'];  
    $qulname = $row['qual_name'];  
    $qulspcl = $row['qual_spcl'];  
    $qulyear = $row['qual_year'];  
    $qulmarks = $row['qual_marks'];  
    $qulmarksheet = $row['qual_marksheet'];  
    $mkdoctype = $row['marksheet_doc_type'];  
    $qulcertificate = $row['qual_certificate'];  
    $cerdoctype = $row['certificate_doc_type'];  
}  
?  
  
<div id = "wrapper">  
<div id = "first_content">  
<form name = "acaupForm" action = "upload_update_academia.php" method = "Post" onsubmit = "return validate()" enctype="multipart/form-data">  
  
<input type= "hidden" name= "id" value="<?= $id ?>" >  
<center>  
<table cellspacing = "10" style="width:100%">  
<tr>  
<td>  
<?php  
$con = mysqli_connect("localhost", "root", "");  
mysqli_select_db($con, "rccit");  
  
$sql1 = "SELECT DISTINCT qlevel from qualification_master";  
$result1 = mysqli_query($con, $sql1);  
}
```

Personal Information System

```
?>
<div class='lable success' align = "center">
<font color = "white">
<label for="SelectLvl"><font color = "white">Qualification Level</font></label>
</div> <br>

<div style="background: #FFF;color: #000;"><?php echo $qullevel ?></div>
</td>

<td>
<?php
$con = mysqli_connect("localhost","root","");
mysqli_select_db($con,"rccit");
$sqln = "SELECT DISTINCT qname from qualification_master";
$result = mysqli_query($con,$sqln);
?>
<div class='lable success' align = "center">
<label for="SelectNm"><font color = "white">Qualification Name</font></label>
</div> <br>

<select id="SelectNm" name='qnm'>
<?php
while ($row = mysqli_fetch_array($result)) {
    if ($qulname == $row['qname'])
    {
        echo "<option selected value="" . $row['qname'] ."">" . $row['qname'] . "</option>";
    }
    else
    {
        echo "<option value="" . $row['qname'] ."">" . $row['qname'] . "</option>";
    }
}
?>
</select>
</td>

<td>
<?php
$con = mysqli_connect("localhost","root","");
mysqli_select_db($con,"rccit");
$sqls = "SELECT DISTINCT qspl from qualification_master";
$result = mysqli_query($con,$sqls);
?>
<div class='lable success' align = "center">
<label for="SelectSpc"><font color = "white">Specialization</font></label>
</div> <br>

<select id="SelectSpc" name='qspcl'>
<?php
```

Personal Information System

```
while ($row = mysqli_fetch_array($result)) {
    if ($qulspcl == $row['qspl']) {
        echo "<option selected value=\"". $row['qspl'] .">" . $row['qspl'] . "</option>";
    } else {
        echo "<option value=\"". $row['qspl'] .">" . $row['qspl'] . "</option>";
    }
}

?>
</select>
</td>

<td>
<div class='lable success' align = "center">
    <label for="YofP"><font color = "white">Year of passing</font></label>
</div> <br>
<input type="text" name="yofp" id = "YofP" value="<?php echo $qulyear ?>"></td>

<td>
<div class='lable success' align = "center">
    <label for="mrk"><font color = "white">Marks</font></label>
</div> <br>
<input type="text" name="mrks" id = "mrk" placeholder = "%age" value="<?php echo $qulmarks ?>"></td>

</tr>
</table>
<br><br>

<table cellspacing = "10" style="width:100%">
<tr>
<td>
<div class='lable success' align = "center">
    <label for="markFile"><font color = "white">Upload Marksheets</font></label>
</div> <br>
<input name="markFile" type="file" /></td>

<td>
<div class='lable success' align = "center">
    <label for="cFile"><font color = "white">Upload Certificate</font></label>
</div> <br><input name="cFile" type="file" /></td>
</tr>
</table><br>
<font color = "Purple"> *For Marksheets / Certificates only .jpg OR .pdf files are allowed </font>
<br><br>
```

Personal Information System

```
<input class = 'fsSubmitButton' type="submit" name = "submitted" value="Update data">

<center>
</form>
</div>

<div id = "second_content" align="center">

<div class='lable success' align = "center">
    <label><font color = "white">Uploaded data / files</font></label>
</div> <br>

<?php
$con = mysqli_connect("localhost", "root", "");
if (!$con)

{
    die('Could not connect: ' . mysqli_error());
}

mysqli_select_db($con, "rccit");
$result = mysqli_query($con, "SELECT * from user_academic_info where id = 12");

echo "<table border='1'>

<tr>

<th>Level</th>

<th>Qualification name</th>

<th>Specialization</th>

<th>YOP / Expected year</th>

<th>Marks</th>

<th>Marksheet</th>

<th>Certificate</th>

</tr>";

while($row = mysqli_fetch_array($result))

{
    echo "<tr>";
```

```
echo "<td>" . $row['qual_level'] . "</td>";

echo "<td>" . $row['qual_name'] . "</td>";

echo "<td>" . $row['qual_spcl'] . "</td>";

echo "<td>" . $row['qual_year'] . "</td>";

echo "<td>" . $row['qual_marks'] . "</td>";

echo "<td>" . "<button class='btn info'>" . "<a href='imageView.php?id=".$row['id']."'&&v=1'><input type='Submit' name='sub' value='View file'></a>" . "</button>" . "</td>";

echo "<td>" . "<a href='imageView.php?id=".$row['id']."'&&v=2'><input type='Submit' name='sub' value='View file'></a>" . "</td>";

echo "</tr>";
}

echo "</table>";
?>
</div>
</div>
</body></html>
```

Accept Update Academic details PHP page:

```
<?php
$con = mysqli_connect("localhost", "root", "");
mysqli_select_db($con, "rccit");
if (isset($_POST["submitted"]))
{
    //echo $qualevel = $_POST["qlvl"];
    $qualname = $_POST["qnm"];
    $qualspl = $_POST["qspcl"];
    $qualyear = $_POST["yofp"];
    $qualmarks = $_POST["mrks"];
    $id = $_POST["id"];
    if(is_uploaded_file($_FILES['markFile']['tmp_name'])) {
        $qualmarksheet = addslashes(file_get_contents($_FILES['markFile']['tmp_name']));
        $imageProperties = getimageSize($_FILES['markFile']['tmp_name']);
        $qualmarksheet_name = $_FILES['markFile']['name'];
        $ext_qualmarksheet = pathinfo($qualmarksheet_name, PATHINFO_EXTENSION);
        //exit();
        $sql1 = "UPDATE user_academic_info set qual_name = '$qualname',
            qual_spcl = '$qualspl', qual_year = '$qualyear',
            qual_marks = '$qualmarks', qual_marksheet = '$qualmarksheet',
            marksheet_doc_type = '$ext_qualmarksheet'
        ";
    }
}
```

```
        }
        else
        {
            $qualmarksheet="";
            $sql1 = "UPDATE user_academic_info set qual_name = '$qualname',
                qual_spcl = '$qualspl', qual_year = '$qualyear',
                qual_marks = '$qualmarks'
            ";
        }

    }

if(is_uploaded_file($_FILES['cFile']['tmp_name'])) {

    $qualcert = addslashes(file_get_contents($_FILES['cFile']['tmp_name']));
    $imageProperties = getimageSize($_FILES['cFile']['tmp_name']);
    $qualcert_name = $_FILES['cFile']['name'];
    $ext_qualcert = pathinfo($qualcert_name, PATHINFO_EXTENSION);

    $sql2 = ",qual_certificate = '$qualcert',
        certificate_doc_type = '$ext_qualcert' WHERE id = $id";
}

else
{
    $sql2 = "WHERE id = $id";
}

$sql= $sql1.$sql2;
"<br />".$sql;
$result = mysqli_query($con,$sql);
if($result)
    //echo "DATA Inserted."<br>;
    header("location:update_academia.php?id=$id");

else
    echo die(mysqli_error($con))."<br>";
}
?>
```

Forget Password:-

For the retrieve forget password by set new password user need to send request to admin by enter their user-id and then admin send them a link to change password.

a. Enter user-id:

Personal Information System

```
<html>

<style>
input[type=email]
{
    width: 180%;
    padding: 8px 20px;
    margin: 5px;
    border-color: black;
    border-radius: 9px;
    font-size: 18px;
}

input[type=password]
{
    width: 100%;
    padding: 8px 20px;
    margin: 5px;
    border: 3px solid black;
    border-radius: 30px;
}

input[type = "submit"]
{
    width: 80px;
    height: 30px;
    border-radius: 20px;
    background-color:#0073e6;
    font-weight:bolder;
    color:white;
    cursor:pointer;
}

input[type = "submit"]:hover
{
    color:white;
    transform:scale(1.3,1.3);
}

input[type = "button"]
{
    width: 80px;
    height: 30px;
    border-radius: 20px;
    background-color:#0073e6;
    font-weight:bolder;
    color:white;
    cursor:pointer;
}
```

Personal Information System

```
input[type = "button"]:hover
{
    color:white;
    transform:scale(1.3,1.3);
}

</style>

<script type = "text/Javascript">
    function validate()
    {
        var u_id = document.getElementById("uid").value;
        if(u_id=="")
        {
            alert("Enter a Valid UserId");
            return false;
        }
        else {document.getElementById('uid').style.borderColor = "green";}
    }
</script>

<head> <center> <font size = "6" color = "red"><U> PASSWORD CHANGING PROCESS </U></font> </center>
</head>

<body>
<br> <br>
<center>
<table>
<form action = "checkuserid.php" method = "post" method = "post" onsubmit = "return validate()">

<tr>
    <td> <font size = "4"><B> ENTER YOUR USER ID: </B></font></td>
    <td><input type = "email" name = "usid" id = "uid"> </td>

    <tr>
        <td> <br> <a href = "registeruser.php"> <input type = "button" value = "go back"> </a></td>
        <td> <br> <a href = "checkuserid.php"> <input type = "submit" value = "GO"> </a></td>
    </tr>
</form>
</table>
</center>

<div id = "div1"> </div>

</body>
</html>
```

b. User change the password HTML page:

```
<?php
session_start();
$uid = $_SESSION["urid"];
?>
<style>
input[type=text]
{
    width: 90%;
    padding: 8px 20px;
    margin: 5px;
    box-sizing: border-box;
    border: 3px white;
    border-radius: 5px;
    font-size: 18px;
}

input[type=password]
{
    width: 100%;
    padding: 8px 20px;
    margin: 5px;
    border: 3px solid black;
    border-radius: 5px;
}

input[type = "submit"]
{
    width: 150px;
    height: 30px;
    border-radius: 20px;
    background-color:#0073e6;
    font-weight:bolder;
    color:white;
    cursor:pointer;
}
input[type = "submit"]:hover
{
    color:white;
    transform:scale(1.3,1.3);
}

table
{
    border: 2px solid white;
    border-radius: 9px;
```

Personal Information System

```
        font-size: 15pt;
    }
</style>

<head>
<script type = "text/Javascript">
function validate()
{
    var p_swd = document.getElementById("pid").value;
    if(p_swd=="")
    {
        alert("Password Field cannot be Blank");
        return false;
    }

    var cp_swd = document.getElementById("cpid").value;
    if(cp_swd=="")
    {
        alert("Password Field cannot be Blank & should be same as Previous");
        return false;
    }
    if(cp_swd != p_swd)
    {
        alert("Enter Same Password as entered previous");
        return false;
    }
}
</script>
</head>

<html>
<form action = "updatenewpassword.php" method = "post" onsubmit = "return validate()">

<center>
<table style="width:54%" bgcolor = "#ff5c33">
<tr>
<td> <font size = "5" color = "white"> <B> User id:</B> </font> </td>
<td> <input type = "text" size = "15" name = "id" id = "ud" value = "<?php echo $ud1 ?>" readonly>
</tr>
</table>

<table>
<tr>
<td> <font size = "5"> Enter New Password: </font> </td>
<td> <input type = "password" name = "psw" id = "pid" placeholder = "Enter Password">
</tr>
<tr>
<td> <font size = "5"> Confirm Password: </font> </td>
<td> <input type = "password" name = "cpsw" id = "cpid" placeholder = "Retype Password">
</tr>
```

Personal Information System

```
</table>

<tr>
<td>
<br>
<center>
<a href = "updatenewpassword.php" style="text-decoration: none">
<input type = "submit" name = "btndsubmit" id = "btndsub" value = "SET PASSWORD"> </a>

</center> </td>
</tr>
</table>
</center>

</html>
```

c. User update the password accept PHP

page:

```
<?php
session_start();
$uid3 = $_SESSION["urid"];
$ps = md5($_POST["psw"]);
$cps = md5($_POST["cpsw"]);
$con = mysql_connect("localhost","root","");
$db = mysql_select_db("rccit",$con);
$sql = "update dbsignup set password = '$ps', confirmpassword = '$cps' where userid = '$uid3'";
$result = mysql_query($sql);
header ('location: registeruser.php');
session_destroy();
?>
```

CSS pages:-

CSS page1:

```
<style type = "text/css">
body
{
    margin: 0;
    padding: 0;
}

div
{
    width: 100%;
    height: 100%;
```

Personal Information System

```
}

#header
{
    height: 100px;
    width: 1400px;
    background-color:pink;
    float:left;
}

#content
{
    height: 1090px;
    width: 1400px;
    background-color:white;
    float:left;
}

#wrapper
{
    height: 131px;
    width: 1330px;
    padding-top: 15px;
    margin-top: -8px;
    background-color:#1aa9b5;
    float:left;
    font-size: 30px;
    display:inline-block;
    border-radius: 9px;
}

#h1{
    height:130px;
    width: 150px;
    margin-top: -8px;
    background-image:url(image/rcciit2.jpg);
    background-size: 150px 130px;
    float:left;
    border: 1px solid #ddd;
    border-radius: 5px;
}

#h2{
    height:30px;
    width: 100px;
    float:right;
    border: 5px solid red;
    border-radius: 30px;
}
```

Personal Information System

```
#h1:hover
{
  box-shadow: 0 0 35px 30px rgba(0, 140, 186, 0.5);
}
```

```
ul
{
  list-style-type:none;
margin:10;
padding:5;
overflow:hidden;
}
```

```
ul li { display: inline-block; }
```

```
.back
{
  background-color: white;
  padding: 21;
  font-size: 140%;
  border-radius:5px;
  color: #096677;
}
```

```
ul li:hover ul {display: block;}
```

```
ul li ul
{
position: absolute;
width: 300px;
display: none;
}
```

```
ul li ul li
{
background: #096677;
border-radius: 9px;
border: 5px solid white;
display: block;
}
```

```
li
{
  float:left;
}
```

```
li a
{
```

Personal Information System

```
display:block;
color:white;
text-align:center;
padding:14px 16px;
text-decoration:none;
}

li a:hover
{
background-color: white;
color: #096677;
padding: 21;
border-radius: 15px;
display: block;
font-family: monospace;
text-decoration: underline;
}

</style>
```

PROJECT Screenshot

1. Admin Page

The screenshot shows a Windows desktop environment with a browser window open to the 'Admin' login page. The page has a green header bar with the title 'Admin'. Below the header are five input fields: 'UserId', 'User Name', 'Department', 'Designation' (with a dropdown menu), and 'Date Of Joining' (with a date input field). At the bottom of the form are two buttons: 'SUBMIT' and 'Cancel', and a link 'New Request for Forget Password'.

2. New user Login

The screenshot shows a Windows desktop environment with a browser window open to the 'New User Login' page. The page has a yellow header bar with the title 'New User Login'. Below the header are two input fields: 'User id' and 'Password'. At the bottom of the form are two buttons: 'Login' and 'Cancel'. A red arrow points from the 'User id' field towards a large, stylized 3D text 'database' on the page. A yellow footer bar at the bottom right contains the text '*** Login For Register User ***'. The status bar at the bottom of the screen shows system information like battery level, signal strength, and the date and time (06-05-2018).

3. Change Password

The screenshot shows a web browser window with the title "Change Password". The URL bar contains "localhost/project/userspassword.php". The main form has a red header "User id:" followed by a text input field containing "abc@gmail.com". Below it are two text input fields for "New Password" and "Confirm Password", both with placeholder dots. At the bottom are "SUBMIT" and "Cancel" buttons. The background shows a Windows taskbar with various icons and a system tray indicating the date and time.

4. Personal Details

The screenshot shows the "RCC IIT Records Keeping Portal" interface. The top navigation bar includes a logo, "Personal Information", "Image Upload", "Academic Information", and a "Logout" button. The main content area is titled "PERSONAL DETAILS" and includes a note: "Asterisk fields are required(*)". The form contains fields for "UserID" (abc@gmail.com), "Name" (abc), "Department" (BCA), "Designation" (prof), "Date Of Joining" (12-12-2011), "Email" (abc@gmail.com), "Alternate Email" (roy1889@gmail.com), and "Mobile No.: *" (4587215). A watermark for "Activate Windows" is visible in the background.

Personal Information System

Date Of Birth: *	<input type="text" value="15-12-1987"/>
Gender: *	<input checked="" type="radio"/> Male <input type="radio"/> Female
Father's Name: *	<input type="text" value="Raj Kumar Das"/>
Mother's Name: *	<input type="text" value="Jaya Das"/>
Marital Status: *	<input type="text" value="Married"/>
Caste: *	<input type="text" value="OBC(A)"/>
Permanent Address:	
Nationality: *	<input type="text" value="Indian"/>
Address: *	<input type="text" value="16/B Shinthee"/>
State: *	<input type="text" value="West Bengal"/>
City/Town/Village: *	<input type="text" value="Kolkata"/>
District: *	<input type="text" value="South 24 Parganas"/>
PIN Code: *	<input type="text" value="700030"/>

Permanent Address same as Present Address

Present Address:	
Country: *	<input type="text" value="Indian"/>
Address: *	<input type="text" value="16/B Shinthee"/>
State: *	<input type="text" value="West Bengal"/>
City/Town/Village: *	<input type="text" value="Kolkata"/>
District: *	<input type="text" value="South 24 Parganas"/>
PIN Code: *	<input type="text" value="700030"/>

SUBMIT **Cancel**

Activate Windows
Go to Settings to activate Windows.

5. Files/Image upload

User ID: abc@gmail.com

Passport Size Photo: * Capture.PNG

Identity Card * rrbrd.JPG

Voter Card 123.JPG

Pan Card 66+.JPG

Aadhar Card rrb1.jpg

UPLOAD **Cancel**

Activate Windows
Go to Settings to activate Windows.

6. Academic page

The screenshot shows a web browser window with multiple tabs open. The active tab is titled "localhost/project/academia.php". The page content is titled "Academic Information & Related File Upload". It contains a form with fields for User ID (abc@gmail.com), Qualification Level (10th), Qualification Name (Secondary), Specialization, Year of passing, Marks, and %age. There are also sections for uploading a Marks sheet and a Certificate, each with a "Choose File" button and a message indicating "No file chosen". A "Submit data" button is present. Below the form, a table displays the submitted data: Level (10th), Qualification name (Secondary), Specialization, YOP / Expected year (2012), Marks (60), and two "View file" buttons. The operating system taskbar at the bottom shows various application icons and the date/time (06-05-2018, 22:58).

7. Journal details page

Personal Information System

The screenshot shows a web browser window with multiple tabs open. The active tab is 'localhost/subham/journalconf.php'. The page has a green header with the title 'Select type' and two radio buttons: 'Journal' (selected) and 'Conference'. Below this is a section titled 'Details' with a text input field labeled 'Enter details of journal/conference'. Underneath are three input fields: 'Year of Journal published/Conference attended' (with a dropdown menu), 'Date of journal published/Conference attended' (with a date input field), and 'Upload .pdf file' (with a file upload button). A large green button labeled 'Submit data' is centered below these fields. At the bottom, there is a section titled 'Uploaded data / files' and a warning message: 'Warning: mysqli_fetch_array() expects parameter 1 to be mysqli_result, boolean given in C:\xampp\htdocs\subham\journalconf.php on line 170'. The status bar at the bottom shows the Windows taskbar with various icons and the date/time: 07-05-2018 00:12.

8. Existing user login page

The screenshot shows a web browser window with multiple tabs open. The active tab is 'localhost/project/registeruser.php'. The page features a large background graphic with the text 'OPPORTUNITY FOR STUDENTS TO SUCCEED'. Overlaid on this is a smaller 'Register User Login' form with fields for 'User id:' and 'Password:', each with an associated input field. Below the fields are 'Login' and 'Cancel' buttons, and a 'Forgot Password?' link. The status bar at the bottom shows the Windows taskbar with various icons and the date/time: 06-05-2018 23:09.

9. Update personal details page



RCC IIT Records Keeping Portal

Personal Information File Upload Academic Information

UPDATE PERSONAL DETAILS

User ID:	abc@gmail.com
Name:	abc
Department:	BCA
Designation:	prof
Date Of Joining:	12-12-2011
Email:	abc@gmail.com
Alternate Email:	xyz123@gmail.com
Mobile No.:	6567215
Date Of Birth:	15-12-1987
Gender:	<input checked="" type="radio"/> Male <input type="radio"/> Female
Father's Name:	Raj Kumar Das
Mother's Name:	Sayu Das
Marital Status:	Married
Caste:	OBC(A)
Permanent Address:	
Nationality:	Indian
Address:	16/B shintee
State:	West Bengal
City/Town/Village:	Kolkata
District:	South 24 Parganas
PIN Code:	700030
<input checked="" type="checkbox"/> Permanent Address same as Present Address	
Present Address:	
Country:	Indian
Address:	16/B shintee
State:	West Bengal
City/Town/Village:	Kolkata
District:	South 24 Parganas
PIN Code:	700030

[UPDATE](#) [GO TO Next Details](#)

10. Update files/images

11. Update Academic information page

Qualification Level	Qualification Name	Specialization	Year of passing	Marks
10th	Secondary		2010	61

Upload Marksheets	Upload Certificate
Choose File No file chosen	Choose File No file chosen

*For Marksheets / Certificate only .jpg OR .pdf files are allowed

Update data

Uploaded data / files

Level	Qualification name	Specialization	YOP / Expected year	Marks	Marksheet	Certificate
	MCA	Electronics and Telecommunication Engineering	2019	78	View file	View file

12. User id for change password

PASSWORD CHANGING PROCESS

ENTER YOUR USER ID:

[go back](#)

[GO](#)

"Your Request for forget Password is being send to the Administration,
they will help you out to Recover Your Password very soon.
Thank You."

13. Change password request to admin

User Ids is in queue Requesting for changing Password

UserId

14. Link for Change password page

PASSWORD CHANGING PROCESS

ENTER YOUR USER ID:

[go back](#)

[GO](#)

Here is your Link For Change Password Reference

15. Change password page

User id:

Enter New Password:

Confirm Password:

[SET PASSWORD](#)

LIMATIONS:

Since this application is developed in android, it is not possible for the iOS users and others without an android device to gain access to this app.

FUTURE SCOPE

On clicking the markers on the map, the whole information about a particular event can be displayed on map screen itself.

There is no end for an application to be more users friendly so this application is no exception. This system would be made applicable to work in various other zones step by step.

CONCLUSION:-

This system has been developed for run in an android operating system. It uses internet to track user current location and display nearby puja pandals and restaurants. It has a nice chance of being developed at an even better scale with time.

REFERENCE:

www.developer.android.cm

www.stackoverflow.com

www.google.console.api

www.firebaseio.google.com

www.androidtutorial.com